

MATERIAL SAFETY DATA SHEET

TEXAS ORANGE

Version Number 1.1 Revision Date 02/09/2004

Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TEXAS ORANGE
Product code	:	CC10048604
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Iron oxide	1309-37-1	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			



MATERIAL SAFETY DATA SHEET

TEXAS ORANGE

Version Number 1.1 Revision Date 02/09/2004 Page 2 of 6 Print Date 11/13/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **TEXAS ORANGE**

Version Number 1.1 Revision Date 02/09/2004

Storage

Page 3 of 6 Print Date 11/13/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	(TWA): Time Weighted Average		ACGIH
	_	(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

Solid
Pellets
ORANGE
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH

Keep away from oxidizing agents and open flame. To avoid thermal

Not applicableNot determined

: Not established

: Not applicable

: Not applicable

: Not applicable

10. STABILITY AND REACTIVITY

Stability : Stable.

Hazardous Polymerization : Will not occur.

:

Conditions to avoid



MATERIAL SAFETY DATA SHEET

TEXAS ORANGE

vision Date 02/09/20	004			Page 4 0 Print Date 11/13/20
		decomposition	n, do not overheat.	
Incompatible Materi	als	Incompatible	with strong acids and o	oxidizing agents.
-		-	-	
Hazardous decompo products	sition			oxide (CO), oxides of nitrogen ad smoke are all possible.
	11	. TOXICOLOG	ICAL INFORMATIO	DN
health data for the in Toxicity Overview	dividual com	ponents which co	omprise the mixture.	ure effects listed are based on exis
This product contain	is the followir	ig components wl	hich in their pure form	have the following characteristics
CAS-No.		mical Name	Effect	Target Organ
13463-67-7	Titanium		Systemic effects	Respiratory system.
1309-37-1	Iron oxid	e	Systemic effects	Respiratory system.
		of the polymer		is they are bound within the matrix
Bioaccumulation Po Additional advice		Chemicals are of the polymer No data availa	r. not readily available a r.	s they are bound within the matrix
		 Chemicals are of the polymer No data availa 13. DISPOSAL Like most ther possible recycle generator of we classification, applicable fed Recycling is phas the responsand disposal in 	r. not readily available a r. able CONSIDERATIONS rmoplastic plastics the ling is preferred to dis vaste material has the r transportation and disp eral, state/provincial a preferred when possible isbility for proper was n accordance with app	s they are bound within the matrix product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Additional advice		 Chemicals are of the polymer No data availa 13. DISPOSAL Like most ther possible recyc generator of w classification, applicable fed Recycling is p has the respon and disposal in and local regu 	r. not readily available a r. able CONSIDERATIONS rmoplastic plastics the ling is preferred to dis vaste material has the r transportation and disp eral, state/provincial a preferred when possible isbility for proper was n accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation
Additional advice	ging	 Chemicals are of the polymer No data availa 13. DISPOSAL Like most ther possible recyc generator of w classification, applicable fed Recycling is p has the respon and disposal in and local regu 14. TRANSPOI 	r. not readily available a r. able CONSIDERATIONS rmoplastic plastics the ling is preferred to dis vaste material has the r transportation and displeral, state/provincial a preferred when possible isibility for proper was n accordance with app lations.	s they are bound within the matrix product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation




MATERIAL SAFETY DATA SHEET **TEXAS ORANGE**

Version Number 1.1 Revision Date 02/09/2004

Page 5 of 6 Print Date 11/13/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.	
	15	. REGULATORY INFORMATION]
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)	
Not applicable			
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
SARA Title III Section 302 Ex	treme	ely Hazardous Substance	
Not applicable			
SARA Title III Section 313 To	oxic C	Chemicals:	
Not applicable Canadian Regulations:			
National Pollutant Rele	ase Ir	iventory (NPRI)	
Not applicable			
WHMIS Classification	:	D2B	
WHMIS Ingredient Dis	closu	re List	
CAS-No. 1309-37-1			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	



The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.