

MATERIAL SAFETY DATA SHEET 030BK99 PVC CC HM

Version Number 1.0 Revision Date 01/28/2004

Page 1 of 6 Print Date *11/13/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	030BK99 PVC CC HM
Product code	:	CC10048647
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET 030BK99 PVC CC HM

Version Number 1.0 Revision Date 01/28/2004 Page 2 of 6 Print Date 11/13/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET 030BK99 PVC CC HM

			Print Da	Page 2 ate 11/13/
Handling		ake measures to prevent the bundle of the bu		arge Heat
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio and contamination. Keep in a dry, cool place.			
8. F	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		afety practic
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
			1	
Components	Value	Exposure time	Exposure type	List:
Components Carbon black	Value 3.5 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust. as carbon black	
		Time Weighted Average	Total dust. as carbon	ACGIH
	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black Total dust. as carbon black	ACGIH
Carbon black Form	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not	ACGIH OSHA Z applicable
Carbon black Form Appearance	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity: : Not	ACGIH OSHA Z applicable determined
Carbon black Form Appearance Color	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Evapo ts Specif CK Bulk d	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity: : Not ensity : Not	ACGIH OSHA Z applicable determined established
Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif CK Bulk d faint Vapor	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity: : Not ensity : Not pressure : Not	ACGIH OSHA Z applicable determined established applicable
Carbon black Carbon black Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specific CK Bulk of faint Vapor letermined Vapou	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not	ACGIH OSHA Z applicable determined established applicable applicable
Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif CK Bulk d faint Vapor letermined Vapou applicable pH	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not	ACGIH OSHA Z applicable determined established applicable
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very : Not c : Not c : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif CK Bulk d faint Vapor letermined Vapou applicable pH	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not : Not	ACGIH OSHA Z applicable determined established applicable applicable
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : Pelle : BLA : Very : Not c : Not a : Insol 10. §	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specific K Bulk d faint Vapor letermined Vapou applicable pH uble	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not : Not	ACGIH OSHA Z applicable determined established applicable applicable
Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solid : Pelle : BLA : Very : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo the Evapo t	Total dust. as carbon black Total dust. as carbon black DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not : Not	ACGIH OSHA Z applicable determined established applicable applicable



MATERIAL SAFETY DATA SHEET 030BK99 PVC CC HM

Version Number 1.0 Page 4 of 6 Revision Date 01/28/2004 Print Date 11/13/2011 Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. **Incompatible Materials** : Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks. Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : products (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION



MATERIAL SAFETY DATA SHEET 030BK99 PVC CC HM

Version Number 1.0 Revision Date 01/28/2004 Page 5 of 6 Print Date 11/13/2011

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition	: WARNING! This product contains a chemical known to the State of

PolyOne

MATERIAL SAFETY DATA SHEET 030BK99 PVC CC HM

Version Number 1.0 Revision Date 01/28/2004

Page 6 of 6 Print Date 11/13/2011

65		California to cause cancer.		
SARA Title III Section 302 Extremely Hazardous Substance				
Not applicable				
SARA Title III Section 313 Tox	ic C	Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Release	se Ir	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	D2A		
WHMIS Ingredient Disc.	losu	re List		
CAS-No. 1333-86-4				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Listed		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.