

MATERIAL SAFETY DATA SHEET

GREEN 3308C

Version Number 1.0 Revision Date 01/28/2004 Page 1 of 6 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN 3308C
Product code	:	CC10048747
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

GREEN 3308C

Version Number 1.0 Revision Date 01/28/2004 Page 2 of 6 Print Date 11/13/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET GREEN 3308C

Version Number 1.0 Revision Date 01/28/2004

Storage

Page 3 of 6 Print Date 11/13/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable
Appearance	: Pellets	Specific Gravity:	: Not determined
Color	: GREEN	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapour density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		



MATERIAL SAFETY DATA SHEET GREEN 3308C

sion Number 1.0 vision Date 01/28/20	004			Page 4 Print Date 11/13/20	
		decompositio	n, do not overheat.		
Incompatible Materi	als	: Incompatible	compatible with strong acids and oxidizing agents.		
incompatible waterials . Incompatible with strong actus and oxidizing agents.					
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	1	11. TOXICOLOG	ICAL INFORMATIO	ON	
This mixture has not health data for the in Toxicity Overview				ure effects listed are based on exis	
	s the follow	ving components w	hich in their pure form	have the following characteristic:	
CAS-No.	C	hemical Name	Effect	Target Organ	
13463-67-7	Titaniu	m dioxide	Systemic effects	Respiratory system.	
1317-65-3	Calciur	n carbonate	Irritant	Eyes, Skin.	
			Systemic effects	Eyes, Skin, Respiratory system	
Environmental Toxic Bioaccumulation Por Additional advice	-	of the polyme	er. e not readily available a er.	is they are bound within the matrix is they are bound within the matrix	
		13. DISPOSAL	CONSIDERATIONS		
Product		possible recyc generator of v classification,	cling is preferred to dis waste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.	
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPO	RT INFORMATION		



sion Number 1.0 rision Date 01/28/2004		Page 5 Print Date 11/13/2
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable	rem	ely Hazardous Substance
Not applicable		
Not applicable SARA Title III Section 313 Tox Not applicable	tic C	Chemicals:
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations:	tic C	Chemicals:
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea	tic C	Chemicals: nventory (NPRI)
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Releat Not applicable	iic C	Chemicals: nventory (NPRI)
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification	tic C se In :	Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL	tic C se In :	Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories:	se In :	Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: National Pollutant Relea Not applicable WHMIS Classification DSL National Inventories: Australia AICS	se Ir : :	Chemicals: nventory (NPRI) D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed

			PolyOne.
OLYONE CORPORAT		DN	
IATERIAL SAFETY DATA SHI	EET		
GREEN 3308C ersion Number 1.0			Page 6 of 6
evision Date 01/28/2004			Print Date 11/13/2011
Korea KECI	:	Listed	
Philippines PICCS	:	Listed	
		16. OTHER INFORMATION	1
at the date of its publication. The processing, storage, transportation specification. The information r	ne int ion, o relate	Formation given is designed only a disposal and release and is not to be only to the specific material design.	st of our knowledge, information and belie as a guidance for safe handling, use, be considered a warranty or quality signated and may not be valid for such any particular process or processing

ſ