MATERIAL SAFETY DATA SHEET 25660 PU TR PP MASTERBATCH

Version Number 1.0 Revision Date 01/28/2004 Page 1 of 5 Print Date 11/13/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY	:	Product Stewardship (770) 271-5902
TELEPHONE Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	25660 PU TR PP MASTERBATCH
Product code	:	CC10048939
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET 25660 PU TR PP MASTERBATCH

Version Number 1.0 Revision Date 01/28/2004 Page 2 of 5 Print Date 11/13/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	5
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen	1
Hazards	(NOx), other hazardous materials, and smoke are all possible.	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.	ıt
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	on

PolyOne

MATERIAL SAFETY DATA SHEET 25660 PU TR PP MASTERBATCH

Version Number 1.0 Revision Date 01/28/2004 Page 3 of 5 Print Date 11/13/2011

0. 1211	OSURE CONTROLS / P	ERSONAL PROTECTION	
Respiratory protection	: No personal respira	tory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with	side-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothi	ng.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		ce with good industrial hygiene and safety pract breaks and at the end of workday.	ice.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
There are no known hazardou	. 1 1		
	is components above regula	tory thresholds in this product.	
	· ·		
	PHYSICAL AND CHEM		
9.	PHYSICAL AND CHEM	IICAL PROPERTIES	
9. Form	PHYSICAL AND CHEM : Solid	IICAL PROPERTIES Evaporation rate : Not applicable	
9. Form Appearance	PHYSICAL AND CHEM : Solid : Pellets	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine	d
9. Form Appearance Color	PHYSICAL AND CHEM : Solid : Pellets : PURPLE	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established	d d
9. Form Appearance Color Odor	 PHYSICAL AND CHEM Solid Pellets PURPLE Very faint 	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable	d d
9. Form Appearance Color Odor Melting point/range	 PHYSICAL AND CHEM Solid Pellets PURPLE Very faint Not determined 	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable Vapour density : Not applicable	d d
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid Pellets PURPLE Very faint Not determined Not applicable 	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable	d d
9. Form Appearance Color Odor Melting point/range	 PHYSICAL AND CHEM Solid Pellets PURPLE Very faint Not determined 	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable Vapour density : Not applicable	d d
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid Pellets PURPLE Very faint Not determined Not applicable 	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable	d d
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEM Solid Pellets PURPLE Very faint Not determined Not applicable Insoluble 	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable	d d
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEM : Solid : Pellets : PURPLE : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY AND	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable	d d
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEM Solid Pellets PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY AND Stable. 	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable	d d
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEM Solid Pellets PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY AND Stable. Will not occur. 	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable OREACTIVITY	d 1
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEM Solid Pellets PURPLE Very faint Not determined Not applicable Insoluble 10. STABILITY ANE Stable. Will not occur. Keep away from ox decomposition, do not apply the stable. 	IICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determine Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable OREACTIVITY	d 1

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 25660 PU TR PP MASTERBATCH

Version Number 1.0 Revision Date 01/28/2004 Page 4 of 5 Print Date 11/13/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
	4/5

PolyOne

MATERIAL SAFETY DATA SHEET 25660 PU TR PP MASTERBATCH

Version Number 1.0				
Revision Date 01/28/2004				

Page 5 of 5 Print Date 11/13/2011

California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	kic C	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.