MATERIAL SAFETY DATA SHEET METALLIC GREEN 355

Version Number 1.1 Revision Date 04/26/2007

Page 1 of 6 Print Date 11/27/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	 Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, export or accident). 	
Product name	:	METALLIC GREEN 355
Product code	:	CC10048961
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to avage
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **METALLIC GREEN 355**

Version Number 1.1 Revision Date 04/26/2007 Page 2 of 6 Print Date 11/27/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET METALLIC GREEN 355

Version Number 1.1 Revision Date 04/26/2007 Page 3 of 6 Print Date 11/27/2011

		nd contamination. Keep in a d	ij, coor prace.	
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ive equipment normally re	equired.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practice
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
rr				
Components	Value	Exposure time	Exposure type	List:
Components Aluminum	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Dust.	List: ACGIH
		Time Weighted Average	Dust. Total dust. as Al	ACGIH
	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH OSHA ZI
	10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL:	Dust. Total dust. as Al	ACGIH OSHA Z1 OSHA Z1
	10 mg/m3 15 mg/m3 5 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average	Dust. Total dust. as Al Respirable dust. as Al	ACGIH OSHA Z1 OSHA Z1
Aluminum	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): Time Weighted Average	Dust. Total dust. as Al Respirable dust. as Al	ACGIH OSHA Z1 OSHA Z1 MX OEL ACGIH
Aluminum	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA):	Dust. Total dust. as Al Respirable dust. as Al Dust.	ACGIH OSHA Z1 OSHA Z1 MX OEL ACGIH OSHA Z1
Aluminum	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average	Dust. Total dust. as Al Respirable dust. as Al Dust. Total dust.	ACGIH OSHA Z1 OSHA Z1 MX OEL ACGIH OSHA Z1 MX OEL
Aluminum	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit	Dust. Total dust. as Al Respirable dust. as Al Dust. Total dust. as Ti as Ti	ACGIH OSHA Z1 OSHA Z1 MX OEL
Aluminum	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL):	Dust. Total dust. as Al Respirable dust. as Al Dust. Total dust. as Ti as Ti DPERTIES	ACGIH OSHA Z1 OSHA Z1 MX OEL ACGIH OSHA Z1 MX OEL
Aluminum Titanium dioxide	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Dust. Total dust. as Al Respirable dust. as Al Dust. Total dust. as Ti as Ti DPERTIES ration rate : Not ic Gravity : Not	ACGIH OSHA Z1 OSHA Z1 MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined
Aluminum Titanium dioxide Form Appearance Color	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : GRE	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Dust. Total dust. as Al Respirable dust. as Al Dust. Dust. Total dust. as Ti as Ti Deperties ration rate : Not ic Gravity : Not lensity : Not	ACGIH OSHA ZI OSHA ZI MX OEL ACGIH OSHA ZI MX OEL MX OEL MX OEL
Aluminum Titanium dioxide Form Appearance Color Odour	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : GRE : Very	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Dust. Total dust. as Al Respirable dust. as Al Dust. Dust. Total dust. as Ti as Ti OPERTIES ration rate : Not ic Gravity : Not lensity : Not ressure : Not	ACGIH OSHA Z1 OSHA Z1 MX OEL ACGIH OSHA Z1 MX OEL MX OEL MX OEL applicable determined established applicable
Aluminum Titanium dioxide Form Appearance Color	10 mg/m3 15 mg/m3 5 mg/m3 10 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : GRE : Very : Not of	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Dust. Total dust. as Al Respirable dust. as Al Dust. Total dust. as Ti as Ti OPERTIES ration rate : Not ic Gravity : Not ressure : Not ur density : Not	ACGIH OSHA Z1 OSHA Z1 MX OEL ACGIH OSHA Z1 MX OEL MX OEL MX OEL

10. STABILITY AND REACTIVITY

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET METALLIC GREEN 355

Version Number 1.1 Revision Date 04/26/2007

Page 4 of 6 Print Date 11/27/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the

PolyOne.

MATERIAL SAFETY DATA SHEET **METALLIC GREEN 355**

Version Number 1.1 Revision Date 04/26/2007 Page 5 of 6 Print Date 11/27/2011

	polymer matrix.			
Additional advice	: No data available			
	13. DISPOSAL CONSIDERATIONS			
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Not regulated for transportation.			
ICAO/IATA (air)	: Refer to specific regulation.			
IMO / IMDG (maritime)	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: Classified as hazardous based on components.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	Substances (40 CFR 302)			
Not applicable				
California Proposition 65	: Not applicable			
SARA Title III Section 302 Ex	tremely Hazardous Substance			
Unlass anasifis shemicals and	dentified under this section, this product is Not Applicable under this regula			

MATERIAL SAFETY DATA SHEET METALLIC GREEN 355

Version Number 1.1 Revision Date 04/26/2007

Page 6 of 6 Print Date 11/27/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation
Chemical Name
CAS-No.
Weight %

ALUMINUM (FUME OR DUST)	7429-90-5	1.00 - 5.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Aluminum	7429-90-5	1.00 - 5.00	12
Phthalocyanine green	1328-53-6	1.00 - 5.00	71

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
7429-90-5	
1328-53-6	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed	
China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Not determine	ned
Korea KECI	: Listed	
Philippines PICCS	: Listed	

:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.