### MATERIAL SAFETY DATA SHEET INTERMIX TRANSL. BLACK

Version Number 1.0 Revision Date 02/05/2004

Page 1 of 5 Print Date *11/13/2011* 

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY	:	Product Stewardship (770) 271-5902
TELEPHONE Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	INTERMIX TRANSL. BLACK
Product code	:	CC10049189
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET INTERMIX TRANSL. BLACK

Version Number 1.0 Revision Date 02/05/2004 Page 2 of 5 Print Date 11/13/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET INTERMIX TRANSL. BLACK

Version Number 1.0 Revision Date 02/05/2004 Page 3 of 5 Print Date 11/13/2011

0. LAP	8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
Respiratory protection	: ]	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: :	Safety glasses with side-shields.				
Hand protection	: ]	Protective gloves.				
Skin and body protection	: ]	Long sleeved clothing.				
Additional Protective Measures	: :	Safety shoes.				
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
	-	onents above regulatory thresholds in this product.				
	PHIS	CAL AND CHEMICAL PROPERTIES				
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Soli : Pell : BLA : Ver : Not	idEvaporation rate:Not applicableetsSpecific Gravity::Not determinedACKBulk density:Not establishedy faintVapor pressure:Not applicabledeterminedVapour density:Not applicableapplicablepH:Not applicable				
Form Appearance Color Odor Melting point/range Boiling Point:	: Soli : Pell : BL/ : Ver : Not : Not : Insc	idEvaporation rate:Not applicableetsSpecific Gravity::Not determinedACKBulk density:Not establishedy faintVapor pressure:Not applicabledeterminedVapour density:Not applicableapplicablepH:Not applicable				
Form Appearance Color Odor Melting point/range Boiling Point:	: Soli : Pell : BL : Ver : Not : Not : Inso <b>10.</b>	dEvaporation rate:Not applicableetsSpecific Gravity::Not determinedACKBulk density:Not establishedy faintVapor pressure:Not applicabledeterminedVapour density:Not applicableapplicablepH:Not applicableoluble				
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Soli : Pell : BL : Ver : Not : Not : Insc <b>10.</b>	idEvaporation rate: Not applicableetsSpecific Gravity:: Not determinedACKBulk density: Not establishedy faintVapor pressure: Not applicabledeterminedVapour density: Not applicableapplicablepH: Not applicableolubleSTABILITY AND REACTIVITY				
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Soli : Pell : BL/ : Ver : Not : Not : Insc <b>10.</b> : S	id       Evaporation rate       : Not applicable         ets       Specific Gravity:       : Not determined         ACK       Bulk density       : Not established         y faint       Vapor pressure       : Not applicable         determined       Vapour density       : Not applicable         applicable       pH       : Not applicable         oluble       Stable.       Stable.				
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Soli : Pell : BL : Ver : Not : Not : Insc <b>10.</b> : S	id       Evaporation rate       : Not applicable         ets       Specific Gravity:       : Not determined         ACK       Bulk density       : Not established         y faint       Vapor pressure       : Not applicable         determined       Vapour density       : Not applicable         applicable       pH       : Not applicable         oluble       Stable.       Stable.         Will not occur.       Keep away from oxidizing agents and open flame. To avoid thermal				

PolyOne.

# MATERIAL SAFETY DATA SHEET INTERMIX TRANSL. BLACK

Version Number 1.0 Revision Date 02/05/2004 Page 4 of 5 Print Date 11/13/2011

There are no known hazardous components above regulatory thresholds in this product.

Persistence and degradability	
	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolyOne

# MATERIAL SAFETY DATA SHEET INTERMIX TRANSL. BLACK

Version Number 1.0 Revision Date 02/05/2004 Page 5 of 5 Print Date 11/13/2011

California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.			
SARA Title III Section 302 Extremely Hazardous Substance					
Not applicable					
SARA Title III Section 313 Tox	SARA Title III Section 313 Toxic Chemicals:				
Not applicable Canadian Regulations:					
National Pollutant Release Inventory (NPRI)					
Not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.