MATERIAL SAFETY DATA SHEET **BROWN #332 E-12 - 6**

Version Number 1.1 Revision Date 09/20/2007

Page 1 of 6 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BROWN #332 E-12 - 6
Product code	:	CC10049252
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **BROWN #332 E-12 - 6**

Version Number 1.1 Revision Date 09/20/2007 Page 2 of 6 Print Date 12/1/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **BROWN #332 E-12 - 6**

Version Number 1.1 Revision Date 09/20/2007 Page 3 of 6 Print Date 12/1/2011

8. E	XPOSURE	CONTROLS / PERSONA	AL PROTECTION	
Respiratory protection	: N	o personal respiratory prot	ective equipment normall	y required.
Eye/Face Protection	: S	afety glasses with side-shie	elds	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		landle in accordance with g Vash hands before breaks a		
Engineering measures		leat only in areas with appr ppropriate exhaust ventilati		n. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average (TWA):	e Respirable fraction	. ACGIH
	3 mg/m3	Time Weighted Average (TWA):	2	MX OEL
	9. PHYSIC	CAL AND CHEMICAL F	PROPERTIES	
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	: Not o : Not a : Insol	ts Spe WN Bu faint Va determined Va applicable pH uble	ecific Gravity : N lk density : N pour pressure : N pour density : N : N	fot applicable fot determined fot established fot applicable fot applicable fot applicable
	10. 8	STABILITY AND REAC	ΤΙVITY	
Stability	: S	table.		
Hazardous Polymerization	n : W	Vill not occur.		
Conditions to avoid		eep away from oxidizing a ecomposition, do not overh		o avoid thermal

3/6

PolvOne.

MATERIAL SAFETY DATA SHEET BROWN #332 E-12 - 6

Version Number 1.1 Revision Date 09/20/2007 Page 4 of 6 Print Date 12/1/2011

Hazardous decomposition:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogenproducts(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET **BROWN #332 E-12 - 6**

ion Number 1.1 sion Date 09/20/2007				P	Pag Print Date 12/
US Regulations:					
OSHA Status	:	Classified as ha	zardous based or	n components.	
TSCA Status	:	All components Inventory.	s of this product a	are listed on or exen	npt from the TS
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR	302)		
Not applicable					
California Proposition 65	:	Not applicable			
SARA Title III Section 302 Ex	trem	ely Hazardous Su	bstance		
					a un dan thia na
Unless specific chemicals are in SARA Title III Section 313 To			ction, this produ	ct is Not Applicable	e under this rej
SARA Title III Section 313 To Unless specific chemicals are in Canadian Regulations: National Pollutant Relea	oxic C	Chemicals:	ction, this produ	ct is Not Applicable	e under this reg
SARA Title III Section 313 To Unless specific chemicals are in Canadian Regulations:	oxic C	Chemicals:	-		
SARA Title III Section 313 To Unless specific chemicals are in Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u>	oxic C identi ase Ii	Chemicals: fied under this se nventory (NPRI) Not controlled. All component:	ction, this produce CAS-No. 7429-90-5	ct is Not Applicable Weight % 0.10 - 1.00 are on the Canadian	e under this reg NPRI ID# 12
SARA Title III Section 313 To Unless specific chemicals are in Canadian Regulations: National Pollutant Relea Chemical Name Aluminum WHMIS Classification DSL	oxic C denti ase Ii	Chemicals: fied under this se nventory (NPRI) Not controlled. All component:	CAS-No. 7429-90-5	ct is Not Applicable Weight % 0.10 - 1.00 are on the Canadian	e under this reg NPRI ID# 12
SARA Title III Section 313 To Unless specific chemicals are in Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification	oxic C denti ase Ii	Chemicals: fied under this se nventory (NPRI) Not controlled. All component:	CAS-No. 7429-90-5	ct is Not Applicable Weight % 0.10 - 1.00 are on the Canadian	e under this reg NPRI ID# 12
SARA Title III Section 313 To Unless specific chemicals are in Canadian Regulations: National Pollutant Relea Chemical Name Aluminum WHMIS Classification DSL National Inventories:	oxic C denti ase Ii	Chemicals: fied under this se nventory (NPRI) Not controlled. All component: Substances List	CAS-No. 7429-90-5	ct is Not Applicable Weight % 0.10 - 1.00 are on the Canadian	e under this reg NPRI ID# 12
SARA Title III Section 313 To Unless specific chemicals are in Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification DSL National Inventories: Australia AICS	oxic C denti ase Ii	Chemicals: ified under this se nventory (NPRI) Not controlled. All component: Substances List Listed	CAS-No. 7429-90-5	ct is Not Applicable Weight % 0.10 - 1.00 are on the Canadian	e under this reg NPRI ID# 12



MATERIAL SAFETY DATA SHEET **BROWN #332 E-12 - 6**

Version Number 1.1 Revision Date 09/20/2007

Page 6 of 6 Print Date 12/1/2011

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.