

MATERIAL SAFETY DATA SHEET

### GRAY

Version Number 1.0 Revision Date 02/13/2004 Page 1 of 6 Print Date *11/13/2011* 

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
TELEPHONE Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GRAY
Product code	:	CC10049476
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET **GRAY**

Version Number 1.0 Revision Date 02/13/2004 Page 2 of 6 Print Date 11/13/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



### MATERIAL SAFETY DATA SHEET **GRAY**

Version Number 1.0 Revision Date 02/13/2004 Page 3 of 6 Print Date 11/13/2011

8. H	EXPOSURE	<b>CONTROLS / PERS</b>	ONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory	protecti	ve equipment normally r	equired.		
Eye/Face Protection	: S	afety glasses with side	-shields				
and protection : Protective gloves.							
Skin and body protection	: L	ong sleeved clothing.					
Additional Protective Measures	: S	afety shoes.					
General Hygiene Considerations		andle in accordance w ash hands before brea		industrial hygiene and sa at the end of workday.	fety practice.		
Engineering measures		eat only in areas with ppropriate exhaust ven		iate exhaust ventilation. at machinery.	Provide		
Exposure limit(s)							
Components	Value	Exposure time	;	Exposure type	List:		
Carbon black	3.5 mg/m3	Time Weighted Av	erage	Total dust. as carbon	ACGIH		
	3.5 mg/m3	(TWA):     black       B.5 mg/m3     PEL:     Total dust. as carbon black     OSHA Z					
Diack							
	9. PHYSIC	CAL AND CHEMIC	AL PRC	PERTIES			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not a : Not a : Insol	ts Y faint determined applicable uble	Specifi Bulk d Vapor Vapou pH	ic Gravity: : Not ensity : Not pressure : Not r density : Not : Not	applicable determined established applicable applicable applicable		
	10. 8	STABILITY AND RE	EACTIV	ITY			
Stability	: S	table.					
Hazardous Polymerization	n : W	Vill not occur.					
Conditions to avoid		eep away from oxidiz ecomposition, do not o		ts and open flame. To av	void thermal		
Incompatible Materials	· Ir	compatible with stron	a acide	and oxidizing agents.			



MATERIAL SAFETY DATA SHEET

### GRAY

#### Version Number 1.0 Revision Date 02/13/2004

Page 4 of 6 Print Date 11/13/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where



MATERIAL SAFETY DATA SHEET	Г
GRAY	

ion Number 1.0 sion Date 02/13/2004				Page 5 Print Date 11/13/2
	genera classifi	tor of waste mater cation, transportat	ferred to disposal or ir ial has the responsibil tion and disposal in ac provincial and local re	ity for proper waste cordance with
Contaminated packaging	has the and dis	responsibility for	hen possible. The gen proper waste classific ce with applicable fed	
	14. TRA	NSPORT INFOR	RMATION	
U.S. DOT Classification	: Not reg	gulated for transpo	ortation.	
ICAO/IATA (air)	: Refer t	o specific regulati	on.	
IMO / IMDG (maritime)	: Refer t	o specific regulati	on.	
	15. REGU	LATORY INFO	RMATION	
US Regulations:				
OSHA Status	· Classif	ied as hazardous h	based on components.	
TSCA Status		mponents of this p	-	exempt from the TSC.
US. EPA CERCLA Hazardou		-		
Chemical Name C	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
Xylenes (o-, m-, p- 1 isomers)	330-20-7	0.1201	100 lbs	83,264 LB
California Proposition 65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 To	xtremely Haza	ardous Substance	ntain a substance liste	d by California Prop 6



MATERIAL	SAFETY	DATA	SHEET

#### . . . . G

Version Number 1.0 Revision Date 02/13/2004       Page 6 c Print Date 11/13/20         National Pollutant Release Inventory (NPRI) <ul> <li></li></ul>	GRAY						
National Pollutant Release Inventory (NPRI)         Chemical Name       CAS-No.       Weight %       NPRI ID#         Xylenes (o-, m-, p- isomers)       1330-20-7       0.12       240         Zinc iron oxide       12063-19-3       0.10       241         WHMIS Classification       :       D2A         WHMIS Ingredient Disclosure List       CAS-No.       1333-86-4         1330-20-7       .       .       .         DSL       :       All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.         National Inventories:       .       .         Australia AICS       :       Listed         Europe EINECS       :       Listed         Japan ENCS       :       Not determined					Prin		
Chemical Name       CAS-No.       Weight %       NPRI ID#         Xylenes (o-, m-, p- isomers)       1330-20-7       0.12       240         Zinc iron oxide       12063-19-3       0.10       241         WHMIS Classification       :       D2A         WHMIS Ingredient Disclosure List		se Ir	ventory (NPRI)				13/2011
Xylenes (o-, m-, p- isomers)       1330-20-7       0.12       240         Zinc iron oxide       12063-19-3       0.10       241         WHMIS Classification       :       D2A         WHMIS Ingredient Disclosure List		50 11		CAS-No.	Weight %	NPRI ID#	1
Zinc iron oxide       12063-19-3       0.10       241         WHMIS Classification : D2A         WHMIS Ingredient Disclosure List		5)					
WHMIS Ingredient Disclosure List         CAS-No.         1333-86-4         1330-20-7         DSL       All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.         National Inventories:       Listed         China IECS       Isted         Europe EINECS       Listed         Japan ENCS       Not determined		,		12063-19-3	0.10	241	
DSL:All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.National Inventories:.Australia AICS:ListedChina IECS:Europe EINECS:Japan ENCS:Not determined	WHMIS Ingredient Discl CAS-No. 1333-86-4						
China IECS:ListedEurope EINECS:ListedJapan ENCS:Not determined	DSL	:			ne Canadian	Domestic	
Europe EINECS:ListedJapan ENCS:Not determined	Australia AICS	:	Listed				
Japan ENCS : Not determined	China IECS	:	Listed				
	Europe EINECS	:	Listed				
Korea KECI : Not determined	Japan ENCS	:	Not determined				
	Korea KECI	:	Not determined				
Philippines PICCS : Not determined	Philippines PICCS	:	Not determined				
16. OTHER INFORMATION			16. OTHER INFOR	MATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.