

MATERIAL SAFETY DATA SHEET

NO. 86 NAVY BLUE

Version Number 1.0 Revision Date 02/17/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NO. 86 NAVY BLUE
Product code	:	CC10049612
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **NO. 86 NAVY BLUE**

Version Number 1.0 Revision Date 02/17/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET **NO. 86 NAVY BLUE**

Version Number 1.0 Revision Date 02/17/2004 Page 3 of 6 Print Date 11/14/2011

	a	nd contamination. Keep in	a dry, cool place.		
8. H	XPOSURE	CONTROLS / PERSONA	AL PROTECTION		
Respiratory protection	: N	lo personal respiratory prote	ective equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shie	lds.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	Safety shoes.			
General Hygiene Considerations		Iandle in accordance with g Vash hands before breaks ar		afety practice.	
Engineering measures		leat only in areas with appropriate exhaust ventilati		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Carbon black	3.5 mg/m3	Time Weighted Average	e Total dust. as carbon	ACGIH	
	2.5	(TWA):	black	OSHA Z1	
	3.5 mg/m3	PEL:	Total dust. as carbon black	USHA ZI	
	9. PHYSIC	CAL AND CHEMICAL P	ROPERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not o : Not a : Insol	ets Spe IE Bul v faint Vap determined Vap applicable pH luble	cific Gravity: : Not k density : Not por pressure : Not pour density : Not : Not	applicable determined established applicable applicable applicable	
	10. 8	STABILITY AND REAC	ΓΙVITY		
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid		Leep away from oxidizing a ecomposition, do not overh		woid thermal	
Incompatible Materials	: In	ncompatible with strong aci	ds and oxidizing agents.		



MATERIAL SAFETY DATA SHEET

NO. 86 NAVY BLUE

Version Number 1.0 Revision Date 02/17/2004 Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where



MATERIAL SAFETY DATA SHEET **NO. 86 NAVY BLUE**

ion Number 1.0 sion Date 02/17/2004				Page : Print Date 11/14/
	genera classifi	tor of waste mater ication, transporta	erred to disposal or ir ial has the responsibil tion and disposal in ac provincial and local re	ity for proper waste cordance with
Contaminated packaging	has the and dis	responsibility for	hen possible. The gen proper waste classific ce with applicable fed	
	14. TRA	NSPORT INFOR	RMATION	
U.S. DOT Classification	: Not reg	gulated for transpo	ortation.	
ICAO/IATA (air)	: Refer t	o specific regulati	on.	
IMO / IMDG (maritime)	: Refer t	o specific regulati	on.	
	15 RECI	LATORY INFO	RMATION	
US Regulations:				
OSHA Status	: Classif	ied as hazardous t	based on components.	
TSCA Status			-	exempt from the TSC
	Invento			·······
US. EPA CERCLA Hazard	lous Substances ((40 CFR 302)		
Chemical Name	CAS-No.	% in Product	RQ for component	RQ for Mixture/Product
Xylenes (o-, m-, p- isomers)	1330-20-7	0.1201	100 lbs	83,264 LB
i				•
California Propositi 65	ion : This pr	oduct does not co	ntain a substance liste	d by California Prop 6
65			ntain a substance liste	d by California Prop 6
65 SARA Title III Section 302			ntain a substance liste	d by California Prop 6
65 SARA Title III Section 302 Not applicable	2 Extremely Haza	ardous Substance	ntain a substance liste	d by California Prop 6
65 SARA Title III Section 302 Not applicable SARA Title III Section 313	2 Extremely Haza	ardous Substance	ntain a substance liste	d by California Prop 6
65 SARA Title III Section 302	2 Extremely Haza	ardous Substance	ntain a substance liste	d by California Prop 6



MATERIAL SAFETY DATA SHEET

NO. 86 NAVY BLUE

Version Number 1.0 Revision Date 02/17/2004 Page 6 of 6 Print Date 11/14/2011

Chemical Name	• • •	CAS-No.	Weight %	NPRI ID#
Xylenes (o-, m-, p- isomers	1330-20-7	0.12	240	
WHMIS Classification WHMIS Ingredient Disc CAS-No. 1333-86-4 1330-20-7				
DSL	: All components of Substances List (D	f this product are of SL) or are exempt.		Domestic
Australia AICS China IECS Europe EINECS	 : Listed : Listed : Listed : Not determined 			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.