MATERIAL SAFETY DATA SHEET MINT GREEN

Version Number 1.1 Revision Date 05/10/2007

Page 1 of 6 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MINT GREEN
Product code	:	CC10049665
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET MINT GREEN

Version Number 1.1 Revision Date 05/10/2007 Page 2 of 6 Print Date 11/28/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
		Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
		5. FIRE-FIGHTING MEASURES	
Flash point	:	Not applicable	
Flammable Limits Upper explosion limit		Not applicable	
Lower explosion limit	:	Not applicable	
Autoignition temperature	:	Not applicable	
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. A	CCIDENTAL RELEASE MEASURES	
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET MINT GREEN

Version Number 1.1 Revision Date 05/10/2007 Page 3 of 6 Print Date 11/28/2011

8. F	EXPOSURE	CONTROLS / PERSONAL	PROTECTION				
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.			
Eye/Face Protection	: S	afety glasses with side-shields	3				
Hand protection	: P	rotective gloves					
Skin and body protection	: L	: Long sleeved clothing					
Additional Protective Measures	: S	afety shoes					
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		safety practice			
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	15 mg/m3	PEL:	Total dust.	OSHA Z1			
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL			
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL			
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES				
Form	: Solic	Evanc	oration rate : No	t applicable			
Appearance	: pelle	1		t determined			
Color	: GRE			t established			
Odour			-	t applicable			
Melting point/range		1		t applicable			
Boiling Point: Water solubility	: Not a : Insol	applicable pH	: No	t applicable			
water soluointy	. 111801	uut					
	10. 8	STABILITY AND REACTI	VITY				
Stability	: S	table.					
Hazardous Polymerization	n : V	Vill not occur.					
Conditions to avoid	: K	eep away from oxidizing age	nts and open flame. To	avoid thermal			



MATERIAL SAFETY DATA SHEET MINT GREEN

ion Number 1.1 sion Date 05/10/20	07			Print [Page 4 Date 11/28/2
		decomposition	, do not overheat.		
Incompatible Materia	ls :	Incompatible v	with strong acids and o	oxidizing agents.	
Hazardous decompos products	ition :		e (CO2), carbon mono azardous materials, ar		
	11.	TOXICOLOGI	CAL INFORMATIO)N	
health data for the ind	lividual comp	onents which co	-		
health data for the inc <u>Toxicity Overview</u> This product contains	lividual composition of the following	onents which con g components wh	mprise the mixture.	have the following	g characteristic
health data for the inc	lividual composition of the following	onents which con g components wh	mprise the mixture.		g characteristic Organ
health data for the inc <u>Toxicity Overview</u> This product contains <u>CAS-No.</u> 13463-67-7 Carcinogenicity This product contains data:	the following Chen Titanium d	onents which con g components wh nical Name lioxide g components wh	mprise the mixture. hich in their pure form Effect Systemic effects hich, in their pure form	have the following Target Respiratory systen, have the following	g characteristic Organ em. ng carcinogenio
health data for the inc <u>Toxicity Overview</u> This product contains <u>CAS-No.</u> 13463-67-7 Carcinogenicity This product contains	the following Chen Titanium d	onents which con g components wh nical Name lioxide g components wh emical Name	mprise the mixture. hich in their pure form Effect Systemic effects	have the following Target Respiratory syste	g characteristic Organ em.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The	



MATERIAL SAFETY DATA SHEET MINT GREEN

sion Number 1.1 ision Date 05/10/2007	Page 5 c Print Date 11/28/20
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 T	oxic Chemicals:
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regulation

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET MINT GREEN

National Dallatent Dalaa	T.				
National Pollutant Release Chemical Name	se n	iventory (NPRI)	CAS-No.	Weight %	NPRI ID#
Aluminum oxide			1344-28-1	0.10 - 1.00	13
Phthalocyanine green			1328-53-6	0.10 - 1.00	71
WHMIS Classification	:		s of this product a (DSL) or are exe	are on the Canadia empt.	n Domestic
lational Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
		16 OTHER I	NFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.