## MATERIAL SAFETY DATA SHEET **PG 49774 PU PE SL**

Version Number 1.1 Revision Date 05/10/2007

Page 1 of 6 Print Date 11/28/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 49774 PU PE SL
Product code	:	CC10049774
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Titanium dioxide	13463-67-7	10 - 30	

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 49774 PU PE SL**

Version Number 1.1 Revision Date 05/10/2007 Page 2 of 6 Print Date 11/28/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

## MATERIAL SAFETY DATA SHEET **PG 49774 PU PE SL**

Version Number 1.1 Revision Date 05/10/2007 Page 3 of 6 Print Date 11/28/2011

8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION	
Respiratory protection	: N	lo personal respiratory pro	otective equipment nor	mally required.
Eye/Face Protection	: S	afety glasses with side-sh	ields	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		landle in accordance with Vash hands before breaks		
Engineering measures		leat only in areas with app ppropriate exhaust ventila		ation. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure typ	pe List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ge	ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Avera (TWA):	ge as Ti	MX OEL
	20 mg/m3	Short Term Exposure Li (STEL):	mit as Ti	MX OEL
		CAL AND CHEMICAL	DDODEDTIES	
	9. PH 1510	LAL AND CHEMICAL	PROPERTIES	
Form	: Solic	l E	vaporation rate	Not applicable
Appearance	: pelle		pecific Gravity	Not determined
Color	: PUR		ulk density	Not established
Odour			apour pressure	Not applicable
Melting point/range			apour density	Not applicable
Boiling Point:		applicable pl	1 :	Not applicable
Water solubility	: Insol			
	10. 5	STABILITY AND REAC	CTIVITY	
Stability	: S	table.		
Hazardous Polymerization	n : W	Vill not occur.		
Conditions to avoid	: K	Leep away from oxidizing	agents and open flame	. To avoid thermal

## MATERIAL SAFETY DATA SHEET **PG 49774 PU PE SL**

Version Number 1.1 Revision Date 05/10/2007 Page 4 of 6 Print Date 11/28/2011

Incompatible Materials:Incompatible with strong acids and oxidizing agents.Hazardous decomposition<br/>products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen<br/>(NOx), other hazardous materials, and smoke are all possible.

decomposition, do not overheat.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	Not readily biodegradable.	
Environmental Toxicity	Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	No data available	
	3. DISPOSAL CONSIDERATIONS	
Product	Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The	re

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 49774 PU PE SL**

ersion Number 1.1 evision Date 05/10/2007		Page 5 of 6 Print Date 11/28/2011
		generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 E	xtrem	ely Hazardous Substance
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	oxic (	Chemicals:
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **PG 49774 PU PE SL**

Version Number 1.1 Revision Date 05/10/2007				Pri		e 6 of 6 8/2011
National Pollutant Relea	se Iı	ventory (NPRI)				
Chemical Name	<u></u>		CAS-No.	Weight %	NPRI ID#	
Aluminum oxide			1344-28-1	0.10 - 1.00	13	
WHMIS Classification DSL	:			are on the Canadiar	n Domestic	
National Inventories:		Substances List	(DSL) or are exe	empt.		
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Listed				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
		16. OTHER IN	FORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.