

## MATERIAL SAFETY DATA SHEET DEEP BLUE GREEN PP

Version Number 1.0 Revision Date 02/27/2004

Page 1 of 6 Print Date *11/14/2011* 

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DEEP BLUE GREEN PP
Product code	:	CC10050063
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET DEEP BLUE GREEN PP

Version Number 1.0 Revision Date 02/27/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	ļ	5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	:	Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



# MATERIAL SAFETY DATA SHEET **DEEP BLUE GREEN PP**

Version Number 1.0 Revision Date 02/27/2004 Page 3 of 6 Print Date 11/14/2011

	ar	nd contamination. Ke	1			
8. F	EXPOSURE	CONTROLS / PERS	SONAL I	PROTECTION	N	
Respiratory protection	: N	o personal respiratory	protectiv	ve equipment no	ormally r	equired.
Eye/Face Protection	: Sa	afety glasses with side	e-shields.			
Hand protection	: P1	rotective gloves.				
Skin and body protection	: Lo	ong sleeved clothing.				
Additional Protective Measures	: Sa	afety shoes.				
General Hygiene Considerations		andle in accordance w ash hands before brea				fety practice.
Engineering measures		eat only in areas with ppropriate exhaust ver			itilation.	Provide
Exposure limit(s)						
Components	Value	Exposure time	9	Exposure (	type	List:
Components Calcium carbonate	Value 5 mg/m3	Exposure time PEL:	e	Exposure t Respirable fr		List: OSHA Z1
	Value 5 mg/m3 15 mg/m3		e	Exposure t Respirable fr Total du	action.	
	5 mg/m3	PEL:	2	Respirable fr	action.	OSHA Z1
	5 mg/m3 15 mg/m3	PEL:		Respirable fr Total du	action.	OSHA Z1
Calcium carbonate	5 mg/m3 15 mg/m3 9. PHYSIC	PEL: PEL: CAL AND CHEMIC.	AL PRO	Respirable fr Total du PERTIES	action. st.	OSHA Z1 OSHA Z1
Calcium carbonate	5 mg/m3 15 mg/m3	PEL: PEL: CAL AND CHEMIC	AL PRO Evapor	Respirable fr Total du PERTIES ation rate	action. st. : Not	OSHA Z1
Calcium carbonate	5 mg/m3 15 mg/m3 9. PHYSIC : Solid	PEL: PEL: CAL AND CHEMIC.	AL PRO Evapor	Respirable fr. Total du PERTIES ation rate c Gravity:	action. st. : Not : Not	OSHA Z1 OSHA Z1
Calcium carbonate Form Appearance Color	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Peller	PEL: PEL: CAL AND CHEMIC. ts E	AL PRO Evapor Specifi Bulk de	Respirable fr Total du PERTIES ation rate c Gravity: ensity	action. st. : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined
Calcium carbonate Form Appearance Color Odor Melting point/range	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellet : BLU : Very : Not d	PEL: PEL: CAL AND CHEMIC. ts E faint letermined	AL PRO Evapor Specifi Bulk de Vapor	Respirable fr. Total du PERTIES ation rate c Gravity:	action. st. : Not : Not : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined established applicable applicable
Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Peller : BLU : Very : Not c : Not a	PEL: PEL: CAL AND CHEMIC. ts E faint letermined upplicable	AL PRO Evapor Specifi Bulk de Vapor	Respirable fr Total du PERTIES ation rate c Gravity: ensity pressure	action. st. : Not : Not : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined established applicable
Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellet : BLU : Very : Not d	PEL: PEL: CAL AND CHEMIC. ts E faint letermined upplicable	AL PRO Evapor Specifi Bulk de Vapor Vapou	Respirable fr Total du PERTIES ation rate c Gravity: ensity pressure	action. st. : Not : Not : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined established applicable applicable
Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point:	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Peller : BLU : Very : Not d : Not a : Insolu	PEL: PEL: CAL AND CHEMIC. ts E faint letermined upplicable	AL PRO Evapor Specifi Bulk de Vapor Vapour pH	Respirable fr Total du PERTIES ation rate c Gravity: ensity pressure density	action. st. : Not : Not : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined established applicable applicable
Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellet : BLU : Very : Not d : Insolut 10. S	PEL: PEL: CAL AND CHEMIC. ts E faint letermined upplicable uble TABILITY AND RE	AL PRO Evapor Specifi Bulk de Vapor Vapour pH	Respirable fr Total du PERTIES ation rate c Gravity: ensity pressure density	action. st. : Not : Not : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined established applicable applicable
Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellet : BLU : Very : Not d : Insolut 10. S	PEL: PEL: CAL AND CHEMIC. ts E faint letermined upplicable uble	AL PRO Evapor Specifi Bulk de Vapor Vapour pH	Respirable fr Total du PERTIES ation rate c Gravity: ensity pressure density	action. st. : Not : Not : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined established applicable applicable
Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellet : BLU : Very : Not d : Insolut 10. S : St	PEL: PEL: CAL AND CHEMIC. ts E faint letermined upplicable uble TABILITY AND RE	AL PRO Evapor Specifi Bulk de Vapor Vapour pH	Respirable fr Total du PERTIES ation rate c Gravity: ensity pressure density	action. st. : Not : Not : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined established applicable applicable
	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellet : BLU : Very : Not d : Not a : Insolut 10. S n : W : K	PEL: PEL: CAL AND CHEMIC. ts E faint letermined upplicable uble TABILITY AND RI	AL PRO Evapor Specifi Bulk de Vapour pH EACTIV	Respirable fr Total du PERTIES ation rate c Gravity: ensity pressure density ITY	action. st. : Not : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined established applicable applicable
Calcium carbonate Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	5 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellee : BLU : Very : Not d : Insolut 10. S n : W : K definition	PEL: PEL: PEL: CAL AND CHEMIC. ts E faint letermined upplicable uble TABILITY AND RI table. 'ill not occur. eep away from oxidiz	AL PRO Evapor Specifi Bulk de Vapour pH EACTIV	Respirable fr Total du PERTIES ation rate c Gravity: ensity pressure c density ITY	action. st. : Not : Not : Not : Not : Not : Not	OSHA Z1 OSHA Z1 applicable determined established applicable applicable

## PolyOne

## MATERIAL SAFETY DATA SHEET DEEP BLUE GREEN PP

### Version Number 1.0

Revision Date 02/27/2004

Page 4 of 6 Print Date 11/14/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

# MATERIAL SAFETY DATA SHEET DEEP BLUE GREEN PP

rsion Number 1.0 vision Date 02/27/2004				Prin	Page 5 t Date 11/14/2
VISION Date 02/27/2004				FIII	IL DALE 11/14/2
US Regulations:					
OSHA Status	:	Classified as hazard	lous based on com	ponents.	
TSCA Status	:	All components of Inventory.		-	ot from the TSC
US. EPA CERCLA Hazardou	us Subs	stances (40 CFR 302)	)		
Not applicable					
rot upprouore					
65 SARA Title III Section 302 E	Extreme	ely Hazardous Substa	nnce		
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Rel</u> Chemical Name Aluminum			CAS-No. 7429-90-5	Weight % 0.44	NPRI ID# 12
SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rel Chemical Name Aluminum	lease In	Not controlled.	7429-90-5	0.44	12
SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rel Chemical Name Aluminum	lease In	ventory (NPRI)	7429-90-5 this product are on	0.44	12
SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rel Chemical Name Aluminum	lease In	Not controlled.	7429-90-5 this product are on	0.44	12
SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rel Chemical Name Aluminum WHMIS Classificatio DSL	lease In	Not controlled.	7429-90-5 this product are on	0.44	12
SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Rel</u> Chemical Name Aluminum WHMIS Classificatio DSL National Inventories:	on :	Not controlled. All components of Substances List (DS	7429-90-5 this product are on	0.44	12
SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Rel</u> <u>Chemical Name</u> Aluminum WHMIS Classificatio DSL National Inventories: Australia AICS	on :	Not controlled. All components of Substances List (DS	7429-90-5 this product are on	0.44	12
SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rel Chemical Name Aluminum WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	lease In on : : :	Not controlled. All components of Substances List (DS Listed Listed	7429-90-5 this product are on	0.44	12
SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Rel</u> <u>Chemical Name</u> Aluminum WHMIS Classificatio DSL National Inventories: Australia AICS China IECS	lease In on : : :	Not controlled. All components of Substances List (DS Listed Listed Listed	7429-90-5 this product are on	0.44	12



# MATERIAL SAFETY DATA SHEET **DEEP BLUE GREEN PP**

Version Number 1.0 Revision Date 02/27/2004 Page 6 of 6 Print Date 11/14/2011

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.