

#### MATERIAL SAFETY DATA SHEET

### RED

Version Number 1.0 Revision Date 05/26/2004 Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED
Product code	:	CC10050148
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

## RED

Version Number 1.0 Revision Date 05/26/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
sower explosion limit		Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

## RED

Version Number 1.0 Revision Date 05/26/2004 Page 3 of 6 Print Date 11/14/2011

8. E	EXPOSURE	<b>CONTROLS / PERSONAL</b>	<b>PROTECTION</b>	
Respiratory protection	: N	to personal respiratory protect	tive equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-shield	s.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with goo Vash hands before breaks and		afety practice.
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIO	CAL AND CHEMICAL PR	OPERTIES	
Form Appearance	: Solic : Pelle			applicable determined
Color	: RED			established
Odor			J	applicable
Melting point/range			*	applicable
Boiling Point:	: Not a	applicable pH		applicable
Water solubility	: Insol	luble		
	10. 8	STABILITY AND REACTI	VITY	
		table.		
Stability	: 5			
Stability Hazardous Polymerization		Vill not occur.		



## MATERIAL SAFETY DATA SHEET

## RED

	ion Number 1.0 sion Date 05/26/200	4			Page 4 of 6 Print Date 11/14/2011
	Incompatible Materials Hazardous decomposit products		Carbon dioxid		oxidizing agents. oxide (CO), oxides of nitrogen nd smoke are all possible.
		11.	TOXICOLOGI	CAL INFORMATIO	DN
	health data for the indi- Toxicity Overview	vidual comp	onents which con	mprise the mixture.	are effects listed are based on existing have the following characteristics:
	CAS-No.		nical Name	Effect	Target Organ
	1309-37-1	Iron oxide		Systemic effects	Respiratory system.
[	13463-67-7	Titanium d	lioxide	Systemic effects	Respiratory system.
		1		AL INFORMATION	т
	Persistence and degrad Environmental Toxicit Bioaccumulation Poter Additional advice	y : ntial : :	of the polymer Chemicals are of the polymer No data availa	not readily available a not readily available a	s they are bound within the matrix s they are bound within the matrix
[		1	<u>3. DISPOSAL (</u>	<b>JUNSIDE KATIONS</b>	
	Product Contaminated packagin		possible recycl generator of w classification, applicable fede Recycling is pr has the respons and disposal in and local regul	ling is preferred to disp aste material has the re- transportation and disp eral, state/provincial and referred when possible sibility for proper was a accordance with apple lations.	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation licable federal, state/provincial
		]	14. TRANSPOR	<b>TINFORMATION</b>	
	U.S. DOT Classificatio ICAO/IATA (air) IMO / IMDG (maritim	:	Not regulated t Refer to specif Refer to specif	-	



MATERIAL SAFETY DATA SHEET

## RED

Version Number 1.0 Revision Date 05/26/2004 Page 5 of 6 Print Date 11/14/2011

	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic C	Shemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
National Inventories: Australia AICS	:	Listed
	:	
Australia AICS		Listed
Australia AICS China IECS	:	Listed



### MATERIAL SAFETY DATA SHEET

### RED

Version Number 1.0

Revision Date 05/26/2004

Page 6 of 6 Print Date 11/14/2011

Philippines PICCS : Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.