

MATERIAL SAFETY DATA SHEET **GHOST**

Version Number 1.0 Revision Date 03/01/2004

Page 1 of 7 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GHOST
Product code	:	CC10050380
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Iron chromite brown spinel	12737-27-8	5 - 10
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	1345-16-0	10 - 30
Manganese antimony titanium brown rutile (C.I. Pigment Yellow 164)	68412-38-4	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.



MATERIAL SAFETY DATA SHEET GHOST

Version Numb	er 1.0
Revision Date	03/01/2004

Page 2 of 7 Print Date 11/14/2011

Medical Conditions: None known.Aggravated by Exposure:				
		4. FIRST AID MEASURES		
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	::	Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6 1	CCIDENTAL RELEASE MEASURES		
	J. A			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		



MATERIAL SAFETY DATA SHEET **GHOST**

Version Number 1.0 Revision Date 03/01/2004		Page 3 of 7 11/14/2011	
Handling :	Take measures to prevent the build up of electrostatic charge only in areas with appropriate exhaust ventilation.	Heat	
Storage :	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EXPOSU	RE CONTROLS / PERSONAL PROTECTION		
Respiratory protection :	No personal respiratory protective equipment normally require	ed.	
Eye/Face Protection :	Safety glasses with side-shields.		
Hand protection :	Protective gloves.		
Skin and body protection :	Long sleeved clothing.		
Additional Protective : Measures	Safety shoes.		
General Hygiene : Considerations	Handle in accordance with good industrial hygiene and safety Wash hands before breaks and at the end of workday.	practice.	
Engineering measures :	Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery.	ide	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Cobalt aluminate blue	0.10	PEL:	Total dust. as Co	OSHA Z1
spinel (C.I. Pigment	mg/m3			
Blue 28)				
	0.02	Time Weighted Average	as Co	ACGIH
	mg/m3	(TWA):		
Manganese antimony	5 mg/m3	Ceiling Limit Value:	Dust. as Mn	OSHA Z1
titanium brown rutile				
(C.I. Pigment Yellow				
164)				
	0.5 mg/m3	PEL:	Dust. as Sb	OSHA Z1
	0.2 mg/m3	Time Weighted Average	as Mn	ACGIH
		(TWA):		
	0.5 mg/m3	Time Weighted Average	as Sb	ACGIH
	_	(TWA):		
Iron chromite brown	0.5 mg/m3	Time Weighted Average	as Cr	ACGIH
spinel		(TWA):		
	1 mg/m3	PEL:		OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: Solid

Evaporation rate

: Not applicable



MATERIAL SAFETY DATA SHEET

GHOST					
Version Number 1.0 Revision Date 03/01/2004		Page 4 of 7 Print Date 11/14/2011			
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Pellets Specific Gravity: WHITE Bulk density Very faint Vapor pressure Not determined Vapour density Not applicable pH Insoluble 	: Not established			
10. STABILITY AND REACTIVITY					
Stability	: Stable.				
Hazardous Polymerization	: Will not occur.				
Conditions to avoid	: Keep away from oxidizing agents and open f decomposition, do not overheat.	lame. To avoid thermal			
Incompatible Materials	: Incompatible with strong acids and oxidizing	g agents.			
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO (NOx), other hazardous materials, and smoke				

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12737-27-8	Iron chromite brown spinel	Irritant	Eyes, Skin, Respiratory system.
1345-16-0	Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	Irritant	Eyes, Skin, Respiratory system.
		sensitizer	Skin.
68412-38-4	Manganese antimony titanium brown rutile (C.I. Pigment Yellow 164)	Irritant	Eyes, Skin.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1345-16-0	Cobalt aluminate blue spinel	no	2B	no
	(C.I. Pigment Blue 28)			

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.



MATERIAL SAFETY DATA SHEET **GHOST**

Version Number 1.0 Revision Date 03/01/2004

Page 5 of 7 Print Date 11/14/2011

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Iron chromite brown spinel 12737-27-8 The bi and trivalent forms of chrome have a low order of acute toxicity but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) componds are not considered carcinogenic in animals or humans.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Additional advice	: No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste mater has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Not regulated for transportation.	
ICAO/IATA (air)	: Refer to specific regulation.	
IMO / IMDG (maritime)	Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	

5/7



MATERIAL SAFETY DATA SHEET **GHOST**

Version Number 1.0 Revision Date 03/01/2004

Page 6 of 7 Print Date 11/14/2011

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : This product does not contain a substance listed by California Prop 65. 65

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
COBALT COMPOUNDS	1345-16-0	19.29
MANGANESE COMPOUNDSANTIMONY	68412-38-4	11.02
COMPOUNDS		
CHROMIUM III COMPOUNDS	12737-27-8	5.34

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Cobalt aluminate blue spinel (C.I. Pigment Blue 28)	1345-16-0	19.29	69
Manganese antimony titanium brown rutile (C.I.	68412-38-4	11.02	147
Pigment Yellow 164)			
Manganese antimony titanium brown rutile (C.I.	68412-38-4	11.02	17
Pigment Yellow 164)			
Manganese	7439-96-5	0.16	147
Iron chromite brown spinel	12737-27-8	5.34	68

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.	
68412-38-4	
12737-27-8	

:

DSL

All of the components of this product are listed on the Canadian



MATERIAL SAFETY DATA SHEET **GHOST**

Version Number 1.0 Revision Date 03/01/2004		Print Date	Page 7 of 7 11/14/2011
		Inventories or are exempt. However, at least one component product is on the Canadian Non-Domestic Substances List (I Quantity use in Canada is restricted by regulations.	
National Inventories:			
Australia AICS	:	Not determined	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Listed	
Philippines PICCS	:	Not determined	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.