

MATERIAL SAFETY DATA SHEET OLD ENGLISH BROWN

Version Number 1.0 Revision Date 03/03/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	OLD ENGLISH BROWN
Product code	:	CC10050446
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Iron oxide	1309-37-1	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





MATERIAL SAFETY DATA SHEET OLD ENGLISH BROWN

Version Number 1.0 Revision Date 03/03/2004 Page 2 of 6 Print Date 11/14/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET OLD ENGLISH BROWN

Version Number 1.0 Revision Date 03/03/2004

Page 3 of 6 Print Date 11/14/2011

Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

: Solid : Pellets : BROWN : Very faint : Not determined : Not applicable : Insoluble

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pН

Keep away from oxidizing agents and open flame. To avoid thermal

: Not applicable Not determined

Not established :

:

: Not applicable

- : Not applicable
- : Not applicable

10. STABILITY AND REACTIVITY

Stability Stable. :

Hazardous Polymerization Will not occur. :

:

Conditions to avoid

3/6



MATERIAL SAFETY DATA SHEET OLD ENGLISH BROWN

Version Number 1.0 Revision Date 03/03/2004 Page 4 of 6 Print Date 11/14/2011

		decomposition,	do not overheat.	
Incompatible Materials :		Incompatible w	vith strong acids and o	oxidizing agents.
Hazardous decomposition : products		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	11.	TOXICOLOGI	CAL INFORMATIO	DN
health data for the indi <u>Toxicity Overview</u>	vidual comp	onents which cor	nprise the mixture.	are effects listed are based on existing have the following characteristics:
CAS-No.	Cher	nical Name	Effect	Target Organ
13463-67-7	Titanium		Systemic effects	Respiratory system.
1309-37-1 Iron oxide			Systemic effects	Respiratory system.
	1		I INFORMATION	т
	1	2. ECOLOGICA	AL INFORMATION	N
Persistence and degrad	lability :	Not readily bio	degradable.	
Environmental Toxicit	ty :	Chemicals are not of the polymer.		s they are bound within the matrix
Bioaccumulation Poter	ntial :	Chemicals are not of the polymer.	•	s they are bound within the matrix
Additional advice	:	No data availat	ble	
	1	3. DISPOSAL C	CONSIDERATIONS	
Product	:			product can be recycled. Where
		generator of wa classification, t	ste material has the r	posal or incineration. The esponsibility for proper waste posal in accordance with
Contaminated packagi	ng :	generator of wa classification, t applicable fede Recycling is pr has the respons	aste material has the r ransportation and disp ral, state/provincial a eferred when possible ibility for proper was accordance with app	posal or incineration. The esponsibility for proper waste posal in accordance with
Contaminated packagi		generator of wa classification, t applicable fede Recycling is pr has the respons and disposal in and local regula	aste material has the r ransportation and disp ral, state/provincial a eferred when possible ibility for proper was accordance with app	 posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation
		generator of wa classification, t applicable fede Recycling is pr has the respons and disposal in and local regula	aste material has the r ransportation and dis ral, state/provincial a eferred when possible ibility for proper was accordance with app ations. T INFORMATION	 posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation
Contaminated packagi U.S. DOT Classification ICAO/IATA (air)		generator of wa classification, t applicable fede Recycling is pr has the respons and disposal in and local regula	aste material has the r ransportation and disp ral, state/provincial a eferred when possible ibility for proper was accordance with applations. T INFORMATION	 posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste material te classification, transportation



MATERIAL SAFETY DATA SHEET OLD ENGLISH BROWN

Version Number 1.0 Revision Date 03/03/2004 Page 5 of 6 Print Date 11/14/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr	em	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Themicals:
Not applicable Canadian Regulations:		
National Pollutant Releas	e Ir	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed

POLYONE	CORPORATION
	COMUNATION



MATERIAL SAFETY DATA SHEET OLD ENGLISH BROWN

Version Number 1.0

Revision Date 03/03/2004

Page 6 of 6 Print Date 11/14/2011

Korea KECI : Listed

Philippines PICCS :

16. OTHER INFORMATION

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.