

MATERIAL SAFETY DATA SHEET

BLUE 4715 PE RR

Version Number 1.0 Revision Date 03/05/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE 4715 PE RR
Product code	:	CC10050502
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET BLUE 4715 PE RR

Version Number 1.0 Revision Date 03/05/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature : Not applicable		
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET BLUE 4715 PE RR

Version Number 1.0 Revision Date 03/05/2004 Page 3 of 6 Print Date 11/14/2011

8. EXPO Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u>	: N : S : H : I : S : H V : H	Safety glasses with s Protective gloves. Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b	ory protectivide-shields. g. e with good preaks and a ith appropri	ve equipment normally r industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practice.	
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: S : F : I : S : H V : H	Safety glasses with s Protective gloves. Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi	ide-shields. g. e with good preaks and a ith appropri	industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practice.	
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: H : I : S : H V : H	Protective gloves. Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi	g. e with good oreaks and a ith appropri	industrial hygiene and sa t the end of workday. ate exhaust ventilation.		
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures	: I : S : H . H : H	Long sleeved clothin Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi	e with good breaks and a ith appropri	t the end of workday. ate exhaust ventilation.		
Additional Protective Measures General Hygiene Considerations Engineering measures	: S : H V : H	Safety shoes. Handle in accordance Wash hands before b Heat only in areas wi	e with good breaks and a ith appropri	t the end of workday. ate exhaust ventilation.		
Measures General Hygiene Considerations Engineering measures	: H V : H	Handle in accordance Wash hands before b Heat only in areas wi	oreaks and a a the appropri	t the end of workday. ate exhaust ventilation.		
Considerations Engineering measures	\ : Н	Wash hands before b Heat only in areas wi	oreaks and a a the appropri	t the end of workday. ate exhaust ventilation.		
					Provide	
Exposure limit(s)						
Components V	alue	Exposure time		Exposure type	List:	
1	mg/m3	*			ACGIH	
15	mg/m3	PEL:		Total dust.	OSHA Z1	
9.]	PHYSI	CAL AND CHEMI	ICAL PRO	PERTIES		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	arance : Pelle : BLU : Very ng point/range : Not a ng Point: : Not a		llets Specific LUE Bulk de ery faint Vapor p		ration rate : Not applicable ic Gravity: : Not determined ensity : Not established pressure : Not applicable r density : Not applicable : Not applicable	
	10.	STABILITY AND	REACTIV	ITY		
Stability	: \$	Stable.				
Hazardous Polymerization	: \	Will not occur.				
Conditions to avoid		Keep away from oxid lecomposition, do no		ts and open flame. To a	void thermal	
Incompatible Materials	: I	ncompatible with str	rong acids a	and oxidizing agents.		



MATERIAL SAFETY DATA SHEET BLUE 4715 PE RR

Version Number 1.0

Revision Date 03/05/2004

Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition : Carbo products (NOx)

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	I			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	able				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	g : Recycling is phase the response of the recycling is phase the response of	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	n : Not regulated	l for transportation.				
ICAO/IATA (air)	: Refer to spec	ific regulation.				
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.				
	15. REGULATO	ORY INFORMATION	V			



MATERIAL SAFETY DATA SHEET BLUE 4715 PE RR

rsion Number 1.0 vision Date 03/05/2004		Page 5 Print Date 11/14/2
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	cic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
	:	Listed
Korea KECI		
Korea KECI Philippines PICCS	:	Listed



MATERIAL SAFETY DATA SHEET BLUE 4715 PE RR

Version Number 1.0 Revision Date 03/05/2004

Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.