

MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 03/04/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
TELEPHONE Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10050636
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.0 Revision Date 03/04/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.0 Revision Date 03/04/2004 Page 3 of 6 Print Date 11/14/2011

8. H	EXPOSURE	CONTROLS / PERSON	AL PROTECTIO	ON	
Respiratory protection		No personal respiratory pro lusty conditions occur wea			
Eye/Face Protection	: s	afety glasses			
Hand protection	: F	Protective gloves.			
Skin and body protection	: I	long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations	p	Wash hands and face before product. Handle in accorda practice for diagnostics.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposur	e type	List:
Mica	20 mppcf	PEL:	Total d		OSHA
	3 mg/m3	Time Weighted Averag (TWA):	ge Respirable	fraction.	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	ge		ACGIH
	15 mg/m3	PEL:	Total c	lust.	OSHA Z1
	9. PHYSI	CAL AND CHEMICAL	PROPERTIES		
Form	: Solie : flake		aporation rate		applicable determined
Appearance Color	: GRE		ilk density		determined
Odor			apor pressure		determined
Melting point/range			apour density		determined
Boiling Point:		applicable pH			applicable
Water solubility	: Inso				11
5					
	10.5	STABILITY AND REAC	CTIVITY		
0.1.11	: S	stable.			
Stability					



MATERIAL SAFETY DATA SHEET **GREEN**

sion Number 1.0				Page	4
ision Date 03/04/20	04			Print Date 11/14	
Conditions to avoid	: To ave	oid thermal decomposi	tion, do not over	heat.	
Incompatible Materia	ls : Incom	patible with strong aci	ds and oxidizing	agents.	
Hazardous decompos products		n dioxide (CO2), carbo), dense black smoke.	on monoxide (CC	D), oxides of nitrogen	
	11. TOXIC	OLOGICAL INFOR	MATION		
health data for the ind	lividual components v	hole for health effects. which comprise the mix	ture.		
This product contains	the following compo	nents which in their pu	re form have the	following characteris	tic
CAS-No.	Chemical Na			Target Organ	
13463-67-7	Titanium dioxide	Systemic et		atory system.	
12001-26-2	Mica	Systemic et	ttects Respir	atory system.	
1	12 ECO	LOGICAL INFORM	ATION		
Bioaccumulation Pote	ential : Not in : Chem	polymer. herently biodegradable icals are not readily ava		e bound within the ma	rix
	of the	polymer.			
		polymer. OSAL CONSIDERA	TIONS		
Product	13. DISP : Where genera classif		preferred to disponsible as the responsible and disposal in a	osal or incineration. T ility for proper waste accordance with	
Product Contaminated packag	13. DISP : Where genera classif applic ing : Recyc has th and di	POSAL CONSIDERA e possible recycling is j ator of waste material h fication, transportation	preferred to disponsibility and disposal in a incial and local r possible. The ge per waste classif	osal or incineration. T ility for proper waste accordance with regulations. enerator of waste mate ication, transportation	The
	13. DISF : Where general classification of the second se	POSAL CONSIDERA e possible recycling is pator of waste material h fication, transportation able federal, state/prov ling is preferred when e responsibility for pro sposal in accordance w	preferred to disponsibility and disposal in a incial and local r possible. The ge per waste classif vith applicable fe	osal or incineration. T ility for proper waste accordance with regulations. enerator of waste mate ication, transportation	The
Contaminated packag	13. DISP : Where genera classif applic ing : Recyce has th and di and lo 14. TRA	POSAL CONSIDERA e possible recycling is p ator of waste material h fication, transportation able federal, state/prov ling is preferred when e responsibility for pro sposal in accordance w cal regulations.	preferred to disponsibility and disposal in a incial and local r possible. The ge per waste classif vith applicable fe	osal or incineration. T ility for proper waste accordance with regulations. enerator of waste mate ication, transportation	The
	13. DISP : Where genera classif applic ing : Recyce has th and di and lo 14. TRA	POSAL CONSIDERA e possible recycling is pator of waste material h fication, transportation able federal, state/prov ling is preferred when e responsibility for pro sposal in accordance w cal regulations.	preferred to disponsibility and disposal in a incial and local r possible. The ge per waste classif vith applicable fe	osal or incineration. T ility for proper waste accordance with regulations. enerator of waste mate ication, transportation	The



MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.0 Page 5 of 6 Revision Date 03/04/2004 Print Date 11/14/2011 IMO / IMDG (maritime) : Refer to specific regulation. **15. REGULATORY INFORMATION US Regulations: OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS Listed : China IECS Listed : Europe EINECS Listed : Japan ENCS : Not determined Korea KECI : Not determined



MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.0

Revision Date 03/04/2004

Page 6 of 6 Print Date 11/14/2011

Philippines PICCS :

16. OTHER INFORMATION

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.