MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 05/14/2007

Page 1 of 6 Print Date 11/28/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10050664
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	0.1 - 1
Calcium carbonate	1317-65-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 05/14/2007 Page 2 of 6 Print Date 11/28/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	es of
Ingestion	: Do not induce vomiting without medical advice. When sympton persist or in all cases of doubt seek medical advice.	15
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	 Not applicable Not applicable Not applicable 	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in position pressure mode should be worn to prevent inhalation of airborne contaminants.	tive
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible.	n
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	l not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpt	ion



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 05/14/2007

_

......

Page 3 of 6 Print Date 11/28/2011

8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protect	ive equipment normal	ly required.
Eye/Face Protection	: S	afety glasses with side-shield	5	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		andle in accordance with good vash hands before breaks and		
Engineering measures		eat only in areas with appropropriate exhaust ventilation		on. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction	n. OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10			
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	• •		MX OEL MX OEL
Titanium dioxide		(TWA): Short Term Exposure Limit (STEL): Time Weighted Average		
Titanium dioxide	20 mg/m3	(TWA): Short Term Exposure Limit (STEL):	Total dust.	MX OEL
Titanium dioxide	20 mg/m3 10 mg/m3	(TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA):	Total dust. as Ti	MX OEL ACGIH
Titanium dioxide	20 mg/m3 10 mg/m3 15 mg/m3	(TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average	as Ti	MX OEL ACGIH OSHA Z1
Titanium dioxide	20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	(TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit	as Ti as Ti	MX OEL ACGIH OSHA Z1 MX OEL
	20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	(TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti as Ti OPERTIES oration rate : N	MX OEL ACGIH OSHA Z1 MX OEL
Form	20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle	(TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRONE LEVADO	as Ti as Ti OPERTIES Dration rate : N fic Gravity : N	MX OEL ACGIH OSHA Z1 MX OEL MX OEL Not applicable Not determined
⁷ orm Appearance Color	20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : BLU	(TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PROSE I Evaports E Bulk of	as Ti as Ti OPERTIES Dration rate : N fic Gravity : N density : N	MX OEL ACGIH OSHA Z1 MX OEL MX OEL MX OEL
Titanium dioxide Titanium dioxide	20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solid : pelle : BLU : Very	(TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PROSE I Evaports E Bulk of faint	as Ti as Ti OPERTIES Description rate : N fic Gravity : N density : N ur pressure : N	MX OEL ACGIH OSHA Z1 MX OEL MX OEL MX OEL
⁷ orm Appearance Color	20 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : pelle : BLU : Very : Not of	(TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRODUCTS L Evaports E Bulk of faint	as Ti as Ti OPERTIES Dration rate : N fic Gravity : N density : N density : N ur pressure : N ur density : N	MX OEL ACGIH OSHA Z1 MX OEL MX OEL MX OEL



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 05/14/2007		Page 4 of 6 Print Date 11/28/2011
Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Page 5 of 6 Print Date 11/28/2011 Revision Date 05/14/2007 polymer matrix. Additional advice : No data available **13. DISPOSAL CONSIDERATIONS** Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** : Not regulated for transportation. U.S. DOT Classification ICAO/IATA (air) Refer to specific regulation. : IMO / IMDG (maritime) : Refer to specific regulation. **15. REGULATORY INFORMATION US Regulations: OSHA Status** Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

POLYONE CORPORATION

<u>PolyOne</u>

Page 6 of 6

Print Date 11/28/2011

MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1

Revision Date 05/14/2007

SARA Title III Section 313 7	Toxic C	Chemicals:			
Unless specific chemicals are	e identi	fied under this se	ection, this produ	ct is Not Applicabl	e under this regu
Canadian Regulations:					
National Pollutant Rel	lease Iı	ventory (NPRI)			
Chemical Name			CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue			147-14-8	1.00 - 5.00	71
147-14-8 DSL	:	All component	s of this product	are on the Canadia	n Domestic
DSL	:	All component	s of this product	are on the Canadia	n Domestic
		Substances List			
National Inventories:		Substances List	(DSL) or are ex		
National Inventories: Australia AICS	:	Substances List Listed			
	:				
Australia AICS	: :	Listed			
Australia AICS China IECS	:	Listed Listed			
Australia AICS China IECS Europe EINECS	:	Listed Listed Listed			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.