

# MATERIAL SAFETY DATA SHEET

### NEW BLUE SC

Version Number 1.0 Revision Date 06/21/2004 Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	NEW BLUE SC
Product code :	CC10050996
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



### MATERIAL SAFETY DATA SHEET **NEW BLUE SC**

Version Number 1.0 Revision Date 06/21/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	3
Eyes	: Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
sower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen	i
Hazards	(NOx), other hazardous materials, and smoke are all possible.	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Sectio of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Here only in areas with appropriate exhaust ventilation.	at
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	m



### MATERIAL SAFETY DATA SHEET **NEW BLUE SC**

Version Number 1.0 Revision Date 06/21/2004 Page 3 of 6 Print Date 11/14/2011

			Reep in a u	ry, cool place.		
8. E	XPOSURE	CONTROLS / PE	RSONAL	PROTECTION		
Respiratory protection	: No personal respiratory prot			ve equipment norma	lly required.	
Eye/Face Protection	: Safety glasses with side-shiel					
Hand protection	: Protective gloves.					
Skin and body protection	: I	Long sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure ti	me	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:		Total dust.	OSHA	
	20 mppcf	PEL:		Total dust.	Z3	
Titanium dioxide	10 mg/m3	Time Weighted	Average		ACGIH	
	-	(TWA):	-			
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSI	CAL AND CHEM	ICAL PRO	PERTIES		
Form	: Solie	d	Evanor	ration rate :	Not applicable	
Appearance	: Pelle				Not determined	
Color	: BLUE			Bulk density : Not established		
Odor	: Very faint			•	Not applicable	
Melting point/range	: Not determined			·	Not applicable	
Boiling Point:	: Not applicable		pH		Not applicable	
Water solubility	: Insoluble					
	10. 5	STABILITY AND	REACTIV	ITY		
Stability	: 5	Stable.				
Hazardous Polymerization	n : V	Will not occur.				
	. L	Coop ower from ovi	dizina agan	ts and open flame.	Fo avoid thermal	
Conditions to avoid		lecomposition, do no				



### MATERIAL SAFETY DATA SHEET **NEW BLUE SC**

#### Version Number 1.0 Page 4 of 6 Revision Date 06/21/2004 Print Date 11/14/2011 Incompatible Materials : Incompatible with strong acids and oxidizing agents. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products (NOx), other hazardous materials, and smoke are all possible. **11. TOXICOLOGICAL INFORMATION** This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following characteristics: CAS-No. Chemical Name Effect Target Organ 7631-86-9 Silica, amorphous Eyes, Respiratory system. Irritant 13463-67-7 Titanium dioxide Systemic effects Respiratory system. **12. ECOLOGICAL INFORMATION** Persistence and degradability : Not readily biodegradable. Environmental Toxicity Chemicals are not readily available as they are bound within the : polymer matrix. **Bioaccumulation Potential** : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : No data available **13. DISPOSAL CONSIDERATIONS** Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.



### MATERIAL SAFETY DATA SHEET **NEW BLUE SC**

Version Number 1.0 Revision Date 06/21/2004 Page 5 of 6 Print Date 11/14/2011

	15	. REGULATORY I			
US Regulations:					
OSHA Status	:	Classified as hazardo	ous based on com	ponents.	
TSCA Status	:	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	s Subs	stances (40 CFR 302)			
Not applicable					
California Proposition 65	. :	This product does no	ot contain a substa	ance listed by Ca	alifornia Prop 65
SARA Title III Section 302 Ea	xtreme	ely Hazardous Substa	nce		
Not applicable					
SARA Title III Section 313 To Not applicable	oxic C	Chemicals:			
SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Rele					
SARA Title III Section 313 To Not applicable Canadian Regulations:			CAS-No. 147-14-8	Weight % 3.39	NPRI ID# 70
SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Rele Chemical Name	ease In	ventory (NPRI)	147-14-8 nts of this produc tempt. However, nadian Non-Dom	3.39 t are listed on th at least one corr estic Substance	70 ne Canadian nponent of this
SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Phthalocyanine blue WHMIS Classification	ease In	Not controlled. All of the componen Inventories or are ex product is on the Car	147-14-8 nts of this produc tempt. However, nadian Non-Dom	3.39 t are listed on th at least one corr estic Substance	70 ne Canadian nponent of this
SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u> WHMIS Classification DSL	ease In	Not controlled. All of the componen Inventories or are ex product is on the Car	147-14-8 nts of this produc tempt. However, nadian Non-Dom	3.39 t are listed on th at least one corr estic Substance	70 ne Canadian nponent of this
SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Phthalocyanine blue</u> WHMIS Classification DSL	n :	Not controlled. All of the componen Inventories or are ex product is on the Car Quantity use in Cana	147-14-8 nts of this produc tempt. However, nadian Non-Dom	3.39 t are listed on th at least one corr estic Substance	70 ne Canadian nponent of this

	PolvOne
TION	
EET	
	Page 6 of 6 Print Date 11/14/2011
: Not determined	
: Not determined	
: Not determined	
16. OTHER INFORMATION	
	EET : Not determined : Not determined : Not determined

processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.