

MATERIAL SAFETY DATA SHEET

TR RED 199C

Version Number 1.0 Revision Date 03/12/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| NON-EMERGENCY TELEPHONE | : Product Stewardship | (770) 271-5902 |
|-------------------------------|------------------------------------|---|
| Emergency telephone number | : CHEMTREC 1-800- or accident). | 424-9300 (24hrs for spill, leak, fire, exposure |
| Product name | : TR RED 199C | |
| Product code | : CC10051010 | |
| Chemical Name | : Mixture | |
| CAS-No. | : Mixture | |
| Product Use | : Industrial Application | S |

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | | |
|---|---|--|--|
| Acute exposure | | | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. | | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | | |
| Medical Conditions Aggravated by Exposure: | : None known. | | |



MATERIAL SAFETY DATA SHEET *TR RED 199C*

Version Number 1.0 Revision Date 03/12/2004 Page 2 of 6 Print Date 11/14/2011

| | 4. FIRST AID MEASURES | |
|---|---|-------|
| Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all c doubt seek medical advice. | | es of |
| Ingestion | : Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice. | |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention. | |
| Skin | Wash off with soap and plenty of water. If skin irritation persists seek medical attention. | |
| | 5. FIRE-FIGHTING MEASURES | |
| Flash point | : Not applicable | |
| Flammable Limits | | |
| Upper explosion limit | : Not applicable | |
| Lower explosion limit | : Not applicable | |
| Autoignition temperature | : Not applicable | |
| Suitable extinguishing media | : Carbon dioxide blanket, water spray, dry powder, foamnone. | |
| Special Fire Fighting Procedures | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. | |
| Unusual Fire/Explosion | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen | n |
| Hazards | (NOx), other hazardous materials, and smoke are all possible. | |
| | . ACCIDENTAL RELEASE MEASURES | |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. | |
| Environmental precautions | : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil. | not |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods. | |
| | 7. HANDLING AND STORAGE | |
| Handling | : Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation. | at |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption | on |

2/6



MATERIAL SAFETY DATA SHEET **TR RED 199C**

Version Number 1.0 Revision Date 03/12/2004 Page 3 of 6 Print Date 11/14/2011

| 0. EAP | OSURE CONTROLS / I | PERSONAL PROTECTION | | | | |
|---|--|---|--|--|--|--|
| Respiratory protection | : No personal respir | No personal respiratory protective equipment normally required. | | | | |
| Eye/Face Protection | : Safety glasses with | Safety glasses with side-shields. | | | | |
| Hand protection | : Protective gloves. | Protective gloves. | | | | |
| Skin and body protection | : Long sleeved cloth | Long sleeved clothing. | | | | |
| Additional Protective Measures | : Safety shoes. | Safety shoes. | | | | |
| General Hygiene Considerations | | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. | | | | |
| Engineering measures | | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | | | |
| Exposure limit(s) | | | | | | |
| There are no known hazardou | is components above regul | atory thresholds in this product. | | | | |
| | s components above regul | | | | | |
| 9. Form | PHYSICAL AND CHE | MICAL PROPERTIES Evaporation rate : Not applicable | | | | |
| 9. Form Appearance | PHYSICAL AND CHE | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined | | | | |
| 9. Form Appearance Color | PHYSICAL AND CHE | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established | | | | |
| 9. Form Appearance Color Odor | PHYSICAL AND CHE : Solid : Pellets : RED : Very faint | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable | | | | |
| 9. Form Appearance Color Odor Melting point/range | PHYSICAL AND CHE : Solid : Pellets : RED : Very faint : Not determined | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable | | | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AND CHE : Solid : Pellets : RED : Very faint : Not determined : Not applicable | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable | | | | |
| 9. Form Appearance Color Odor Melting point/range | PHYSICAL AND CHE : Solid : Pellets : RED : Very faint : Not determined | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable | | | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AND CHE : Solid : Pellets : RED : Very faint : Not determined : Not applicable | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable | | | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: | PHYSICAL AND CHE : Solid : Pellets : RED : Very faint : Not determined : Not applicable : Insoluble | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable | | | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility | PHYSICAL AND CHEI : Solid : Pellets : RED : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY AN | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable | | | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability | PHYSICAL AND CHEI : Solid : Pellets : RED : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY AN : Stable. : Will not occur. | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable D REACTIVITY Xapour density xidizing agents and open flame. To avoid thermal | | | | |
| 9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | PHYSICAL AND CHEI : Solid : Pellets : RED : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY AN : Stable. : Will not occur. : Keep away from o decomposition, do | MICAL PROPERTIES Evaporation rate : Not applicable Specific Gravity: : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapour density : Not applicable pH : Not applicable D REACTIVITY Xapour density xidizing agents and open flame. To avoid thermal | | | | |



MATERIAL SAFETY DATA SHEET *TR RED 199C*

Version Number 1.0 Revision Date 03/12/2004 Page 4 of 6 Print Date 11/14/2011

There are no known hazardous components above regulatory thresholds in this product.

| | 12. ECOLOGICAL INFORMATION |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Additional advice | : No data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| | |
| U.S. DOT Classification | : Not regulated for transportation. |
| ICAO/IATA (air) | : Refer to specific regulation. |
| IMO / IMDG (maritime) | : Refer to specific regulation. |
| | 15. REGULATORY INFORMATION |
| US Regulations: | |
| OSHA Status | : There are no known hazardous components above regulatory thresholds in this product. |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) |
| Not applicable | |
| | |
| | |



MATERIAL SAFETY DATA SHEET **TR RED 199C**

| Version Number 1.0 Revision Date 03/12/2004 | | Print Date | | |
|--|------|--|------------------------------|------------|
| | | | | |
| | | | | |
| California Proposition 65 | : | This product does not contain a substance listed | by California | a Prop 65. |
| SARA Title III Section 302 Extre | eme | ely Hazardous Substance | | |
| Not applicable | | | | |
| SARA Title III Section 313 Toxic | c C | Chemicals: | | |
| Not applicable Canadian Regulations: | | | | |
| National Pollutant Release | e Ir | nventory (NPRI) | | |
| Not applicable | | | | |
| WHMIS Classification | : | Not controlled. | | |
| DSL | : | All of the components of this product are listed Inventories or are exempt. However, at least on product is on the Canadian Non-Domestic Subst Quantity use in Canada is restricted by regulation | e component ances List (N | of this |
| National Inventories: | | | | |
| Australia AICS | : | Not determined | | |
| China IECS | : | Not determined | | |
| Europe EINECS | : | Listed | | |
| Japan ENCS | : | Not determined | | |
| Korea KECI | : | Not determined | | |
| Philippines PICCS | : | Not determined | | |
| | | | | |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.





MATERIAL SAFETY DATA SHEET

TR RED 199C

Version Number 1.0 Revision Date 03/12/2004 Page 6 of 6 Print Date 11/14/2011