

MATERIAL SAFETY DATA SHEET

LIGHT BLUE 635

Version Number 1.0 Revision Date 03/22/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LIGHT BLUE 635
Product code	:	CC10051043
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET LIGHT BLUE 635

Version Number 1.0 Revision Date 03/22/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET LIGHT BLUE 635

Version Number 1.0 Revision Date 03/22/2004 Page 3 of 6 Print Date 11/14/2011

		1		ry, cool place.		
8. E	XPOSURE	CONTROLS / PERSO	NAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory pr	otectiv	ve equipment normally 1	required.	
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations		Iandle in accordance with Vash hands before breaks			afety practice.	
Engineering measures		leat only in areas with ap ppropriate exhaust ventile			Provide	
Exposure limit(s)						
Components	Value	Exposure time	I	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ıge		ACGIH	
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL	PRO	PERTIES		
P					1. 1.1	
Form Appearance	: Solic : Pelle		Evaporation rate : Not applicable Specific Gravity: : Not determined			
Color	: BLU		Bulk density : Not established			
Odor	: Very		Vapor pressure : Not established			
Melting point/range			Vapour density : Not applicable			
Boiling Point:	: Not applicable		pH : Not applicable			
Water solubility	: Insol				11	
	10. 8	STABILITY AND REA	CTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	1 : V	Vill not occur.				
Conditions to avoid		Keep away from oxidizing ecomposition, do not ove	-	-	void thermal	
Incompatible Materials	: Iı	ncompatible with strong a	acids a	and oxidizing agents.		



MATERIAL SAFETY DATA SHEET LIGHT BLUE 635

Version Number 1.0

Revision Date 03/22/2004

Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition : products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIO	CAL INFORMATION	I		
Persistence and degrada	bility : Not readily b	iodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the mat of the polymer.			
Additional advice	: No data avail	able			
	13. DISPOSAL	CONSIDERATIONS			
Product Contaminated packagin	g : Recycling is has the respo	cling is preferred to dis waste material has the r , transportation and disp deral, state/provincial a preferred when possible nsibility for proper was in accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation licable federal, state/provincial		
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classificatio	n : Not regulated	l for transportation.			
ICAO/IATA (air)	: Refer to spec	ific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.			
	15. REGULAT	ORY INFORMATION	1		



MATERIAL SAFETY DATA SHEET LIGHT BLUE 635

TSCA Status : US. EPA CERCLA Hazardous Subst Not applicable	Classified as hazardous based on components. All components of this product are listed on or exempt from the TSCA Inventory. tances (40 CFR 302)
OSHA Status : TSCA Status : US. EPA CERCLA Hazardous Subst Not applicable California Proposition : 65 SARA Title III Section 302 Extreme Not applicable SARA Title III Section 313 Toxic Ch	All components of this product are listed on or exempt from the TSCA Inventory.
TSCA Status : US. EPA CERCLA Hazardous Subst Not applicable California Proposition 65 SARA Title III Section 302 Extremed Not applicable SARA Title III Section 313 Toxic CH	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Subst Not applicable California Proposition : 65 SARA Title III Section 302 Extreme Not applicable SARA Title III Section 313 Toxic Ch	Inventory.
Not applicable California Proposition : 65 SARA Title III Section 302 Extreme Not applicable SARA Title III Section 313 Toxic Cl	tances (40 CFR 302)
California Proposition : 65 SARA Title III Section 302 Extreme Not applicable SARA Title III Section 313 Toxic Ch	
65 SARA Title III Section 302 Extreme Not applicable SARA Title III Section 313 Toxic Cl	
Not applicable SARA Title III Section 313 Toxic Cl	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 313 Toxic Cl	ly Hazardous Substance
Not applicable	hemicals:
Canadian Regulations:	
National Pollutant Release Inv	ventory (NPRI)
Not applicable	
WHMIS Classification :	Not controlled.
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Listed
China IECS :	Listed
Europe EINECS :	Listed
Japan ENCS :	Listed
Korea KECI :	Listed
Philippines PICCS :	
	Listed



MATERIAL SAFETY DATA SHEET LIGHT BLUE 635

Version Number 1.0 Revision Date 03/22/2004

Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.