

### MATERIAL SAFETY DATA SHEET SKIPPY BLUE 50% LP

Version Number 1.0 Revision Date 03/25/2004

Page 1 of 6 Print Date *11/14/2011* 

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SKIPPY BLUE 50% LP
Product code	:	CC10051536
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Chronic exposure	<ul><li>Experience shows no unusual dermatitis hazard from routine handling.</li><li>Refer to Section 11 for Toxicological Information.</li></ul>
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET SKIPPY BLUE 50% LP

Version Number 1.0 Revision Date 03/25/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES		
Inhalation	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion : Do not induce vomiting without medical advice. When a persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits			
Upper explosion limit	: Not applicable		
Lower explosion limit	: Not applicable		
Autoignition temperature	: Not applicable		
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in posit pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 3 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		

2/6



# MATERIAL SAFETY DATA SHEET SKIPPY BLUE 50% LP

Version Number 1.0 Revision Date 03/25/2004 Page 3 of 6 Print Date 11/14/2011

8 1	XPOSURE	CONTROLS / PERSON	IAL PRO	OTECTION		
Respiratory protection					equired	
Eye/Face Protection	: Sa	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	asures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	ge	1	ACGIH	
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL	PROPE	RTIES		
	G 11 1		Evaporation rate: Not applicableSpecific Gravity:: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapour density: Not applicablepH: Not applicable		annlicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not c	ts Sp E Bu faint Va letermined Va upplicable pH	becific G ulk densi apor pres apour den	ravity: : Not ty : Not ssure : Not nsity : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BLU : Very : Not c : Not a : Insol	ts Sp E Bu faint Va letermined Va upplicable pH	becific G ulk densi apor pres apour den H	ravity: : Not ty : Not ssure : Not nsity : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : BLU : Very : Not c : Not a : Insol	ts Sp E Bu faint Va letermined Va upplicable pH uble	becific G ulk densi apor pres apour den H	ravity: : Not ty : Not ssure : Not nsity : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BLU : Very : Not c : Not a : Insol <b>10. S</b> : St	ts Sp E Bu faint Va letermined Va upplicable pH uble	becific G ulk densi apor pres apour den H	ravity: : Not ty : Not ssure : Not nsity : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pelle : BLU : Very : Not c : Not a : Insol <b>10. S</b> : St n : W : K	ts Sp E Bu faint Va letermined Va upplicable pH uble TABILITY AND REAC	agents an	ravity: : Not ty : Not ssure : Not nsity : Not : Not	determined established applicable applicable applicable	



### MATERIAL SAFETY DATA SHEET SKIPPY BLUE 50% LP

### Version Number 1.0

Revision Date 03/25/2004

Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogenproducts(NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	1		
Persistence and degrad	ability : Not readily b	viodegradable.			
Environmental Toxicit		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avai	: No data available			
	13. DISPOSAL	<b>CONSIDERATIONS</b>	6		
Product Contaminated packagir	possible recy generator of classification applicable fe ng : Recycling is has the respo and disposal	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable in accordance with applicable federal, state/provincial and local regulations.			
	and local reg	ulations.			
U.S. DOT Classificatio	n : Not regulated	d for transportation.			
ICAO/IATA (air)	: Refer to spec	rific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	cific regulation.			
	15. REGULAT	ORY INFORMATIO	N		



## MATERIAL SAFETY DATA SHEET SKIPPY BLUE 50% LP

rsion Number 1.0 vision Date 03/25/2004		Page 5 Print Date 11/14/2
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 Extr	em	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic (	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION



## MATERIAL SAFETY DATA SHEET SKIPPY BLUE 50% LP

Version Number 1.0 Revision Date 03/25/2004

Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.