

MATERIAL SAFETY DATA SHEET

TAN

Version Number 1.0 Revision Date 04/06/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	TAN
Product code :	CC10051550
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TAN

Version Number 1.0 Revision Date 04/06/2004

Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	÷	Not applicable
Autoignition temperature	÷	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

TAN

Version Number 1.0 Revision Date 04/06/2004

Page 3 of 6 Print Date 11/14/2011

and contamination. Keep in a dry, cool place.						
8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
Respiratory protection : No personal respiratory protective equipment normally required.						
Eye/Face Protection : Safety glasses with side-shields.						
Hand protection : Protective gloves.						
Skin and body protection	: Long sleeved clothing.					
Additional Protective : Safety shoes. Measures						
General Hygiene: Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.						
Engineering measures		eat only in areas with appropropriate exhaust ventilatio		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH		
15 mg/m				OSHA Z1		
9. PHYSICAL AND CHEMICAL PROPERTIES						
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES			
Form				oppliachla		
Form	: Solic	l Evap	oration rate : Not	applicable		
Appearance	: Solic : Pelle	l Evap ts Spec	oration rate : Not ific Gravity: : Not	determined		
Form Appearance Color Odor	: Solic : Pelle : TAN	l Evap ts Spec Bulk	oration rate : Not ific Gravity: : Not density : Not	determined established		
Appearance Color	: Solic : Pelle : TAN : Very	l Evap ts Spec Bulk faint Vapo	oration rate : Not ific Gravity: : Not density : Not or pressure : Not	determined		
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : TAN : Very : Not c : Not a	ts Spec ts Spec faint Vapo letermined Vapo applicable pH	oration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not	determined established applicable		
Appearance Color Odor Melting point/range	: Solic : Pelle : TAN : Very : Not o	ts Spec ts Spec faint Vapo letermined Vapo applicable pH	oration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not	determined established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : TAN : Very : Not o : Not o : Insol	ts Spec ts Spec faint Vapo letermined Vapo applicable pH	oration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not : Not	determined established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : TAN : Very : Not c : Not a : Insol	l Evap ts Spec Bulk faint Vapo determined Vapo applicable pH uble	oration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not : Not	determined established applicable applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : TAN : Very : Not c : Not a : Insol 10. S : S	l Evar ts Spec Bulk faint Vapo letermined Vapo applicable pH uble	oration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not : Not	determined established applicable applicable		



MATERIAL SAFETY DATA SHEET

TAN

	rsion Number 1.0 Page 4 of 6 vision Date 04/06/2004 Print Date 11/14/2011					
	Incompatible Materials Hazardous decompositi products		Carbon dioxide		oxidizing agents. oxide (CO), oxides of nitrogen nd smoke are all possible.	
	11. TOXICOLOGICAL INFORMATION					
	health data for the indiv Toxicity Overview	idual comp	onents which com	prise the mixture.	ure effects listed are based on exist have the following characteristics	-
ĺ	CAS-No.	Chen	nical Name	Effect	Target Organ	٦
ľ	1309-37-1	Iron oxide		Systemic effects	Respiratory system.	1
	13463-67-7	Titanium d	lioxide	Systemic effects	Respiratory system.	
ſ					τ.	
Ĺ		I	2. ECOLOGICA	L INFORMATION	N	
	Persistence and degrada	ıbility :	Not readily biod	legradable.		
	Environmental Toxicity	Chemicals are n of the polymer.	Chemicals are not readily available as they are bound within the matrix of the polymer.			
	Bioaccumulation Potential : Chemicals are not readily available as they are bound within the matrix of the polymer.					
	Additional advice : No data available					
	13. DISPOSAL CONSIDERATIONS					
	Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
	Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.					
	14. TRANSPORT INFORMATION					
	U.S. DOT Classification	n :	Not regulated for	or transportation.		
	ICAO/IATA (air)	:	Refer to specific	c regulation.		
	IMO / IMDG (maritime):Refer to specific regulation.					



MATERIAL SAFETY DATA SHEET

TAN

Version Number 1.0 Revision Date 04/06/2004 Page 5 of 6 Print Date 11/14/2011

	15	5. REGULATORY INFO	ORMATION		
US Regulations:					
OSHA Status	:	Classified as hazardous	based on compo	onents.	
TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does not co	ontain a substand	ce listed by C	alifornia Prop 65.
SARA Title III Section 302 Ext	trem	ely Hazardous Substance			
Not applicable					
SARA Title III Section 313 Tox	xic (Chemicals:			
Chemical Name ZINC COMPOUNDS			CAS-No. 12063-19-3	Weight 11.02	%
Canadian Regulations:			-		
National Pollutant Relea	ise I		CAG N	XX • 1 + 0/	
Chemical Name Zinc iron oxide			CAS-No.	Weight %	NPRI ID# 241
Zinc iron oxide WHMIS Classification		Not controlled.	2063-19-3	11.02	241
DSL	:	All components of this	product are on t	he Canadian	Domestic
	•	Substances List (DSL) of			Domestic
National Inventories:					
Australia AICS	:	Listed			

China IECS	:	Listed
Europe EINECS	:	Listed

POLYONE CORPORA MATERIAL SAFETY DATA SH	-	
ΓΑΝ		
/ersion Number 1.0 Revision Date 04/06/2004		Page 6 of 6 Print Date 11/14/2011
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION
at the date of its publication. The processing, storage, transportant specification. The information	The in ation, o relate	Tety Data Sheet is correct to the best of our knowledge, information and belie formation given is designed only as a guidance for safe handling, use, disposal and release and is not to be considered a warranty or quality es only to the specific material designated and may not be valid for such with any other materials and/or in any particular process or processing

I