

MATERIAL SAFETY DATA SHEET

GREY

Version Number 1.0 Revision Date 04/06/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	GREY
Product code :	CC10051551
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **GREY**

Version Number 1.0 Revision Date 04/06/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES				
Inhalation	lation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.				
Ingestion	estion : Do not induce vomiting without medical advice. When sympto- persist or in all cases of doubt seek medical advice.				
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.				
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.				
	5. FIRE-FIGHTING MEASURES				
Flash point	: Not applicable				
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 				
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen 				
	(NOx), other hazardous materials, and smoke are all possible.				
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.				
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.				
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.				
	7. HANDLING AND STORAGE				
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.				
Storage	: Keep containers dry and tightly closed to avoid moisture absorption				



MATERIAL SAFETY DATA SHEET **GREY**

Version Number 1.0 Revision Date 04/06/2004 Page 3 of 6 Print Date 11/14/2011

8. F	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally r	equired.	
Eye/Face Protection	: S	afety glasses with side-shields	3.		
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and		afety practice.	
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH	
	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
		·			
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES		
Form	: Solid	l Euopo	oration rate : Not	applicable	
Appearance	: Pelle			determined	
Color	: GRE		Bulk density : Not established		
Odor				applicable	
Melting point/range	•		-	applicable	
Boiling Point:		applicable pH		applicable	
Water solubility	: Insol				
-					
	10. 5	STABILITY AND REACTIV	VITY		
	: S	table.			
Stability					



MATERIAL SAFETY DATA SHEET **GREY**

Version Number 1.0 Revision Date 04/06/2004

Page 4 of 6 Print Date 11/14/2011

decomposition, do not overheat.

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	:	No data available



MATERIAL SAFETY DATA SHEET **GREY**

Version Number 1.0 Revision Date 04/06/2004 Page 5 of 6 Print Date 11/14/2011

Product	• Like most thermo	palastic plastics the prod	luct can be recycled. When
Tioduct		g is preferred to disposa	
			nsibility for proper waste
		nsportation and disposation is the state of	
	applicable leadera	i, state, provincial and re	van regulations.
Contaminated packaging			ne generator of waste mater assification, transportation
			le federal, state/provincial
	and local regulati	ons.	-
	14. TRANSPORT	INFORMATION	
U.S. DOT Classification	: Not regulated for	transportation.	
ICAO/IATA (air)	: Refer to specific	-	
	-	-	
IMO / IMDG (maritime)	: Refer to specific	regulation.	
	15. REGULATORY	INFORMATION	
US Regulations:			
OSHA Status	: Classified as haze	ardous based on compor	nents.
TSCA Status	: All components Inventory.	of this product are listed	on or exempt from the TSC
US. EPA CERCLA Hazardo	us Substances (40 CFR 3	02)	
Not applicable			
California Propositio 65	n : This product doe	s not contain a substance	e listed by California Prop 6
SARA Title III Section 302 l	Extremely Hazardous Sub	stance	
Not applicable			
SARA Title III Section 313	Foxic Chemicals:		
Chemical Name ZINC COMPOUND		CAS-No.	Weight %
	C	12063-19-3	3.52

TERIAL SAFETY DATA SH	HEET	,			
REY					
rsion Number 1.0 vision Date 04/06/2004				Prin	Page 6 t Date 11/14/2
Canadian Regulations:					
National Pollutant Rel	ease I	nventory (NPRI)			
Chemical Name			CAS-No.	Weight %	NPRI ID#
Zinc iron oxide			12063-19-3	3.52	241
1333-86-4 DSL	:		of this product are on OSL) or are exempt.	the Canadian	Domestic
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
	:	Listed			
Korea KECI		Listed			
Korea KECI Philippines PICCS	•				

at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.