

MATERIAL SAFETY DATA SHEET

#### PINK

Version Number 1.0 Revision Date 04/01/2004 Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PINK
Product code	:	CC10051670
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PINK** 

Version Number 1.0 Revision Date 04/01/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



### MATERIAL SAFETY DATA SHEET **PINK**

Version Number 1.0 Revision Date 04/01/2004

Page 3 of 6 Print Date 11/14/2011

	ar	nd contamination. Keep in a d	lry, cool place.			
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Sa	afety glasses with side-shields				
Hand protection	: P1	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: Sa	afety shoes.				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice.		
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Mica	20 mppcf	PEL:	Total dust.	OSHA		
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH		
Titanium dioxide	3 mg/m3 10 mg/m3		Respirable fraction.	ACGIH ACGIH		
Titanium dioxide	-	(TWA): Time Weighted Average	Respirable fraction. Total dust.			
Titanium dioxide	10 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA): PEL:	Total dust.	ACGIH		
Titanium dioxide	10 mg/m3 15 mg/m3	(TWA): Time Weighted Average (TWA):	Total dust.	ACGIH		
	10 mg/m3 15 mg/m3 9. PHYSIC	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust.	ACGIH OSHA Z1		
Form	10 mg/m3 15 mg/m3 9. PHYSIC : Solid	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. DPERTIES ration rate : Not	ACGIH OSHA Z1 applicable		
	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif	Total dust. DPERTIES ration rate : Not ic Gravity: : Not	ACGIH OSHA Z1 applicable determined		
Form Appearance Color	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PINK	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specif K Bulk d	Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not	ACGIH OSHA Z1 applicable determined established		
Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PINK : Very	(TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO L Evapo ts Specific K Bulk d faint Vapor	Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	ACGIH OSHA Z1 applicable determined established applicable		
Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PINK : Very : Not c	(TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo         ts       Specif         K       Bulk d         faint       Vapor         letermined       Vapou	Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PINK : Very : Not c : Not a	(TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo         ts       Specif         K       Bulk d         faint       Vapor         determined       Vapou         applicable       pH	Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not	ACGIH OSHA Z1 applicable determined established applicable		
Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PINK : Very : Not c	(TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo         ts       Specif         K       Bulk d         faint       Vapor         determined       Vapou         applicable       pH	Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PINK : Very : Not c : Not a : Insol	(TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo         ts       Specif         K       Bulk d         faint       Vapor         determined       Vapou         applicable       pH	Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PINK : Very : Not c : Not a : Insol 10. S	(TWA):         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo         ts       Specific         K       Bulk didition         faint       Vapor         determined       Vapor         applicable       pH	Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PINK : Very : Not c : Not a : Insol 10. S	(TWA):         Time Weighted Average (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapo         ts       Speciff         K       Bulk d         faint       Vapor         determined       Vapou         uplicable       pH         uble       STABILITY AND REACTIVE	Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	ACGIH OSHA Z1 applicable determined established applicable applicable		



### MATERIAL SAFETY DATA SHEET

### PINK

#### Version Number 1.0 Revision Date 04/01/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
0.5. DOT Classification	



# MATERIAL SAFETY DATA SHEET

## PINK

NK		
sion Number 1.0 <i>r</i> ision Date 04/01/2004		Page 5 c Print Date 11/14/20
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	elv Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic C	Chemicals:
Not applicable		
Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined



#### MATERIAL SAFETY DATA SHEET

### PINK

Version Number 1.0 Revision Date 04/01/2004 Page 6 of 6 Print Date 11/14/2011

Philippines PICCS :

#### **16. OTHER INFORMATION**

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.