MATERIAL SAFETY DATA SHEET TRANSL YELLOW

Version Number 1.1 Revision Date 09/20/2007

Page 1 of 6 Print Date 12/1/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSL YELLOW
Product code	:	CC10051757
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Rutile (TiO2)	1317-80-2	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to 		
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANSL YELLOW**

Version Number 1.1 Revision Date 09/20/2007 Page 2 of 6 Print Date 12/1/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cas doubt seek medical advice.	es of
Ingestion	: Do not induce vomiting without medical advice. When sympton persist or in all cases of doubt seek medical advice.	ns
Eyes	: Rinse immediately with plenty of water, also under the eyelids, f least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	s seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in posi pressure mode should be worn to prevent inhalation of airborne contaminants.	tive
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge (NOx), other hazardous materials, and smoke are all possible.	n
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	l not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all materia plastic, cardboard or metal containers for disposal. Refer to Secti of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. H only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpt	ion

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANSL YELLOW**

Version Number 1.1 Revision Date 09/20/2007 Page 3 of 6 Print Date 12/1/2011

8. EXP	OSURE CONTROLS / PER	RSONAL PROTECTION
Respiratory protection	: No personal respirator	ry protective equipment normally required.
Eye/Face Protection	: Safety glasses with side	de-shields
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations		with good industrial hygiene and safety practic eaks and at the end of workday.
Engineering measures		h appropriate exhaust ventilation. Provide entilation at machinery.
Exposure limit(s)		
	PHYSICAL AND CHEMIO	
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility		CAL PROPERTIESEvaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: Not applicableVapour density: Not applicablepH: Not applicable
Form Appearance Color Odour Melting point/range Boiling Point:	 Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:Not applicableVapour density:Not applicablepH:Not applicable
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY AND F	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:Not applicableVapour density:Not applicablepH:Not applicable
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	 Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:Not applicableVapour density:Not applicablepH:Not applicable
Form Appearance Color Odour Melting point/range Boiling Point:	 Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY AND F Stable. Will not occur. 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable REACTIVITY
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY AND F Stable. Will not occur. Keep away from oxid decomposition, do not 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable REACTIVITY
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Solid pellets YELLOW Very faint Not determined Not applicable Insoluble 10. STABILITY AND F Stable. Will not occur. Keep away from oxid decomposition, do no Incompatible with street 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : Not applicable Vapour density : Not applicable pH : Not applicable REACTIVITY izing agents and open flame. To avoid thermatic overheat.

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANSL YELLOW**

ision Date 09/20/2007		Page 4 Print Date 12/1/2		
This mixture has not been health data for the individu <u>Toxicity Overview</u>			re effects listed a	are based on ex
This product contains the f	ollowing components w	hich in their pure form	have the following	ng characteristi
CAS-No.	Chemical Name	Effect	Targe	t Organ
Carcinogenicity This product contains the f data:	ollowing components w	hich, in their pure form	, have the follow	ing carcinogen
CAS-No.	Chemical Name	OSHA	IARC	NTP
	utile (TiO2)	no	2B	no
2 - The component is reaso	12. ECOLOGIC	CAL INFORMATION		
Persistence and degradabil	ity : Not readily bi	odegradable.		
Environmental Toxicity	: Chemicals are			
	polymer matri	e not readily available a ix.	s they are bound	within the
Bioaccumulation Potential		ix. e not readily available a	·	
Bioaccumulation Potential Additional advice	: Chemicals are	ix. e not readily available a ix.		
	 Chemicals are polymer matrix No data availa 	ix. e not readily available a ix.		
	 Chemicals are polymer matrix No data availa 13. DISPOSAL Like most the possible recycle generator of vertices of the classification, 	ix. e not readily available a ix. able	s they are bound product can be re posal or incinerat esponsibility for p posal in accordan	within the ecycled. Where ion. The proper waste ce with

PolyOne.

MATERIAL SAFETY DATA SHEET **TRANSL YELLOW**

Version Number 1.1 Revision Date 09/20/2007

Page 5 of 6 Print Date 12/1/2011

	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: Classified as hazardous based on components.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	s Substances (40 CFR 302)		
Not applicable			
California Proposition 65	: Not applicable		
SARA Title III Section 302 Ex	stremely Hazardous Substance		
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation			
SARA Title III Section 313 To	oxic Chemicals:		
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation			
Canadian Regulations:			
National Pollutant Release Inventory (NPRI)			
Not applicable			
WHMIS Classification	: Not controlled.		

PolyOne

MATERIAL SAFETY DATA SHEET TRANSL YELLOW

Version Number 1.1 Revision Date 09/20/2007 Page 6 of 6 Print Date 12/1/2011

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.