

MATERIAL SAFETY DATA SHEET WHITE GOLD M6218C

Version Number 1.0 Revision Date 03/31/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	WHITE GOLD M6218C
Product code :	CC10052015
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET WHITE GOLD M6218C

Version Number 1.0 Revision Date 03/31/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	Ę	5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET WHITE GOLD M6218C

Version Number 1.0 Revision Date 03/31/2004 Page 3 of 6 Print Date 11/14/2011

Safety glasses w Protective glove Long sleeved clo Safety shoes. Handle in accord Wash hands befor Heat only in area appropriate exha	piratory protective vith side-shields. s. othing. dance with good in ore breaks and at as with appropria aust ventilation at Ure time EL: EL: ted Average VA): EL:	industrial hygiene and t the end of workday. ate exhaust ventilation t machinery. Exposure type Total dust. Total dust. Total dust.	l safety practice.
Safety glasses w Protective glove Long sleeved clo Safety shoes. Handle in accord Wash hands befor Heat only in area appropriate exha	vith side-shields. es. othing. dance with good in ore breaks and at as with appropria aust ventilation at EL: EL: thed Average VA): EL:	industrial hygiene and t the end of workday. ate exhaust ventilation t machinery. Exposure type Total dust. Total dust. Total dust.	l safety practice. n. Provide List: OSHA Z3 ACGIH
Protective glove Long sleeved clo Safety shoes. Handle in accord Wash hands before Heat only in area appropriate exha	ss. othing. dance with good in ore breaks and at as with appropria aust ventilation at EL: EL: EL: hted Average VA): EL:	t the end of workday. ate exhaust ventilation t machinery. Exposure type Total dust. Total dust. Total dust.	n. Provide List: OSHA Z3 ACGIH
Long sleeved cle Safety shoes. Handle in accord Wash hands before Heat only in area appropriate exha Expose f PH 13 Time Weigh (TV 13 PH	dance with good in ore breaks and at as with appropria aust ventilation at EL: EL: EL: hted Average VA): EL:	t the end of workday. ate exhaust ventilation t machinery. Exposure type Total dust. Total dust. Total dust.	n. Provide List: OSHA Z3 ACGIH
Safety shoes. Handle in accord Wash hands before Heat only in area appropriate exha Expose f PI f PI a Time Weigh (TV a PI	dance with good in ore breaks and at as with appropria aust ventilation at ure time EL: EL: EL: hted Average VA): EL:	t the end of workday. ate exhaust ventilation t machinery. Exposure type Total dust. Total dust. Total dust.	n. Provide List: OSHA Z3 ACGIH
Handle in accord Wash hands before Heat only in area appropriate exha Expose f PI of PI of PI of Time Weigh (TW of PI	ure time EL: EL: hted Average VA): EL:	t the end of workday. ate exhaust ventilation t machinery. Exposure type Total dust. Total dust. Total dust.	n. Provide List: OSHA Z3 ACGIH
Wash hands before Heat only in area appropriate exha Expose f PH f PH r3 Time Weigh (TW r3 PH	ure time EL: EL: hted Average VA): EL:	t the end of workday. ate exhaust ventilation t machinery. Exposure type Total dust. Total dust. Total dust.	n. Provide List: OSHA Z3 ACGIH
appropriate exha Expose f PH f PH i3 Time Weigh (TV i3 PH	aust ventilation at ure time EL: EL: tted Average VA): EL:	t machinery. Exposure type Total dust. Total dust. Total dust.	List: OSHA Z3 ACGIH
f PI f PI 13 Time Weigh (TV 13 PI	EL: EL: hted Average VA): EL:	Total dust. Total dust. Total dust.	OSHA Z3 ACGIH
f PI f PI 13 Time Weigh (TV 13 PI	EL: EL: hted Average VA): EL:	Total dust. Total dust. Total dust.	OSHA Z3 ACGIH
f PI f PI 13 Time Weigh (TV 13 PI	EL: EL: hted Average VA): EL:	Total dust. Total dust. Total dust.	OSHA Z3 ACGIH
f PI 13 Time Weigh (TV 13 PI	EL: hted Average VA): EL:	Total dust. Total dust.	Z3 ACGIH
13 Time Weigh (TW 13 PI	hted Average VA): EL:	Total dust.	ACGIH
(TV 13 PI	VA): EL:		
13 PI	EL:		OSHA Z1
SICAL AND CH	FMICAL PROF		
	EMICAL I KOI	PERTIES	
olid	Evenore	ation rate : N	ot applicable
ellets			ot applicable ot determined
HITE	Bulk dei		ot established
ery faint	Vapor p	5	ot applicable
ot determined		·	
ot applicable	Vapour pH		ot applicable ot applicable
11	pm	. 19	or applicable
). STABILITY A	ND REACTIVI	ITY	
Stable.			
Will not occur.			
	n oxidizing agents	s and open flame. To	avoid thermal
	Stable. Will not occur.	0. STABILITY AND REACTIV Stable. Will not occur. Keep away from oxidizing agent	0. STABILITY AND REACTIVITY Stable.



MATERIAL SAFETY DATA SHEET WHITE GOLD M6218C

sion Number 1.0 ision Date 03/31/200)4			Page 4 Print Date 11/14/20	
Incompatible Material	s :	Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomposit products	tion :			oxide (CO), oxides of nitrogen ad smoke are all possible.	
	11.	TOXICOLOG	ICAL INFORMATIO	DN	
This mixture has not b health data for the indi				are effects listed are based on exis	
<u>Toxicity Overview</u> This product contains	the following	g components wh	nich in their pure form	have the following characteristics	
CAS-No.	Cher	nical Name	Effect	Target Organ	
7631-86-9	Silica, am		Irritant	Eyes, Respiratory system.	
13463-67-7	Titanium o	lioxide	Systemic effects	Respiratory system.	
	1	2. ECOLOGIC	AL INFORMATION	I	
Persistence and degrac	lability :	Not readily bio	odegradable.		
Environmental Toxicit	ty :	Chemicals are of the polymer		s they are bound within the matrix	
Bioaccumulation Poter	ntial :	Chemicals are of the polymer		s they are bound within the matrix	
Additional advice	:	No data availa	ble		
	1	3. DISPOSAL	CONSIDERATIONS		
Product	:	possible recyc generator of w classification,	ling is preferred to dis vaste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.	
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPOH	RT INFORMATION		
U.S. DOT Classification	on :	Not regulated	for transportation.		
ICAO/IATA (air)	:	Refer to specif	fic regulation.		



MATERIAL SAFETY DATA SHEET WHITE GOLD M6218C

Version Number 1.0 Revision Date 03/31/2004 Page 5 of 6 Print Date 11/14/2011

	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	reme	ely Hazardous Substance
Not applicable		
	tia C	Themicals
SARA Title III Section 313 Tox		inclineals.
SARA Title III Section 313 Tox Not applicable Canadian Regulations:		inclinears.
Not applicable		
Not applicable Canadian Regulations:		
Not applicable Canadian Regulations: National Pollutant Releas		iventory (NPRI)
Not applicable Canadian Regulations: National Pollutant Releas Not applicable	se Ir	ventory (NPRI)
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification	se Ir :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL	se Ir :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories:	se Ir :	wentory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS	se Ir : :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	se Ir : :	wentory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed



Page 6 of 6

Print Date 11/14/2011

MATERIAL SAFETY DATA SHEET WHITE GOLD M6218C

Version Number 1.0

Revision Date 03/31/2004

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.