

MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 04/06/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10052041
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to over
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.0 Revision Date 04/06/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	el
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.	3
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	l



MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.0 Revision Date 04/06/2004 Page 3 of 6 Print Date 11/14/2011

CONTROLS / PERSONAL o personal respiratory protection of the personal respiratory protection of the personal respiratory protection of the person of the person of the person of the person of the person of the person of the person of the person of the person of the person of the person of the person of the per	ive equipment normally requise d industrial hygiene and safet at the end of workday. riate exhaust ventilation. Pro- at machinery. Exposure type Total dust. OPERTIES oration rate : Not app	ty practice.
afety glasses with side-shields rotective gloves. ong sleeved clothing. afety shoes. andle in accordance with good ash hands before breaks and a eat only in areas with appropri- propriate exhaust ventilation Exposure time Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	d industrial hygiene and safer at the end of workday. riate exhaust ventilation. Pro at machinery. Exposure type Total dust. OPERTIES oration rate : Not app	ty practice. ovide List: ACGIH
Exposure time Time Weighted Average (TWA): PEL:	d industrial hygiene and safet at the end of workday. riate exhaust ventilation. Pro at machinery. Exposure type Total dust. OPERTIES oration rate : Not app	ovide List: ACGIH
ong sleeved clothing. afety shoes. andle in accordance with good ash hands before breaks and a eat only in areas with appropri- propriate exhaust ventilation Exposure time Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	at the end of workday. riate exhaust ventilation. Pro- at machinery. Exposure type Total dust. OPERTIES oration rate : Not app	ovide List: ACGIH
andle in accordance with good ash hands before breaks and a eat only in areas with appropr opropriate exhaust ventilation Exposure time Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	at the end of workday. riate exhaust ventilation. Pro- at machinery. Exposure type Total dust. OPERTIES oration rate : Not app	ovide List: ACGIH
andle in accordance with good ash hands before breaks and a eat only in areas with appropri- propriate exhaust ventilation Exposure time Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	at the end of workday. riate exhaust ventilation. Pro- at machinery. Exposure type Total dust. OPERTIES oration rate : Not app	ovide List: ACGIH
Tash hands before breaks and a eat only in areas with approproprion exhaust ventilation between time time weighted Average (TWA): PEL: PEL: PEL: PEL: PEL: PEL: PEL: PEL	at the end of workday. riate exhaust ventilation. Pro- at machinery. Exposure type Total dust. OPERTIES oration rate : Not app	ovide List: ACGIH
Exposure time Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	at machinery. Exposure type Total dust. OPERTIES oration rate : Not app	List: ACGIH
Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. (OPERTIES Oration rate : Not app	ACGIH
Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. (OPERTIES Oration rate : Not app	ACGIH
Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. (OPERTIES Oration rate : Not app	ACGIH
AL AND CHEMICAL PRO	OPERTIES	OSHA Z1
	oration rate : Not app	
	oration rate : Not app	
Evene		
		plicable
	2	termined
		tablished
		plicable
-		plicable
pplicable pH	: Not apj	plicable
ıble		
TABILITY AND REACTIV	VITY	
able.		
fill not occur.		
		id thermal
	/ill not occur. eep away from oxidizing agen ecomposition, do not overheat	



MATERIAL SAFETY DATA SHEET

GREEN

Version Number 1.0 Revision Date 04/06/2004

Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogenproducts(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	1		
Persistence and degrada	ability : Not readily b	viodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avai	lable			
	13. DISPOSAL	CONSIDERATIONS	5		
Product Contaminated packagin	possible recy generator of classification applicable fe gg : Recycling is has the respo and disposal	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 			
	14. TRANSPO	PRT INFORMATION			
U.S. DOT Classificatio	n : Not regulated	l for transportation.			
ICAO/IATA (air)	: Refer to spec	ific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.			
	15. REGULAT	ORY INFORMATION	N		



MATERIAL SAFETY DATA SHEET **GREEN**

REEN ersion Number 1.0 evision Date 04/06/2004		Page 5 Print Date 11/14/20
wision date 04/06/2004		
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	ostances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
	•	Listed
Korea KECI	•	
Korea KECI Philippines PICCS	:	Listed



MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.0 Revision Date 04/06/2004 Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.