



MATERIAL SAFETY DATA SHEET

ROYAL BLUE

Version Number 1.0 Revision Date 05/07/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone:number | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--------------------------------------|---|
| Product name : | ROYAL BLUE |
| Product code : | CC10052384 |
| Chemical Name : | Mixture |
| CAS-No. : | Mixture |
| Product Use : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|------------|----------|
| Calcium carbonate | 1317-65-3 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET **ROYAL BLUE**

Version Number 1.0 Revision Date 05/07/2004 Page 2 of 6 Print Date 11/14/2011

| | 4. FIRST AID MEASURES |
|-------------------------------------|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits | |
| Upper explosion limit | : Not applicable |
| sower explosion limit | : Not applicable |
| Autoignition temperature | : Not applicable |
| Suitable extinguishing media | : Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen |
| Hazards | (NOx), other hazardous materials, and smoke are all possible. |
| | 5. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |



MATERIAL SAFETY DATA SHEET **ROYAL BLUE**

Version Number 1.0 Revision Date 05/07/2004 Page 3 of 6 Print Date 11/14/2011

| No personal respin Safety glasses wit Protective gloves. Long sleeved cloth Safety shoes. Handle in accorda Wash hands befor Heat only in areas | thing. ance with good industrial hygiene and safety practic re breaks and at the end of workday. s with appropriate exhaust ventilation. Provide ust ventilation at machinery. re time Exposure type List: L: Respirable fraction. OSHA Z L: Total dust. OSHA Z ted Average ACGIH | | | |
|--|---|--|--|--|
| Safety glasses wit Protective gloves. Long sleeved clott Safety shoes. Handle in accorda Wash hands befor Heat only in areas appropriate exhau | th side-shields. ance with good industrial hygiene and safety practic re breaks and at the end of workday. s with appropriate exhaust ventilation. Provide ust ventilation at machinery. re time Exposure type List: L: Respirable fraction. OSHA Z: L: Total dust. OSHA Z: ted Average ACGIH (A): | | | |
| Protective gloves. Long sleeved cloth Safety shoes. Handle in accorda Wash hands befor Heat only in areas appropriate exhau | thing. ance with good industrial hygiene and safety practic re breaks and at the end of workday. s with appropriate exhaust ventilation. Provide ust ventilation at machinery. re time Exposure type List: L: Respirable fraction. OSHA Z: L: Total dust. OSHA Z: ted Average ACGIH | | | |
| Long sleeved cloth Safety shoes. Handle in accorda Wash hands befor Heat only in areas appropriate exhau Exposure <u>3 PEI</u> 3 PEI 3 Time Weighta (TW2 | thing. ance with good industrial hygiene and safety practic re breaks and at the end of workday. s with appropriate exhaust ventilation. Provide ust ventilation at machinery. re time Exposure type List: L: Respirable fraction. OSHA Z L: Total dust. OSHA Z ted Average ACGIH | | | |
| Safety shoes. Handle in accorda Wash hands befor Heat only in areas appropriate exhau | ance with good industrial hygiene and safety practic re breaks and at the end of workday. s with appropriate exhaust ventilation. Provide ust ventilation at machinery. re time Exposure type List: L: Respirable fraction. OSHA Z L: Total dust. OSHA Z ted Average ACGIH | | | |
| Handle in accorda Wash hands befor Heat only in areas appropriate exhau | re breaks and at the end of workday. s with appropriate exhaust ventilation. Provide ust ventilation at machinery. re time Exposure type List: L: Respirable fraction. OSHA Z L: Total dust. OSHA Z ted Average ACGIH (A): | | | |
| Wash hands befor Heat only in areas appropriate exhau Exposure <u>Exposure</u> <u>3 PEL</u> 3 PEL 3 Time Weighte (TW2 | re breaks and at the end of workday. s with appropriate exhaust ventilation. Provide ust ventilation at machinery. re time Exposure type List: L: Respirable fraction. OSHA Z L: Total dust. OSHA Z ted Average ACGIH (A): | | | |
| appropriate exhau Exposure 3 PEL 3 PEL 3 Time Weighte (TW2 | re time Exposure type List: L: Respirable fraction. OSHA Z L: Total dust. OSHA Z ted Average ACGIH 'A): | | | |
| B PEL 3 PEL 3 PEL 3 Time Weight (TW) | L: Respirable fraction. OSHA Z L: Total dust. OSHA Z ted Average ACGIH (A): | | | |
| B PEL 3 PEL 3 PEL 3 Time Weight (TW) | L: Respirable fraction. OSHA Z L: Total dust. OSHA Z ted Average ACGIH (A): | | | |
| B PEL 3 PEL 3 PEL 3 Time Weight (TW) | L: Respirable fraction. OSHA Z L: Total dust. OSHA Z ted Average ACGIH (A): | | | |
| 3 PEL 3 Time Weighto (TW) | L: Total dust. OSHA Z ted Average ACGIH VA): | | | |
| (TWA | /A): | | | |
| (TWA | /A): | | | |
| 3 PEI | Let Total dust OSUA 7 | | | |
| | | | | |
| 9. PHYSICAL AND CHEMICAL PROPERTIES | | | | |
| olid | Evaporation rate : Not applicable | | | |
| ellets | Evaporation rate : Not applicable Specific Gravity: : Not determined | | | |
| LUE | Bulk density : Not established | | | |
| ery faint | Vapor pressure : Not applicable | | | |
| ot determined | Vapour density : Not applicable | | | |
| ot applicable | pH : Not applicable | | | |
| soluble | | | | |
| | | | | |
|). STABILITY AN | ND REACTIVITY | | | |
| Stable. | | | | |
| Will not occur. | | | | |
| Hazardous Polymerization: Will not occur.Conditions to avoid: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. | | | | |
| 0 | Stable. | | | |



MATERIAL SAFETY DATA SHEET

ROYAL BLUE

Version Number 1.0 Revision Date 05/07/2004

Page 4 of 6 Print Date 11/14/2011

| Incompatible Materials | : | Incompatible with strong acids and oxidizing agents. |
|----------------------------------|---|--|
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|-----------------------------|-------------------|------------------|---------------------------------|
| 1317-65-3 | Calcium carbonate | Irritant | Eyes, Skin. |
| | | Systemic effects | Eyes, Skin, Respiratory system. |
| 13463-67-7 Titanium dioxide | | Systemic effects | Respiratory system. |

| | 12. ECOLOGICAL INFORMATION |
|-----------------------------------|--|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Additional advice | : No data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product Contaminated packaging | Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| | |
| | |
| U.S. DOT Classification | : Not regulated for transportation. |



MATERIAL SAFETY DATA SHEET **ROYAL BLUE**

Version Number 1.0 Revision Date 05/07/2004

Page 5 of 6 Print Date 11/14/2011

| | 15 | . REGULATORY IN | FORMATION | | |
|---|---------|---|-------------------------------|------------------|--------------------|
| US Regulations: | | | | | |
| OSHA Status | : | Classified as hazardo | ous based on com | ponents. | |
| TSCA Status | : | All components of th Inventory. | nis product are lis | sted on or exemp | pt from the TSC |
| US. EPA CERCLA Hazardous | s Subs | stances (40 CFR 302) | | | |
| Not applicable | | | | | |
| California Proposition 65 | : | WARNING! This pr California to cause ca | | chemical know | vn to the State of |
| SARA Title III Section 302 Ex | trem | ely Hazardous Substan | nce | | |
| START THE III SCHOIL JUZ EX | | • | | | |
| Not applicable | | | | | |
| | | Chemicals: | | | |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Rele | oxic C | | | | |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: | oxic C | | CAS-No. 147-14-8 | Weight % 0.32 | NPRI ID# 70 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name | oxic C | iventory (NPRI) | 147-14-8 his product are o | 0.32 | 70 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification | ease Ir | Not controlled. | 147-14-8 his product are o | 0.32 | 70 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL | ease Ir | Not controlled. | 147-14-8 his product are o | 0.32 | 70 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Phthalocyanine blue WHMIS Classification DSL National Inventories: | ease Ir | Not controlled. All components of th Substances List (DSI | 147-14-8 his product are o | 0.32 | 70 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> Phthalocyanine blue WHMIS Classification DSL National Inventories: Australia AICS | ease Ir | Not controlled. All components of th Substances List (DSI | 147-14-8 his product are o | 0.32 | 70 |

| | | PolyOne. |
|---|--|---|
| POLYONE CORPORATIO |)N | |
| MATERIAL SAFETY DATA SHEET | | |
| ROYAL BLUE | | |
| Version Number 1.0 Revision Date 05/07/2004 | | Page 6 of 6 Print Date 11/14/2011 |
| | | |
| Korea KECI : | Listed | |
| Philippines PICCS : | Listed | |
| | 16. OTHER INFORMATION | |
| at the date of its publication. The in processing, storage, transportation, | formation given is designed only as disposal and release and is not to be es only to the specific material desig | e considered a warranty or quality gnated and may not be valid for such |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

ſ