

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET

PG 52442 BU ABS

Version Number 1.0 Revision Date 04/15/2004

Page 1 of 5 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	PG 52442 BU ABS
Product code :	CC10052442
Chemical Name :	Mixture
CAS-No.	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of	Exposure:	:	Inhalation, Ingestion, Skin contact
Acute exp	osure		
In E	nhalation ngestion yes kin	:	Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic e			Refer to Section 11 for Toxicological Information.
	Conditions ed by Exposure:	:	None known.
			4. FIRST AID MEASURES

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **PG 52442 BU ABS**

sion Date 04/15/2004	Page 2 Print Date 11/14/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt cools medical advice
Ingestion	doubt seek medical advice.Do not induce vomiting without medical advice. When symptoms
Eyes	 persist or in all cases of doubt seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.





MATERIAL SAFETY DATA SHEET **PG 52442 BU ABS**

Version Number 1.0 Revision Date 04/15/2004 Page 3 of 5 Print Date 11/14/2011

Respiratory protection	: No personal respir	atory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with side-shields.		
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved cloth	ing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		ce with good industrial hygiene and safety practic breaks and at the end of workday.	
Engineering measures		with appropriate exhaust ventilation. Provide t ventilation at machinery.	
Exposure limit(s)			
There are no known hazardou	is components above regul	atory thresholds in this product.	
9.	PHYSICAL AND CHEM	AICAL PROPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets BLUE Very faint Not determined Not applicable Insoluble 	Evaporation rate: Not applicableSpecific Gravity:: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapour density: Not applicablepH: Not applicable	
	10. STABILITY AN	DREACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	xidizing agents and open flame. To avoid therma not overheat.	
Incompatible Materials	: Incompatible with	strong acids and oxidizing agents.	
Hazardous decomposition products		O2), carbon monoxide (CO), oxides of nitrogen dous materials, and smoke are all possible.	
products			

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **PG 52442 BU ABS**

Version Number 1.0 Revision Date 04/15/2004 Page 4 of 5 Print Date 11/14/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION		
Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Chemicals are not readily available as they are bound within the math of the polymer.		
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.		
Additional advice	: No data available		
	13. DISPOSAL CONSIDERATIONS		
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA (air)	: Refer to specific regulation.		
IMO / IMDG (maritime)	: Refer to specific regulation.		
	15. REGULATORY INFORMATION		
US Regulations:			
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	Substances (40 CFR 302)		
Not applicable			





Page 5 of 5

MATERIAL SAFETY DATA SHEET **PG 52442 BU ABS**

Version Number 1.0

Revision Date 04/15/2004		Print Date	11/14/2011
California Proposition 65	:	This product does not contain a substance listed by California	Prop 65.
SARA Title III Section 302 Ext	rem	nely Hazardous Substance	
Not applicable			
SARA Title III Section 313 Tox	cic (Chemicals:	
Not applicable Canadian Regulations:			
National Pollutant Release	se Iı	Inventory (NPRI)	
Not applicable			
WHMIS Classification	:	Not controlled.	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	с
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Not determined	
Philippines PICCS	:	Listed	
		16. OTHER INFORMATION	

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.