

MATERIAL SAFETY DATA SHEET

MOTOR BLUE #2

Version Number 1.0 Revision Date 04/12/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MOTOR BLUE #2
Product code	:	CC10052481
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes.Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET MOTOR BLUE #2

Version Number 1.0 Revision Date 04/12/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	÷	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET MOTOR BLUE #2

Version Number 1.0 Revision Date 04/12/2004 Page 3 of 6 Print Date 11/14/2011

0 1	and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
ð. I	APUSUKE	CONTROLS / PER	SUNAL	PROTECTION		
Respiratory protection	: N	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P:	rotective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations				industrial hygiene an at the end of workday.		
Engineering measures		eat only in areas with opropriate exhaust ve		iate exhaust ventilatio at machinery.	n. Provide	
Exposure limit(s)						
Components	Value	Exposure tim	e	Exposure type	List:	
Calcium carbonate	5 mg/m3	PEL:		Respirable fraction	. OSHA Z1	
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
Titanium dioxide	10 mg/m3	Time Weighted Av	/erage		ACGIH	
	C	(TWA):	U			
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMIC	AL PRC	PERTIES		
Form	: Solid	l	Evano	ration rate : N	lot applicable	
					lot determined	
Appearance	: Pelle	ts				
11	: Pelle : BLU			ensity : N	lot established	
Color		E	Bulk d	2	lot established lot applicable	
Color Odor	: BLU : Very	E	Bulk d Vapor	pressure : N		
Color Odor Melting point/range Boiling Point:	: BLU : Very : Not c	E faint	Bulk d Vapor	pressure : N r density : N	lot applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: BLU : Very : Not c	E faint letermined applicable	Bulk d Vapor Vapou	pressure : N r density : N	lot applicable lot applicable	
Color Odor Melting point/range Boiling Point:	: BLU : Very : Not c : Not a : Insol	E faint letermined applicable	Bulk d Vapor Vapou pH	pressure : N r density : N : N	lot applicable lot applicable	
Color Odor Melting point/range Boiling Point:	: BLU : Very : Not c : Not a : Insol	E faint letermined applicable uble	Bulk d Vapor Vapou pH	pressure : N r density : N : N	lot applicable lot applicable	
Color Odor Melting point/range Boiling Point: Water solubility	: BLU : Very : Not c : Not a : Insol 10. S : So	E faint letermined applicable uble TABILITY AND R	Bulk d Vapor Vapou pH	pressure : N r density : N : N	lot applicable lot applicable	



MATERIAL SAFETY DATA SHEET MOTOR BLUE #2

Version Number 1.0 Revision Date 04/12/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.



MATERIAL SAFETY DATA SHEET MOTOR BLUE #2

sion Number 1.0 ision Date 04/12/2004		Page 5 Print Date 11/14/2
151011 Date 04/12/2004		
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic C	Chemicals:
Not applicable Canadian Regulations:		
Canadian Regulations.		
National Pollutant Releas	se Ir	ventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed



MATERIAL SAFETY DATA SHEET

MOTOR BLUE #2

Version Number 1.0 Revision Date 04/12/2004 Page 6 of 6 Print Date 11/14/2011

Philippines PICCS

: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.