

MATERIAL SAFETY DATA SHEET MEDIUM BLUE KNOB

Version Number 1.0 Revision Date 04/16/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone:number | | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--------------------------------------|---|---|
| Product name : | : | MEDIUM BLUE KNOB |
| Product code : | : | CC10052482 |
| Chemical Name : | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use : | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|--------------------------------|------------|----------|
| Rutile, antimony chromium buff | 68186-90-3 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET MEDIUM BLUE KNOB

Version Number 1.0 Revision Date 04/16/2004 Page 2 of 6 Print Date 11/14/2011

| | | 4. FIRST AID MEASURES |
|-------------------------------------|------|---|
| Inhalation | : | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seel medical attention. |
| | | 5. FIRE-FIGHTING MEASURES |
| Flash point | : | Not applicable |
| Flammable Limits | | |
| Upper explosion limit | | Not applicable |
| Lower explosion limit | : | Not applicable |
| Autoignition temperature | : | Not applicable |
| Suitable extinguishing media | : | Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures | : | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. A | CCIDENTAL RELEASE MEASURES |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | | 7. HANDLING AND STORAGE |
| Handling | : | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption |

2/6



MATERIAL SAFETY DATA SHEET MEDIUM BLUE KNOB

Version Number 1.0 Revision Date 04/16/2004 Page 3 of 6 Print Date 11/14/2011

| 8. F | XPOSURE | CONTROLS / PE | RSONAL P | ROTECTION | |
|--|---|--|---|---|---|
| Respiratory protection | : N | o personal respirato | ory protectiv | e equipment normal | ly required. |
| Eye/Face Protection | : Sa | afety glasses with si | ide-shields. | | |
| Hand protection | : P1 | rotective gloves. | | | |
| Skin and body protection | : L | ong sleeved clothin | g. | | |
| Additional Protective Measures | : Sa | afety shoes. | | | |
| General Hygiene Considerations | | | | ndustrial hygiene an the end of workday | |
| Engineering measures | | eat only in areas wi ppropriate exhaust v | | te exhaust ventilation t machinery. | on. Provide |
| Exposure limit(s) | | | | | |
| | | | | | |
| Components | Value | Exposure ti | me | Exposure type | List: |
| Components Rutile, antimony chromium buff | Value 1 mg/m3 | Exposure tin PEL: | me | Exposure type | List: OSHA Z1 |
| Rutile, antimony | | - | me | Exposure type as Sb | |
| Rutile, antimony | 1 mg/m3 | PEL: | | ÷ • • • | OSHA Z1 |
| Rutile, antimony | 1 mg/m3 0.5 mg/m3 | PEL: PEL: Time Weighted A (TWA): Time Weighted A | Average | as Sb | OSHA Z1 OSHA Z1 |
| Rutile, antimony | 1 mg/m3 0.5 mg/m3 0.5 mg/m3 | PEL: PEL: Time Weighted A (TWA): Time Weighted A (TWA): Time Weighted A | Average Average | as Sb as Cr | OSHA Z1 OSHA Z1 ACGIH |
| Rutile, antimony chromium buff | 1 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 | PEL: PEL: Time Weighted A (TWA): Time Weighted A (TWA): | Average Average | as Sb as Cr | OSHA Z1 OSHA Z1 ACGIH ACGIH |
| Rutile, antimony chromium buff | 1 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 10 mg/m3 15 mg/m3 | PEL: PEL: Time Weighted A (TWA): Time Weighted A (TWA): Time Weighted A (TWA): | Average Average Average | as Sb as Cr as Sb Total dust. | OSHA Z1 OSHA Z1 ACGIH ACGIH ACGIH |
| Rutile, antimony chromium buff Titanium dioxide | 1 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC | PEL: PEL: Time Weighted A (TWA): Time Weighted A (TWA): Time Weighted A (TWA): PEL: PEL: | Average Average Average | as Sb as Cr as Sb Total dust. | OSHA Z1 OSHA Z1 ACGIH ACGIH ACGIH OSHA Z1 |
| Rutile, antimony chromium buff Titanium dioxide | 1 mg/m3 0.5 mg/m3 0.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid | PEL: PEL: Time Weighted A (TWA): Time Weighted A (TWA): Time Weighted A (TWA): PEL: PEL: | Average Average Average CAL PROJ Evapora | as Sb as Cr as Sb Total dust. PERTIES ttion rate : N | OSHA Z1 OSHA Z1 ACGIH ACGIH ACGIH |
| Rutile, antimony chromium buff | 1 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC | PEL: PEL: Time Weighted A (TWA): Time Weighted A (TWA): Time Weighted A (TWA): PEL: CAL AND CHEMI | Average Average Average CAL PROJ Evapora | as Sb as Cr as Sb Total dust. PERTIES ation rate : N c Gravity: : N | OSHA Z1 OSHA Z1 ACGIH ACGIH ACGIH OSHA Z1 OSHA Z1 Vot applicable |
| Rutile, antimony chromium buff Titanium dioxide Form Appearance Color | 1 mg/m3 0.5 mg/m3 0.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Peller | PEL: PEL: Time Weighted A (TWA): Time Weighted A (TWA): Time Weighted A (TWA): PEL: CAL AND CHEMI | Average Average Average CAL PROI Evapora Specific | as Sb as Cr as Sb Total dust. PERTIES ation rate : N c Gravity: : N nsity : N | OSHA Z1 OSHA Z1 ACGIH ACGIH ACGIH OSHA Z1 OSHA Z1 |
| Rutile, antimony chromium buff Titanium dioxide Form Appearance | 1 mg/m3 0.5 mg/m3 0.5 mg/m3 0.5 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellee : BLU : Very | PEL: PEL: Time Weighted A (TWA): Time Weighted A (TWA): Time Weighted A (TWA): PEL: CAL AND CHEMI | Average Average Average CAL PROI Evapora Specific Bulk de | as Sb as Cr as Sb Total dust. PERTIES ation rate : N c Gravity: : N nsity : N ressure : N | OSHA Z1 OSHA Z1 ACGIH ACGIH ACGIH OSHA Z1 |

Stability

: Stable.



MATERIAL SAFETY DATA SHEET MEDIUM BLUE KNOB

Version Number 1.0 Page 4 of 6 Revision Date 04/16/2004 Print Date 11/14/2011 Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. Incompatible Materials Incompatible with strong acids and oxidizing agents. : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition : (NOx), other hazardous materials, and smoke are all possible. products

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|-----------------------------------|------------------|---------------------------------|
| 68186-90-3 | Rutile, antimony chromium buff | Irritant | Eyes, Skin, Respiratory system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION

| Persistence and degradability | : | Not readily biodegradable. |
|-------------------------------|----|---|
| Environmental Toxicity | : | Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Bioaccumulation Potential | : | Chemicals are not readily available as they are bound within the matrix of the polymer. |
| Additional advice | : | No data available |
| | 1. | 3. DISPOSAL CONSIDERATIONS |
| Product | : | Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : | Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation |



MATERIAL SAFETY DATA SHEET MEDIUM BLUE KNOB

Version Number 1.0 Revision Date 04/16/2004 Page 5 of 6 Print Date 11/14/2011

| | | d local regulations. |
|--|---------------------------------------|--|
| | 14. T | RANSPORT INFORMATION |
| U.S. DOT Classification | : No | ot regulated for transportation. |
| ICAO/IATA (air) | : Ref | fer to specific regulation. |
| IMO / IMDG (maritime) | : Ref | fer to specific regulation. |
| | 15. RE | EGULATORY INFORMATION |
| US Regulations: | | |
| OSHA Status | : Cla | assified as hazardous based on components. |
| TSCA Status | | ll components of this product are listed on or exempt from the TSC ventory. |
| US. EPA CERCLA Hazardo | us Substanc | ces (40 CFR 302) |
| Not applicable | | |
| | | |
| California Proposition 65 | n : Thi | is product does not contain a substance listed by California Prop 6 |
| 65 | | |
| 65 SARA Title III Section 302 I | | |
| 65 SARA Title III Section 302 I Not applicable | Extremely F | Hazardous Substance |
| 65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 T | Extremely F | Hazardous Substance |
| 65 SARA Title III Section 302 I Not applicable | Extremely F | Hazardous Substance nicals: CAS-No. Weight % |
| 65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 T Chemical Name CHROMIUM III CO COMPOUNDS | Extremely F | Hazardous Substance nicals: CAS-No. Weight % |
| 65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 T Chemical Name CHROMIUM III CO COMPOUNDS Canadian Regulations: National Pollutant Re | Extremely F Foxic Chem | Hazardous Substance nicals: CAS-No. Weight % DSANTIMONY 68186-90-3 2.20 ntory (NPRI) |
| 65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 T Chemical Name CHROMIUM III CO COMPOUNDS Canadian Regulations: National Pollutant Re Chemical Name | Extremely F Foxic Chem | Hazardous Substance nicals: CAS-No. Weight % DSANTIMONY 68186-90-3 2.20 ntory (NPRI) CAS-No. Weight % NPRI ID# |
| 65 SARA Title III Section 302 I Not applicable SARA Title III Section 313 T Chemical Name CHROMIUM III CO COMPOUNDS Canadian Regulations: National Pollutant Re | Extremely F Foxic Chem DMPOUND: | Hazardous Substance nicals: CAS-No. Weight % DSANTIMONY 68186-90-3 2.20 ntory (NPRI) |



MATERIAL SAFETY DATA SHEET MEDIUM BLUE KNOB

Version Number 1.0 Revision Date 04/16/2004

Page 6 of 6 Print Date 11/14/2011

WHMIS Classification : D2B WHMIS Ingredient Disclosure List CAS-No. 147-14-8 68186-90-3 DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. National Inventories: Australia AICS Listed : China IECS Listed · **Europe EINECS** Listed : Japan ENCS Not determined : Korea KECI : Listed **Philippines PICCS** : Listed **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.