

MATERIAL SAFETY DATA SHEET

PG 52591 BU PE

Version Number 1.0 Revision Date 04/15/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone number | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|---|
| Product name | : | PG 52591 BU PE |
| Product code | : | CC10052591 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

|] | Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|---|
| 1 | Acute exposure | |
| | Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves. |
| | Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
|] | Chronic exposure Medical Conditions Aggravated by Exposure: | Refer to Section 11 for Toxicological Information.None known. |
| | | |



MATERIAL SAFETY DATA SHEET **PG 52591 BU PE**

Version Number 1.0 Revision Date 04/15/2004 Page 2 of 6 Print Date 11/14/2011

| | 4. FIRST AID MEASURES |
|-------------------------------------|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits | |
| Upper explosion limit | : Not applicable |
| Lower explosion limit | : Not applicable |
| Autoignition temperature | : Not applicable |
| Suitable extinguishing media | : Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen |
| Hazards | (NOx), other hazardous materials, and smoke are all possible. |
| | 5. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |

2/6



MATERIAL SAFETY DATA SHEET **PG 52591 BU PE**

Version Number 1.0 Revision Date 04/15/2004 Page 3 of 6 Print Date 11/14/2011

| No persona Safety glas Protective g Long sleev Safety shoe Handle in a Wash hand Heat only i appropriate | al respiratory prot sses with side-shie gloves. ved clothing. es. accordance with g ls before breaks a | good industrial hyg and at the end of w ropriate exhaust ve ion at machinery. | normally re giene and sa orkday. entilation. | fety practice. | |
|---|---|---|---|---|--|
| Safety glas Protective Long sleev Safety shoe Handle in a Wash hand Heat only i appropriate | sses with side-shie gloves. /ed clothing. es. accordance with g ds before breaks a in areas with appr e exhaust ventilati Exposure time Weighted Average (TWA): PEL: | elds. good industrial hyg ind at the end of w ropriate exhaust va ion at machinery. | giene and sa orkday. entilation. e type | fety practice. Provide List: ACGIH | |
| Protective Long sleev Safety shoe Handle in a Wash hand Heat only i appropriate m3 Time V m3 | gloves. ved clothing. es. accordance with g ds before breaks a in areas with appr e exhaust ventilati <u>Exposure time</u> Weighted Average (TWA): PEL: | good industrial hyg and at the end of w ropriate exhaust ve ion at machinery. | orkday. entilation. e type | Provide List: ACGIH | |
| Long sleev Safety shoe Handle in a Wash hand Heat only i appropriate m3 Time V m3 | ved clothing. es. accordance with g ds before breaks a in areas with appr e exhaust ventilati Exposure time Weighted Average (TWA): PEL: | ropriate exhaust ve ion at machinery. Exposure ge Total d | orkday. entilation. e type | Provide List: ACGIH | |
| Safety shoe Handle in a Wash hand Heat only i appropriate E E m3 Time V | es. accordance with g ds before breaks a in areas with appr e exhaust ventilati Exposure time Weighted Averag (TWA): PEL: | ropriate exhaust ve ion at machinery. Exposure ge Total d | orkday. entilation. e type | Provide List: ACGIH | |
| Handle in a Wash hand Heat only i appropriate <u>e E</u> m3 Time V m3 | accordance with g ls before breaks a in areas with appr e exhaust ventilati Exposure time Weighted Average (TWA): PEL: | ropriate exhaust ve ion at machinery. Exposure ge Total d | orkday. entilation. e type | Provide List: ACGIH | |
| Wash hand Heat only i appropriate E E m3 Time V m3 | ds before breaks a in areas with appr e exhaust ventilati Exposure time Weighted Average (TWA): PEL: | ropriate exhaust ve ion at machinery. Exposure ge Total d | orkday. entilation. e type | Provide List: ACGIH | |
| appropriate e E m3 Time V m3 | e exhaust ventilati Exposure time Weighted Average (TWA): PEL: | Exposure Total d | e type | List: ACGIH | |
| m3 Time V m3 | Weighted Average (TWA): PEL: | re Total d | | ACGIH | |
| m3 Time V m3 | Weighted Average (TWA): PEL: | re Total d | | ACGIH | |
| m3 Time V m3 | Weighted Average (TWA): PEL: | re Total d | | ACGIH | |
| · | PEL: | | lust. | OSHA Z1 | |
| YSICAL ANI | D CHEMICAL F | DDADEDTIES | | | |
| | | INUTERTIES | | | |
| Solid Pellets BLUE Very faint Not determined Not applicable Insoluble | | Specific Gravity:: Not ofBulk density: Not ofVapor pressure: Not aVapour density: Not a | | applicable determined established applicable applicable applicable | |
| 10. STABILI | TY AND REAC | TIVITY | | | |
| Stable. | | | | | |
| Will not oc | ccur. | | | | |
| | | | ame. To av | void thermal | |
| Incompatib | | | | | |
| | Stable. Will not oc Keep away | Stable. Will not occur. Keep away from oxidizing a | Will not occur. Keep away from oxidizing agents and open fl decomposition, do not overheat. | Stable. Will not occur. Keep away from oxidizing agents and open flame. To av | |



MATERIAL SAFETY DATA SHEET **PG 52591 BU PE**

Version Number 1.0 Revision Date 04/15/2004 Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition : products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ | | | |
|----------------------------------|---|--|---------------------|--|--|--|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. | | | |
| | 12. ECOLOGIO | CAL INFORMATION | I | | | |
| Persistence and degrada | ability : Not readily b | iodegradable. | | | | |
| Environmental Toxicity | | Chemicals are not readily available as they are bound within the matrix of the polymer.Chemicals are not readily available as they are bound within the matrix of the polymer. | | | | |
| Bioaccumulation Poten | | | | | | |
| Additional advice | : No data avail | lable | | | | |
| | 13. DISPOSAL | CONSIDERATIONS | | | | |
| Product Contaminated packagin | g : Recycling is has the respo and disposal | Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations and disposal in accordance with applicable federal, state/provincial and local regulations. | | | | |
| | 14. TRANSPO | ORT INFORMATION | | | | |
| U.S. DOT Classificatio | n : Not regulated | l for transportation. | | | | |
| ICAO/IATA (air) | : Refer to spec | ific regulation. | | | | |
| IMO / IMDG (maritime | e) : Refer to spec | ific regulation. | | | | |
| | 15. REGULAT | ORY INFORMATION | J | | | |
| | | | | | | |



MATERIAL SAFETY DATA SHEET **PG 52591 BU PE**

| ersion Number 1.0 evision Date 04/15/2004 | | | Print Date | Page 5 of 11/14/201 |
|--|------|--|--------------|------------------------|
| | | | | |
| US Regulations: | | | | |
| OSHA Status | : | Classified as hazardous based on components. | | |
| TSCA Status | : | All components of this product are listed on or e Inventory. | exempt from | he TSCA |
| US. EPA CERCLA Hazardous S | ub | stances (40 CFR 302) | | |
| Not applicable | | | | |
| California Proposition 65 | : | WARNING! This product contains a chemical California to cause cancer. | known to the | e State of |
| SARA Title III Section 302 Extre | em | ely Hazardous Substance | | |
| Not applicable | | | | |
| SARA Title III Section 313 Toxi | c C | Themicals: | | |
| Not applicable Canadian Regulations: | | | | |
| National Pollutant Release | e Iı | iventory (NPRI) | | |
| Not applicable | | | | |
| WHMIS Classification | : | Not controlled. | | |
| DSL | : | All components of this product are on the Cana Substances List (DSL) or are exempt. | idian Domest | ic |
| National Inventories: | | | | |
| Australia AICS | : | Listed | | |
| China IECS | : | Listed | | |
| Europe EINECS | : | Listed | | |
| Japan ENCS | : | Listed | | |
| Korea KECI | : | Listed | | |
| Philippines PICCS | : | Listed | | |
| | | 16. OTHER INFORMATION | | |
| | | | | |



MATERIAL SAFETY DATA SHEET **PG 52591 BU PE**

Version Number 1.0 Revision Date 04/15/2004

Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.