

MATERIAL SAFETY DATA SHEET

PG 52610 RD PP

Version Number 1.0 Revision Date 04/21/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 52610 RD PP
Product code	:	CC10052610
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to over
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PG 52610 RD PP**

Version Number 1.0 Revision Date 04/21/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES		
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Flammable Limits				
Upper explosion limit		Not applicable		
sower explosion limit		Not applicable		
Autoignition temperature	:	: Not applicable : Not applicable		
Suitable extinguishing media				
Suitable extinguishing media	•	Carbon dioxide blanket, water spray, dry powder, foamnone.		
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		

2/6



MATERIAL SAFETY DATA SHEET **PG 52610 RD PP**

Version Number 1.0 Revision Date 04/21/2004 Page 3 of 6 Print Date 11/14/2011

	required.				
ndustrial hygiene and	required.				
	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure type	List:				
	ACGIH				
Total dust.	OSHA Z1				
PERTIES					
ration rate : Not applicable fic Gravity: : Not determined lensity : Not established pressure : Not applicable r density : Not applicable : Not applicable					
ТҮ					
s and open flame. To	avoid thermal				
nd oxidizing agents					
	ts and open flame. To and oxidizing agents.				



MATERIAL SAFETY DATA SHEET **PG 52610 RD PP**

Version Number 1.0

Revision Date 04/21/2004

Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition : Carbo products (NOx)

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIO	CAL INFORMATION	I		
Persistence and degrada	ability : Not readily b	iodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	able			
	13. DISPOSAL	CONSIDERATIONS			
Product Contaminated packagin	g : Recycling is phase the response of the recycling is phase the response of	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 			
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classificatio	n : Not regulated	for transportation.			
ICAO/IATA (air)	: Refer to spec	ific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.			
	15. REGULATO	ORY INFORMATION	1		



MATERIAL SAFETY DATA SHEET **PG 52610 RD PP**

rsion Number 1.0 vision Date 04/21/2004			Print Date	Page 5 o 11/14/20
			T IIII Date	
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or Inventory.	exempt from	the TSCA
US. EPA CERCLA Hazardous S	ub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	WARNING! This product contains a chemical California to cause cancer.	known to the	e State of
SARA Title III Section 302 Extra	em	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Toxi	c (Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Releas	e I	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Can Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Not determined		
Japan ENCS	:	Listed		
Korea KECI	:	Listed		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		



MATERIAL SAFETY DATA SHEET **PG 52610 RD PP**

Version Number 1.0 Revision Date 04/21/2004

Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.