

MATERIAL SAFETY DATA SHEET

UV EVERGREEN

Version Number 1.0 Revision Date 04/15/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UV EVERGREEN
Product code	:	CC10052634
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

]	Routes of Exposure:	: Inhalation, Ingestion, Skin contact
1	Acute exposure	
	Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
	Skin	: Experience shows no unusual dermatitis hazard from routine handling.
]	Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.



MATERIAL SAFETY DATA SHEET UV EVERGREEN

Version Number 1.0 Revision Date 04/15/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	4	5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Elemental I. I. inside		
Flammable Limits Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET UV EVERGREEN

Version Number 1.0 Revision Date 04/15/2004 Page 3 of 6 Print Date 11/14/2011

	a	nd contamination. Ke	ep in a d	ry, cool place.		
8. I	EXPOSURE	CONTROLS / PERS	SONAL	PROTECTION		
Respiratory protection : No personal respiratory protective equipment normally required.						
Eye/Face Protection	ace Protection : Safety glasses with side-shields.					
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		Handle in accordance w Wash hands before brea				fety practice.
Engineering measures		Heat only in areas with ppropriate exhaust ver			ation.	Provide
Exposure limit(s)						
Components	Value	Exposure time	e	Exposure typ	e	List:
Calcium carbonate	5 mg/m3	PEL:		Respirable fract		OSHA Z1
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSI	CAL AND CHEMIC	AL PRO	PERTIES		
Form	: Solic	d		ration rate :	Not	applicable
Appearance	: Pelle	: Pellets		Specific Gravity: : Not determined		
		GREEN			Not established	
Color				ensity :	Not	established
Odor	: Very	y faint	Vapor	pressure :	Not	applicable
Odor Melting point/range	: Very : Not	y faint determined	Vapor Vapou		Not Not	applicable applicable
Odor Melting point/range Boiling Point:	: Very : Not : Not	y faint determined applicable	Vapor	pressure :	Not Not	applicable
Odor Melting point/range	: Very : Not	y faint determined applicable	Vapor Vapou	pressure :	Not Not	applicable applicable
Odor Melting point/range Boiling Point:	: Very : Not : Not : Insol	y faint determined applicable	Vapor Vapou pH	pressure : r density : :	Not Not	applicable applicable
Odor Melting point/range Boiling Point:	: Very : Not : Not : Insol	y faint determined applicable luble	Vapor Vapou pH	pressure : r density : :	Not Not	applicable applicable
Odor Melting point/range Boiling Point: Water solubility	: Very : Not : Not : Insol 10. § : S	y faint determined applicable luble STABILITY AND RI	Vapor Vapou pH	pressure : r density : :	Not Not	applicable applicable
Odor Melting point/range Boiling Point: Water solubility Stability	: Very : Not : Not : Insol 10. § : S n : V : K	y faint determined applicable luble STABILITY AND RI	Vapor Vapour pH EACTIV	pressure : r density : : TTY	Not Not Not	applicable applicable applicable
Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Very : Not : Not : Insol 	y faint determined applicable luble STABILITY AND RI Stable. Will not occur. Keep away from oxidiz	Vapor Vapour pH EACTIV	r density : ITY ts and open flame.	Not Not	applicable applicable applicable



MATERIAL SAFETY DATA SHEET **UV EVERGREEN**

Version Number 1.0

Revision Date 04/15/2004

Page 4 of 6 Print Date 11/14/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION



MATERIAL SAFETY DATA SHEET **UV EVERGREEN**

ersion Number 1.0				Page 5 of
evision Date 04/15/2004			Print Date	11/14/201
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or of Inventory.	exempt from	the TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	WARNING! This product contains a chemical California to cause cancer.	known to the	e State of
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	cic C	Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Relea	se Ir	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Cana Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
		16. OTHER INFORMATION		



MATERIAL SAFETY DATA SHEET UV EVERGREEN

Version Number 1.0 Revision Date 04/15/2004

Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.