

MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 04/22/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MUSTARD YELLOW
Product code	:	CC10052640
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 04/22/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	•	Not applicable
sower explosion limit		Not applicable
Autoignition temperature	÷	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 04/22/2004 Page 3 of 6 Print Date 11/14/2011

8. I	EXPOSURE	CONTROLS / PERSON	AL PROTECTION			
Respiratory protection	: N	o personal respiratory prot	ective equipment normal	lly required.		
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with g ash hands before breaks a				
Engineering measures		leat only in areas with appr ppropriate exhaust ventilat		on. Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Silica, amorphous	20 mppcf	*				
	20 mppcr	PEL:	Total dust.	OSHA		
		PEL: PEL:	Total dust. Total dust.	Z3		
Titanium dioxide	20 mppcf 20 mppcf 10 mg/m3		Total dust.			
	20 mppcf	PEL: Time Weighted Averag	Total dust.	Z3		
	20 mppcf 10 mg/m3 15 mg/m3	PEL: Time Weighted Averag (TWA):	e Total dust.	Z3 ACGIH		
Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H	Total dust. e Total dust. PROPERTIES	Z3 ACGIH OSHA Z1		
Titanium dioxide	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H	Total dust. e Total dust. PROPERTIES aporation rate : 1	Z3 ACGIH OSHA Z1		
Titanium dioxide Form Appearance	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp	Total dust. e Total dust. PROPERTIES aporation rate : 1 ecific Gravity: : 1	Z3 ACGIH OSHA Z1 Not applicable Not determined		
Titanium dioxide Form Appearance Color	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : YEL	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL F t Ev ts Sp LOW Bu	Total dust. e Total dust. PROPERTIES aporation rate : 1 ecific Gravity: : 1 lk density : 1	Z3 ACGIH OSHA Z1 Not applicable Not determined Not established		
Titanium dioxide Titanium dioxide Form Appearance Color Odor	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : YEL : Very	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H t Ev ts Sp LOW Bu faint Va	Total dust. e Total dust. PROPERTIES aporation rate : I ecific Gravity: : I lk density : I por pressure : I	Z3 ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable		
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : YEL : Very : Not of	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H t Ev ts Sp LOW Bu faint Va determined Va	Total dust. e Total dust. PROPERTIES aporation rate I ecific Gravity: I lk density I por pressure I pour density I	Z3 ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable Not applicable		
	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : YEL : Very : Not of	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H LOW Bu faint Va determined Va applicable pH	Total dust. e Total dust. PROPERTIES aporation rate I ecific Gravity: I lk density I por pressure I pour density I	Z3 ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable		
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : YEL : Very : Not a : Insol	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H LOW Bu faint Va determined Va applicable pH	Total dust. e Total dust. PROPERTIES aporation rate I ecific Gravity: I lk density I por pressure I pour density I	Z3 ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable Not applicable		
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : YEL : Very : Not a : Insol 10. §	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I LOW Bu faint Va determined Va applicable pH uble	Total dust. e Total dust. PROPERTIES aporation rate I ecific Gravity: I lk density I por pressure I pour density I	Z3 ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable Not applicable		
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : YEL : Very : Not a : Insol 10. S : S	PEL: Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL I LOW Bu faint Va determined Va applicable pH uble CAL AND CHEMICAL I USAN STABILITY AND REAC	Total dust. e Total dust. PROPERTIES aporation rate I ecific Gravity: I lk density I por pressure I pour density I	Z3 ACGIH OSHA Z1 Not applicable Not determined Not established Not applicable Not applicable		

POLYONE	CORPOR	ATION



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

	ion Number 1.0 sion Date 04/22/200	4			F Print Date 1	Page 4 of 6 11/14/2011
	Incompatible Materials	5 :	Incompatible w	vith strong acids and o	xidizing agents.	
	Hazardous decomposit products		Carbon dioxide	e (CO2), carbon mono	xide (CO), oxides of nitro d smoke are all possible.	ogen
		11. 7	ſOXICOLOGI	CAL INFORMATIO	N	
	This mixture has not be health data for the indi-				re effects listed are based	on existing
	<u>Toxicity Overview</u> This product contains t	he following	components wh	ich in their pure form	have the following charac	cteristics:
	CAS-No.		ical Name	Effect	Target Organ	
	7631-86-9	Silica, amo		Irritant	Eyes, Respiratory syste	<u>m.</u>
L	13463-67-7	I Itanium u	loxide	Systemic effects	Respiratory system.	
		12	2. ECOLOGICA	AL INFORMATION		
_	Persistence and degrad	ability :	Not readily bio	degradable.		
	Environmental Toxicit	у :	Chemicals are not of the polymer.	•	s they are bound within the	e matrix
	Bioaccumulation Poter	ntial :	Chemicals are not of the polymer.		s they are bound within the	e matrix
	Additional advice	:	No data availat	ble		
		13	3. DISPOSAL C	CONSIDERATIONS		
	Product	:	possible recycle generator of wa classification, t	ing is preferred to disp aste material has the re	product can be recycled. bosal or incineration. The esponsibility for proper w bosal in accordance with ad local regulations.	e
	Contaminated packagin	ng :	has the respons	sibility for proper wast accordance with appl	. The generator of waster re classification, transport icable federal, state/provis	ation
		1	4. TRANSPOR	T INFORMATION		
	U.S. DOT Classificatio	on :	-	or transportation.		
	ICAO/IATA (air)	:	Refer to specifi	ic regulation.		
	IMO / IMDG (maritim	e) :	Refer to specifi	ic regulation.		



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 04/22/2004 Page 5 of 6 Print Date 11/14/2011

	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	reme	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	kic C	'hemicals:
Not applicable Canadian Regulations:		
National Pollutant Releas	se In	wentory (NPRI)
	se In	iventory (NPRI)
National Pollutant Release	se In :	
National Pollutant Releas		
National Pollutant Release Not applicable WHMIS Classification	:	Not controlled. All components of this product are on the Canadian Domestic
National Pollutant Release Not applicable WHMIS Classification DSL	:	Not controlled. All components of this product are on the Canadian Domestic
National Pollutant Release Not applicable WHMIS Classification DSL National Inventories:	:	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Pollutant Release Not applicable WHMIS Classification DSL National Inventories: Australia AICS	:	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined
National Pollutant Release Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	:	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Not determined Listed



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 04/22/2004 Page 6 of 6 Print Date 11/14/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.