

# MATERIAL SAFETY DATA SHEET PG 52796 PEARL RD PE

Version Number 1.0 Revision Date 04/20/2004

Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	PG 52796 PEARL RD PE
Product code :	CC10052796
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET PG 52796 PEARL RD PE

Version Number 1.0 Revision Date 04/20/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



## MATERIAL SAFETY DATA SHEET PG 52796 PEARL RD PE

Version Number 1.0 Revision Date 04/20/2004 Page 3 of 6 Print Date 11/14/2011

	ar	nd contamination. Keep in a d	lry, cool place.	
8. EXPOSURE CONTROLS / PERSONAL PROTECTION				
Respiratory protection	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice.
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	*	· · · ·	
	20 mppci	PEL:	Total dust.	OSHA
inicu	3 mg/m3	Time Weighted Average (TWA):	Total dust. Respirable fraction.	OSHA ACGIH
Titanium dioxide		Time Weighted Average (TWA): Time Weighted Average		
	3 mg/m3	Time Weighted Average (TWA):		ACGIH
	3 mg/m3 10 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable fraction.	ACGIH ACGIH
	3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable fraction. Total dust.	ACGIH ACGIH
Titanium dioxide	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Respirable fraction. Total dust.	ACGIH ACGIH OSHA Z1
Titanium dioxide	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Respirable fraction. Total dust. DPERTIES ration rate : Not	ACGIH ACGIH OSHA Z1 applicable
Titanium dioxide Form Appearance	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif	Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity: : Not	ACGIH ACGIH OSHA Z1 applicable determined
Titanium dioxide Form Appearance Color	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif Bulk d	Respirable fraction.         Total dust. <b>DPERTIES</b> ration rate       : Not         ic Gravity:       : Not         lensity       : Not	ACGIH ACGIH OSHA Z1 applicable determined established
Titanium dioxide Form Appearance Color Odor	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif Bulk d faint Vapor	Respirable fraction.         Total dust.         DPERTIES         ration rate       : Not         ic Gravity:       : Not         lensity       : Not         pressure       : Not	ACGIH ACGIH OSHA Z1 applicable determined established applicable
Titanium dioxide Form Appearance Color Odor Melting point/range	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif Bulk d faint Vapor letermined Vapou	Respirable fraction.         Total dust.         DPERTIES         ration rate       :         Not         ic Gravity:       :         Not         pressure       :         Not         redensity       :         Not         ressure       :         Not         ressure       :         Not         ressure       :         Not         r density       :	ACGIH ACGIH OSHA Z1 applicable determined established applicable applicable
Titanium dioxide Form Appearance Color Odor	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Exapo ts Specif Bulk d faint Vapor letermined Vapou pplicable pH	Respirable fraction.         Total dust.         DPERTIES         ration rate       :         Not         ic Gravity:       :         Not         pressure       :         Not         redensity       :         Not         ressure       :         Not         ressure       :         Not         ressure       :         Not         r density       :	ACGIH ACGIH OSHA Z1 applicable determined established applicable
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c : Not a : Insol	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Exapo ts Specif Bulk d faint Vapor letermined Vapou pplicable pH	Respirable fraction.         Total dust.         OPERTIES         ration rate       : Not         ic Gravity:       : Not         lensity       : Not         r density       : Not         : Not       : Not	ACGIH ACGIH OSHA Z1 applicable determined established applicable applicable
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif Bulk d faint Vapor letermined Vapou upplicable pH uble	Respirable fraction.         Total dust.         OPERTIES         ration rate       : Not         ic Gravity:       : Not         lensity       : Not         r density       : Not         : Not       : Not	ACGIH ACGIH OSHA Z1 applicable determined established applicable applicable
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif Bulk d faint Vapor letermined Vapou upplicable pH uble	Respirable fraction.         Total dust.         OPERTIES         ration rate       : Not         ic Gravity:       : Not         lensity       : Not         r density       : Not         : Not       : Not	ACGIH ACGIH OSHA Z1 applicable determined established applicable applicable



# MATERIAL SAFETY DATA SHEET PG 52796 PEARL RD PE

Version Number 1.0 Revision Date 04/20/2004 Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
	: Not regulated for transportation.
U.S. DOT Classification	. Not regulated for transportation.



# MATERIAL SAFETY DATA SHEET PG 52796 PEARL RD PE

Version Number 1.0 Revision Date 04/20/2004 Page 5 of 6 Print Date 11/14/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.		
15. REGULATORY INFORMATION				
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous	US. EPA CERCLA Hazardous Substances (40 CFR 302)			
Not applicable	Not applicable			
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.		
SARA Title III Section 302 Extra	rem	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	tic C	Themicals:		
Not applicable Canadian Regulations:				
National Pollutant Releas	National Pollutant Release Inventory (NPRI)			
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Not determined		
Japan ENCS	:	Not determined		
Korea KECI	:	Listed		



### MATERIAL SAFETY DATA SHEET PG 52796 PEARL RD PE

Version Number 1.0 Revision Date 04/20/2004 Page 6 of 6 Print Date 11/14/2011

Philippines PICCS

: Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.