

MATERIAL SAFETY DATA SHEET

### TOPAZ

Version Number 1.0 Revision Date 04/28/2004 Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone<br>Emergency telephone<br>number | : | Product Stewardship (770) 271-5902<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--|---|---|
| Product name                               | : | TOPAZ   |
| Product code                               | : | CC10052844  |
| Chemical Name                              | : | Mixture   |
| CAS-No.                                    | : | Mixture   |
| Product Use                                | : | Industrial Applications   |

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components       | CAS-No.    | Weight % |
|------------------|------------|----------|
| Mica             | 12001-26-2 | 10 - 30  |
| Titanium dioxide | 13463-67-7 | 10 - 30  |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

| Routes of Exposure:                           | : Inhalation, Ingestion, Skin contact   |
|---|---|
| Acute exposure                                |   |
| Inhalation<br>Ingestion<br>Eyes               | <ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul> |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.  |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.  |
| Medical Conditions<br>Aggravated by Exposure: | : None known.   |



MATERIAL SAFETY DATA SHEET **TOPAZ** 

Version Number 1.0 Revision Date 04/28/2004

Page 2 of 6 Print Date 11/14/2011

|                                     |       | 4. FIRST AID MEASURES   |
|-------------------------------------|-------|---|
| Inhalation                          | :     | Move to fresh air in case of accidental inhalation of fumes from<br>overheating or combustion. When symptoms persist or in all cases of<br>doubt seek medical advice.               |
| Ingestion                           | :     | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.  |
| Eyes                                | :     | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin                                | :     | Wash off with soap and plenty of water. If skin irritation persists seek medical attention.   |
|                                     | ł     | 5. FIRE-FIGHTING MEASURES   |
| Flash point                         | :     | Not applicable  |
| Flammable Limits                    |       |   |
| Upper explosion limit               |       | Not applicable  |
| sower explosion limit               | ÷     | Not applicable  |
| Autoignition temperature            | ÷     | Not applicable  |
| Suitable extinguishing media        | :     | Carbon dioxide blanket, water spray, dry powder, foamnone.  |
| Special Fire Fighting<br>Procedures | :     | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.                                    |
| Unusual Fire/Explosion<br>Hazards   | :     | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.  |
|                                     | 6. A( | CCIDENTAL RELEASE MEASURES  |
| Personal precautions                | :     | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.  |
| Environmental precautions           | :     | Should not be released into the environment. The product should not<br>be allowed to enter drains, water courses or the soil.   |
| Methods for cleaning up             | :     | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
|                                     |       | 7. HANDLING AND STORAGE   |
| Handling                            | :     | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.   |
| Storage                             | :     | Keep containers dry and tightly closed to avoid moisture absorption   |



### MATERIAL SAFETY DATA SHEET **TOPAZ**

Version Number 1.0 Revision Date 04/28/2004

Page 3 of 6 Print Date 11/14/2011

|  | aı   | nd contamination. Keep in a d   | ry, cool place.  |   |
|--|--|---|--|---|
| 8.1  | EXPOSURE   | CONTROLS / PERSONAL   | PROTECTION   |   |
| Respiratory protection   | : N  | o personal respiratory protecti   | ve equipment normally r  | required.   |
| Eye/Face Protection  | : Sa   | afety glasses with side-shields   |  |   |
| Hand protection  | : <b>P</b> 1   | rotective gloves.   |  |   |
| Skin and body protection   | : L  | ong sleeved clothing.   |  |   |
| Additional Protective<br>Measures  | : Sa   | afety shoes.  |  |   |
| General Hygiene<br>Considerations  |  | andle in accordance with good<br>/ash hands before breaks and a   |  | afety practice.   |
| Engineering measures   |  | eat only in areas with approprior oppropriate exhaust ventilation   |  | Provide   |
| Exposure limit(s)  |  |   |  |   |
| Components   | Value  | Exposure time   | Exposure type  | List:   |
| Mica   | 20 mppcf   | PEL:  | Total dust.  | OSHA  |
|  |  |   |  |   |
|  | 3 mg/m3  | Time Weighted Average (TWA):  | Respirable fraction.   | ACGIH   |
| Titanium dioxide   | 3 mg/m3  |   | Respirable fraction.   | ACGIH<br>ACGIH  |
| Titanium dioxide   | -  | (TWA):<br>Time Weighted Average   | Respirable fraction. Total dust.   |   |
| Titanium dioxide   | 10 mg/m3<br>15 mg/m3   | (TWA):<br>Time Weighted Average<br>(TWA):<br>PEL:   | Total dust.  | ACGIH   |
| Titanium dioxide   | 10 mg/m3<br>15 mg/m3   | (TWA):<br>Time Weighted Average<br>(TWA):   | Total dust.  | ACGIH   |
|  | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC  | (TWA):<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL PRO   | Total dust.  | ACGIH<br>OSHA Z1  |
| Form   | 10 mg/m3<br>15 mg/m3   | (TWA):<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL PRO   | Total dust. DPERTIES ration rate : Not   | ACGIH   |
|  | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solid   | (TWA):<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL PRO<br>L Evapor<br>ts Specifi   | Total dust. DPERTIES ration rate : Not ic Gravity: : Not   | ACGIH<br>OSHA Z1<br>applicable  |
| Form<br>Appearance   | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solid<br>: Pelle<br>: BRO   | (TWA):<br>Time Weighted Average<br>(TWA):<br>PEL:<br>CAL AND CHEMICAL PRO<br>L Evapor<br>ts Specific<br>WN Bulk d   | Total dust.<br><b>DPERTIES</b><br>ration rate : Not<br>ic Gravity: : Not<br>ensity : Not   | ACGIH<br>OSHA Z1<br>applicable<br>determined<br>established                             |
| Form<br>Appearance<br>Color<br>Odor  | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solid<br>: Pelle<br>: BRO<br>: Very   | (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts       Specifi         WN       Bulk d         faint       Vapor   | Total dust.<br><b>DPERTIES</b><br>ration rate : Not<br>ic Gravity: : Not<br>ensity : Not<br>pressure : Not                             | ACGIH<br>OSHA Z1<br>applicable<br>determined<br>established<br>applicable               |
| Form<br>Appearance<br>Color<br>Odor<br>Melting point/range                                       | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solid<br>: Pelle<br>: BRO<br>: Very<br>: Not c                                | (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts       Specifi         WN       Bulk d         faint       Vapor         letermined       Vapou  | Total dust.<br><b>DPERTIES</b><br>ration rate : Not<br>ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not          | ACGIH<br>OSHA Z1<br>applicable<br>determined<br>established<br>applicable<br>applicable |
| Form<br>Appearance<br>Color<br>Odor  | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solid<br>: Pelle<br>: BRO<br>: Very<br>: Not c                                | (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts       Specifi         WN       Bulk d         faint       Vapor         letermined       Vapou         applicable       pH                    | Total dust.<br><b>DPERTIES</b><br>ration rate : Not<br>ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not          | ACGIH<br>OSHA Z1<br>applicable<br>determined<br>established<br>applicable               |
| Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:                     | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solid<br>: Pelle<br>: BRO<br>: Very<br>: Not c<br>: Not z<br>: Insol          | (TWA):         Time Weighted Average         (TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts       Specifi         WN       Bulk d         faint       Vapor         letermined       Vapou         applicable       pH                    | Total dust.<br><b>DPERTIES</b><br>ration rate : Not<br>ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not<br>: Not | ACGIH<br>OSHA Z1<br>applicable<br>determined<br>established<br>applicable<br>applicable |
| Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:                     | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solid<br>: Pelle<br>: BRO<br>: Very<br>: Not c<br>: Not a<br>: Insol<br>10. S | (TWA):         Time Weighted Average<br>(TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts       Specifi         WN       Bulk d         faint       Vapor         determined       Vapou         applicable       pH         uble       Uble | Total dust.<br><b>DPERTIES</b><br>ration rate : Not<br>ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not<br>: Not | ACGIH<br>OSHA Z1<br>applicable<br>determined<br>established<br>applicable<br>applicable |
| Form<br>Appearance<br>Color<br>Odor<br>Melting point/range<br>Boiling Point:<br>Water solubility | 10 mg/m3<br>15 mg/m3<br>9. PHYSIC<br>: Solid<br>: Pelle<br>: BRO<br>: Very<br>: Not c<br>: Not a<br>: Insol<br>10. S | (TWA):         Time Weighted Average<br>(TWA):         PEL:         CAL AND CHEMICAL PRO         I       Evapor         ts       Specifi         WN       Bulk d         faint       Vapor         determined       Vapou         uble       STABILITY AND REACTIV            | Total dust.<br><b>DPERTIES</b><br>ration rate : Not<br>ic Gravity: : Not<br>ensity : Not<br>pressure : Not<br>r density : Not<br>: Not | ACGIH<br>OSHA Z1<br>applicable<br>determined<br>established<br>applicable<br>applicable |



### MATERIAL SAFETY DATA SHEET

### TOPAZ

#### Version Number 1.0 Revision Date 04/28/2004

Page 4 of 6 Print Date 11/14/2011

| Incompatible Materials           | : | Incompatible with strong acids and oxidizing agents.   |
|----------------------------------|---|--|
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.    | Chemical Name    | Effect           | Target Organ        |
|------------|------------------|------------------|---------------------|
| 12001-26-2 | Mica             | Systemic effects | Respiratory system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

|                               | 12. ECOLOGICAL INFORMATION  |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable.  |
| Environmental Toxicity        | : Chemicals are not readily available as they are bound within the matrix of the polymer.   |
| Bioaccumulation Potential     | : Chemicals are not readily available as they are bound within the matrix of the polymer.   |
| Additional advice             | : No data available   |
|                               | 13. DISPOSAL CONSIDERATIONS   |
| Product                       | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging        | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.   |
|                               | 14. TRANSPORT INFORMATION   |
|                               |   |
| U.S. DOT Classification       | : Not regulated for transportation.   |



# MATERIAL SAFETY DATA SHEET

## TOPAZ

| sion Number 1.0<br>vision Date 04/28/2004 | Page 5<br>Print Date 11/14/2   |
|---|--|
|   |  |
| IMO / IMDG (maritime)                     | : Refer to specific regulation.  |
|   | 15. REGULATORY INFORMATION   |
| US Regulations:                           |  |
| OSHA Status                               | : Classified as hazardous based on components.   |
| TSCA Status                               | : All components of this product are listed on or exempt from the TSCA Inventory.                  |
| US. EPA CERCLA Hazardous                  | Substances (40 CFR 302)  |
| Not applicable                            |  |
|   |  |
| California Proposition<br>65              | : This product does not contain a substance listed by California Prop 65                           |
| SARA Title III Section 302 Ex             | remely Hazardous Substance   |
| Not applicable                            |  |
| SARA Title III Section 313 To             | tic Chemicals:   |
| Not applicable<br>Canadian Regulations:   |  |
| National Pollutant Rele                   | se Inventory (NPRI)  |
| Not applicable                            |  |
| WHMIS Classification                      | : Not controlled.  |
| DSL                                       | : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |
| National Inventories:                     |  |
| Australia AICS                            | : Listed   |
| China IECS                                | : Listed   |
| Europe EINECS                             | : Listed   |
| Japan ENCS                                | : Not determined   |
| 1   |  |



#### MATERIAL SAFETY DATA SHEET

### TOPAZ

Version Number 1.0 Revision Date 04/28/2004 Page 6 of 6 Print Date 11/14/2011

Philippines PICCS :

Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.