

MATERIAL SAFETY DATA SHEET

### **BLACK**

Version Number 1.0 Revision Date 04/27/2004 Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLACK
Product code	:	CC10052898
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to over</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **BLACK** 

Version Number 1.0 Revision Date 04/27/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Elementela L'insite		
Flammable Limits Upper explosion limit		Not applicable
sower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



### MATERIAL SAFETY DATA SHEET **BLACK**

Version Number 1.0 Revision Date 04/27/2004 Page 3 of 6 Print Date 11/14/2011

8. H	EXPOSURE	CONTROLS / PER	RSONAL	PROTECTION		
Respiratory protection	: N	No personal respirator	ry protecti	ve equipment normally r	equired.	
Eye/Face Protection	: \$	: Safety glasses with side-shields.				
Hand protection	: F	: Protective gloves.				
Skin and body protection	: I	long sleeved clothing				
Additional Protective Measures	: \$	afety shoes.				
General Hygiene Considerations				industrial hygiene and sa at the end of workday.	afety practice.	
Engineering measures		Heat only in areas wit ppropriate exhaust ve		iate exhaust ventilation. at machinery.	Provide	
Exposure limit(s)						
Components	Value	Exposure tin	ne	Exposure type	List:	
Carbon black	3.5 mg/m3	Time Weighted A	verage	Total dust. as carbon	ACGIH	
	3.5 mg/m3	(TWA): PEL:		black Total dust. as carbon black	OSHA Z1	
I	9. PHYSI	CAL AND CHEMIO	CAL PRO	PERTIES		
Form	: Soli				applicable	
Appearance Color	: Pelle : BLA		Bulk d	5	determined established	
Odor		y faint			applicable	
Melting point/range		determined		-	applicable	
Boiling Point:		applicable	рН		applicable	
Water solubility	: Inso		r			
	10.	STABILITY AND F	REACTIV	TTY		
Stability	: S	stable.				
Hazardous Polymerization	n : V	Will not occur.				
Conditions to avoid		Keep away from oxid		ts and open flame. To a	void thermal	
Incompatible Materials	: I	ncompatible with stro	ong acids a	and oxidizing agents.		



MATERIAL SAFETY DATA SHEET

### BLACK

#### Version Number 1.0 Revision Date 04/27/2004

Page 4 of 6 Print Date 11/14/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

### Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where



MATERIAL SAFETY DATA SHEET
BLACK

sion Date 04/27/2004			Print Date 11/14/2
	generator of waste m	aterial has the re ortation and disp	osal or incineration. The sponsibility for proper waste osal in accordance with d local regulations.
Contaminated packaging	has the responsibility	for proper waster dance with appli	The generator of waste materia e classification, transportation cable federal, state/provincial
	14. TRANSPORT IN	FORMATION	
U.S. DOT Classification	: Not regulated for tran	nsportation.	
ICAO/IATA (air)	: Refer to specific reg	ulation.	
IMO / IMDG (maritime)	: Refer to specific reg	ulation.	
	15. REGULATORY IN	FORMATION	
US Regulations:			
OSHA Status	: Classified as hazardo	ous based on com	ponents.
TSCA Status	: All components of th Inventory.	nis product are lis	ted on or exempt from the TSCA
US. EPA CERCLA Hazardo	s Substances (40 CFR 302)		
Not applicable			
California Proposition 65	: This product does no	t contain a substa	ance listed by California Prop 65
SARA Title III Section 302 H	xtremely Hazardous Substar	nce	
Not applicable			
SARA Title III Section 313	oxic Chemicals:		
Not applicable Canadian Regulations:			
National Pollutant Re Chemical Name	ease Inventory (NPRI)	CAS-No.	Weight % NPRI ID#
<u>.</u>		•	



MATERIAL SAFETY DATA SHEET **BLACK** 

## Version Number 1.0

Revision Date 04/27/2004

Page 6 of 6 Print Date 11/14/2011

Chemical Name			CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue			147-14-8	0.10	70
WHMIS Classification	ı :	D2A			
WHMIS Ingredient Dis	sclosu	re List			
CAS-No. 1333-86-4					
DSL	:	All components of t Substances List (DS			Domestic
onal Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.