

MATERIAL SAFETY DATA SHEET

52938 GN PMS 360 C TPE MASTERBATCH

Version Number 1.0 Revision Date 05/07/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	52938 GN PMS 360 C TPE MASTERBATCH
Product code	:	CC10052938
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Barium sulfate	7727-43-7	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET 52938 GN PMS 360 C TPE MASTERBATCH

Version Number 1.0 Revision Date 05/07/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
sower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET 52938 GN PMS 360 C TPE MASTERBATCH

Version Number 1.0 Revision Date 05/07/2004

Page 3 of 6 Print Date 11/14/2011

: Not applicable

	ar	nd contamination. Keep in a d	ry, cool place.			
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	 No personal respiratory protective equipment normally required. Safety glasses with side-shields. Protective gloves. 				
Eye/Face Protection	: S					
Hand protection	: P:					
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures						
General Hygiene Considerations		andle in accordance with good /ash hands before breaks and a		afety practice.		
Engineering measures		eat only in areas with appropr opropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Components Barium sulfate	Value 10 mg/m3	Time Weighted Average	Exposure type Total dust.	List: ACGIH		
*	10 mg/m3					
Barium sulfate		Time Weighted Average (TWA): PEL: PEL:	Total dust.	ACGIH		
*	10 mg/m3 5 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average	Total dust. Respirable fraction.	ACGIH OSHA Z1		
Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL:	Total dust. Respirable fraction.	ACGIH OSHA Z1 OSHA Z1		
Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL:	Total dust. Respirable fraction. Total dust. Total dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH		
Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA):	Total dust. Respirable fraction. Total dust. Total dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH		
Barium sulfate	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Respirable fraction. Total dust. Total dust. DPERTIES	ACGIH OSHA Z1 OSHA Z1 ACGIH		
Barium sulfate Titanium dioxide	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. Respirable fraction. Total dust. Total dust. DPERTIES ration rate : Not ic Gravity: : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1		
Barium sulfate Titanium dioxide	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo ts Specifi EN Bulk d	Total dust. Respirable fraction. Total dust. Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 applicable		
Barium sulfate Titanium dioxide Form Appearance	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : GRE : Very	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ts Specif EN Bulk d faint Vapor	Total dust. Respirable fraction. Total dust. Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 applicable determined		

: Will not occur.

: Stable.

: Insoluble

: Not applicable

Conditions to avoid

Hazardous Polymerization

Boiling Point:

Water solubility

: Keep away from oxidizing agents and open flame. To avoid thermal

pН

10. STABILITY AND REACTIVITY



MATERIAL SAFETY DATA SHEET 52938 GN PMS 360 C TPE MASTERBATCH

Version Number 1.0 Revision Date 05/07/2004 Page 4 of 6 Print Date 11/14/2011

		-	n, do not overheat.	
Incompatible Mate	erials	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decomp products	position			oxide (CO), oxides of nitrogen nd smoke are all possible.
		11. TOXICOLOG	ICAL INFORMATIO	ON
health data for the	individual	luated as a whole for components which co	1	ure effects listed are based on exi
<u>Toxicity Overview</u> This product conta		owing components wh	nich in their pure form	have the following characteristic
CAS-No.		Chemical Name	Effect	Target Organ
7727-43-7	Bariu	ım sulfate	Irritant	Respiratory system.
			Systemic effects	Eyes, Respiratory system.
13463-67-7	Titan	ium dioxide	Systemic effects	Respiratory system.
			AL INFORMATION	I
	xicity	of the polymer		is they are bound within the matri
	-	of the polymerChemicals are of the polymerNo data availa	r. not readily available a r. ble	s they are bound within the matri
Bioaccumulation F Additional advice	-	 of the polymer Chemicals are of the polymer No data availa 13. DISPOSAL of 	r. not readily available a r. ble CONSIDERATIONS	is they are bound within the matrix
	Potential	 of the polyment Chemicals are of the polyment No data availat 13. DISPOSAL Like most ther possible recycles generator of we classification, applicable fed Recycling is phas the responsible responsible recycling is phas the responsible responsible recycling is phased to the recycling is phased to the responsible recycling is phased to the recycling is phased to	r. not readily available a r. ble CONSIDERATIONS moplastic plastics the ling is preferred to dis vaste material has the r transportation and disp eral, state/provincial a referred when possible sibility for proper was n accordance with app	s they are bound within the matrix product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with
Additional advice	Potential	 of the polyment Chemicals are of the polyment No data availat 13. DISPOSAL of the possible recycles of the polyment Like most the possible recycles of the possible recycles of	r. not readily available a r. ble CONSIDERATIONS moplastic plastics the ling is preferred to dis vaste material has the r transportation and disp eral, state/provincial a referred when possible sibility for proper was n accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation

P(OLYONE CORPORAT	FI(DN PolyOne
MA	ATERIAL SAFETY DATA SHE	ЕТ	
52	2938 GN PMS 360 C 1	ΓΡΙ	E MASTERBATCH
	rsion Number 1.0 vision Date 05/07/2004		Page 5 of 6 Print Date 11/14/2011
-			
	ICAO/IATA (air)	:	Refer to specific regulation.
	IMO / IMDG (maritime)	:	Refer to specific regulation.
		15	. REGULATORY INFORMATION
	US Regulations:		
	OSHA Status	:	Classified as hazardous based on components.
	TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
	US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
	Not applicable		
	California Proposition	:	This product does not contain a substance listed by California Prop 65.
	65		
	SARA Title III Section 302 Extra	rem	ely Hazardous Substance
	Not applicable		
	SARA Title III Section 313 Tox	ic C	Chemicals:
	Not applicable Canadian Regulations:		
	National Pollutant Release	se Ir	nventory (NPRI)
	Not applicable		
	WHMIS Classification	:	Not controlled.
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
	National Inventories:		
	Australia AICS	:	Not determined
	China IECS	:	Listed
	Europe EINECS	:	Listed
	Japan ENCS	:	Not determined

POLYONE CORPORATION
MATERIAL SAFETY DATA SHEET
52938 GN PMS 360 C TPE MASTERBATCH
/ersion Number 1.0 Page 6 of e Revision Date 05/07/2004 Print Date 11/14/201
Korea KECI : Listed
Philippines PICCS : Not determined
16. OTHER INFORMATION
at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.