

MATERIAL SAFETY DATA SHEET

PG 53512.00 RD PE

Version Number 1.0 Revision Date 05/05/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 53512.00 RD PE
Product code	:	CC10053512
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PG 53512.00 RD PE**

Version Number 1.0 Revision Date 05/05/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
sower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET PG 53512.00 RD PE

Version Number 1.0 Revision Date 05/05/2004 Page 3 of 6 Print Date 11/14/2011

Respiratory protection	XPOSURE	CONTROLS / PE	RSONAL	PROTECTION	
				INTECTION	
Euro/Econ Drotaction	: N	lo personal respirate	ory protecti	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with s	ide-shields		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothin	g.		
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations				industrial hygiene and at the end of workday.	safety practice.
Engineering measures		leat only in areas wi ppropriate exhaust		iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure ti	me	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted	Average		ACGIH
		(TWA):			
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSI	CAL AND CHEMI	ICAL PRO	PERTIES	
Form	: Solid	1	Evano	ration rate : No	t applicable
Appearance	: Pelle				t determined
Color	: RED		Bulk d		t established
Odor	: Very			•	t applicable
Melting point/range		determined	*	*	t applicable
Boiling Point:	: Not	applicable	рН		t applicable
Water solubility	: Insol	luble			
	10. 5	STABILITY AND	REACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	1 : V	Vill not occur.			
Conditions to avoid		Keep away from oxide ecomposition, do not		ts and open flame. To	avoid thermal



MATERIAL SAFETY DATA SHEET

PG 53512.00 RD PE Version Number 1.0

Revision Date 05/05/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation
	and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET **PG 53512.00 RD PE**

Version Number 1.0 Revision Date 05/05/2004 Page 5 of 6 Print Date 11/14/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Chemicals:
SARA Title III Section 313 Tox Not applicable Canadian Regulations:	tic C	Chemicals:
Not applicable		
Not applicable Canadian Regulations:		
Not applicable Canadian Regulations: National Pollutant Releas	se Ir	iventory (NPRI)
Not applicable Canadian Regulations: National Pollutant Releas Not applicable	se Ir	iventory (NPRI)
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification	se Ir	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL	se Ir	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories:	se Ir :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS	se Ir : :	nventory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed
Not applicable Canadian Regulations: National Pollutant Releas Not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	se Ir : :	wentory (NPRI) Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed Listed





MATERIAL SAFETY DATA SHEET

PG 53512.00 RD PE

Version Number 1.0 Revision Date 05/05/2004 Page 6 of 6 Print Date 11/14/2011

Philippines PICCS

: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.