

MATERIAL SAFETY DATA SHEET

BLUE 285C

Version Number 1.0 Revision Date 05/05/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	BLUE 285C
Product code :	CC10053570
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET BLUE 285C

Version Number 1.0 Revision Date 05/05/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	el
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
sower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.	e
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	I



MATERIAL SAFETY DATA SHEET BLUE 285C

Version Number 1.0 Revision Date 05/05/2004 Page 3 of 6 Print Date 11/14/2011

8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
Respiratory protection		o personal respiratory protecti		equired.	
Eye/Face Protection	: Sa	afety glasses with side-shields			
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice.	
Engineering measures		eat only in areas with approprioty of the second seco		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES		
Earna				lihl-	
Form	: Solid	Evapor	ration rate : Not	applicable	
Appearance	: Solid : Pelle	ts Evapor	ration rate : Not ic Gravity: : Not	determined	
Appearance Color	: Solid : Pelle : BLU	ts Evapor E Bulk d	ration rate : Not ic Gravity: : Not ensity : Not	determined established	
Appearance Color Odor	: Solid : Pelle : BLU : Very	ts Evapor E Bulk d faint Vapor	ration rate : Not ic Gravity: : Not ensity : Not pressure : Not	determined established applicable	
Appearance Color Odor Melting point/range	: Solid : Pelle : BLU : Very : Not c	ts Evapor ts Specifi E Bulk d faint Vapor letermined Vapou	ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not	determined established applicable applicable	
Appearance Color Odor	: Solid : Pelle : BLU : Very : Not c	ts Evapor ts Specifi E Bulk d faint Vapor letermined Vapou upplicable pH	ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not	determined established applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : BLU : Very : Not c : Not a : Insol	ts Evapor ts Specifi E Bulk d faint Vapor letermined Vapou upplicable pH	ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : BLU : Very : Not c : Not a : Insol	ts Evapor ts Specifi E Bulk d faint Vapor letermined Vapou upplicable pH uble	ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S	Evapor ts Specifi E Bulk d faint Vapor letermined Vapou upplicable pH uble TABILITY AND REACTIV	ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not : Not	determined established applicable applicable	



MATERIAL SAFETY DATA SHEET

BLUE 285C

Version Number 1.0 Revision Date 05/05/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
0.5. DOT Classification	



MATERIAL SAFETY DATA SHEET BLUE 285C

Version Number 1.0

Revision Date 05/05/2004

Page 5 of 6 Print Date 11/14/2011

15. REGULATORY INFORMATION						
US Re	gulations:					
	OSHA Status	:	Classified as hazardo	ous based on com	ponents.	
	TSCA Status	:	All components of th Inventory.	iis product are lis	sted on or exemp	pt from the TSCA
US. EF	PA CERCLA Hazardous	Subs	stances (40 CFR 302)			
	Not applicable					
	California Proposition 65	:	This product does not	t contain a substa	ance listed by C	alifornia Prop 65
CADA	Title III Section 302 Extr	rem	ely Hazardous Substan	ice		
SAKA						
	t applicable					
Not	t applicable Title III Section 313 Tox	tic C	Chemicals:			
Not SARA Not Canadi	Title III Section 313 Tox t applicable ian Regulations:					
Not SARA Not Canadi	Title III Section 313 Tox t applicable ian Regulations: National Pollutant Releas			CAS No	Woight %	NDD1 ID#
Not SARA Not Canadi	Title III Section 313 Tox t applicable ian Regulations:			CAS-No. 147-14-8	Weight % 0.87	NPRI ID# 70
Not SARA Canadi	Title III Section 313 Tox t applicable ian Regulations: <u>National Pollutant Releas</u> hemical Name	se Ir	ventory (NPRI)	147-14-8	0.87	70

	PolyOne
POLYONE CORPORATIO	N
MATERIAL SAFETY DATA SHEET	
BLUE 285C	
Version Number 1.0 Revision Date 05/05/2004	Page 6 of 6 Print Date <i>11/14/2011</i>
Korea KECI :	Listed
Philippines PICCS :	Listed
	16. OTHER INFORMATION
at the date of its publication. The info processing, storage, transportation, di specification. The information relates	ty Data Sheet is correct to the best of our knowledge, information and belief ormation given is designed only as a guidance for safe handling, use, sposal and release and is not to be considered a warranty or quality only to the specific material designated and may not be valid for such ith any other materials and/or in any particular process or processing