

MATERIAL SAFETY DATA SHEET

STYLING SILVER

Version Number 1.0 Revision Date 05/07/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	STYLING SILVER
Product code :	CC10053654
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET STYLING SILVER

Version Number 1.0 Revision Date 05/07/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	s
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
sower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroger	ı
Hazards	(NOx), other hazardous materials, and smoke are all possible.	-
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	at
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	on



MATERIAL SAFETY DATA SHEET STYLING SILVER

Version Number 1.0 Revision Date 05/07/2004 Page 3 of 6 Print Date 11/14/2011

8. F	ar	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection		o personal respiratory protect		equired.	
Eye/Face Protection					
-					
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and		afety practice.	
Engineering measures		eat only in areas with appropropropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL PRO	OPERTIES		
Form	: Solid			applicable	
Appearance	: Solid : Pellet	ts Specif	ic Gravity: : Not	determined	
Appearance Color	: Solid : Pellet : GRE	ts Specif Y Bulk c	ic Gravity: : Not lensity : Not	determined established	
Appearance Color Odor	: Solid : Pellet : GRE : Very	ts Specif Y Bulk c faint Vapor	ic Gravity: : Not lensity : Not pressure : Not	determined established applicable	
Appearance Color Odor Melting point/range	: Solid : Pellet : GRE : Very : Not d	ts Specif Y Bulk c faint Vapor letermined Vapou	ic Gravity:: Notlensity: Notpressure: Notur density: Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellet : GRE : Very : Not d : Not a	ts Specif Y Bulk c faint Vapor letermined Vapou .pplicable pH	ic Gravity:: Notlensity: Notpressure: Notur density: Not	determined established applicable	
Appearance Color Odor Melting point/range	: Solid : Pellet : GRE : Very : Not d	ts Specif Y Bulk c faint Vapor letermined Vapou .pplicable pH	ic Gravity:: Notlensity: Notpressure: Notur density: Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellet : GRE : Very : Not d : Not a : Insolu	ts Specif Y Bulk c faint Vapor letermined Vapou .pplicable pH	ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellet : GRE : Very : Not d : Not a : Insolu	ts Specif Y Bulk c faint Vapor letermined Vapor pplicable pH uble	ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pellet : GRE : Very : Not d : Not a : Insolu 10. S : St	ts Specif Y Bulk c faint Vapor letermined Vapou .pplicable pH uble TABILITY AND REACTIV	ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	determined established applicable applicable	



MATERIAL SAFETY DATA SHEET STYLING SILVER

Version Number 1.0 Revision Date 05/07/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

 Not readily biodegradable. Chemicals are not readily available as they are bound within the matrix of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. No data available 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste
 of the polymer. Chemicals are not readily available as they are bound within the matrix of the polymer. No data available 13. DISPOSAL CONSIDERATIONS Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The
of the polymer. : No data available 13. DISPOSAL CONSIDERATIONS : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The
 13. DISPOSAL CONSIDERATIONS : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The
: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The
possible recycling is preferred to disposal or incineration. The
classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
: Recycling is preferred when possible. The generator of waste materi has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Not regulated for transportation.
: Refer to specific regulation.



MATERIAL SAFETY DATA SHEET STYLING SILVER

Version Number 1.0 Revision Date 05/07/2004 Page 5 of 6 Print Date 11/14/2011

	15	5. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA
		Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65
	rom	aly Hazardous Substance
SARA Title III Section 302 Ext	reme	ery Hazardous Substance
Not applicable SARA Title III Section 313 Tox	kic C	Chemicals:
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: 		nventory (NPRI)
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations:		
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification DSL	se Ir	nventory (NPRI) CAS-No. Weight % NPRI ID# 7429-90-5 0.39 12
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Aluminum WHMIS Classification	se Ir	nventory (NPRI) CAS-No. Weight % NPRI ID# 7429-90-5 0.39 12 Not controlled. All components of this product are on the Canadian Domestic
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification DSL	se Ir	nventory (NPRI) CAS-No. Weight % NPRI ID# 7429-90-5 0.39 12 Not controlled. All components of this product are on the Canadian Domestic
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum</u> WHMIS Classification DSL National Inventories:	<u>se Ir</u> : :	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Not applicable SARA Title III Section 313 Tox Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> Aluminum WHMIS Classification DSL National Inventories: Australia AICS	<u>se Ir</u> : :	nventory (NPRI) CAS-No. Weight % NPRI ID# 7429-90-5 0.39 12 Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed

		PolyOne.
POLYONE CORPORATIO	ON	
MATERIAL SAFETY DATA SHEET	.	
STYLING SILVER		
Version Number 1.0 Revision Date 05/07/2004		Page 6 of 6 Print Date 11/14/2011
Korea KECI :	Listed	
Philippines PICCS :	Listed	
	16. OTHER INFORMATION	
at the date of its publication. The in processing, storage, transportation, specification. The information relat	fety Data Sheet is correct to the best of formation given is designed only as a disposal and release and is not to be c res only to the specific material design with any other materials and/or in any	guidance for safe handling, use, onsidered a warranty or quality ated and may not be valid for such