



MATERIAL SAFETY DATA SHEET

### **NESTLE RED**

Version Number 1.0 Revision Date 05/17/2004 Page 1 of 6 Print Date 11/14/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	NESTLE RED
Product code	:	CC10054062
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

]	Routes of Exposure:	: Inhalation, Ingestion, Skin contact
1	Acute exposure	
	Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>
	Skin	: Experience shows no unusual dermatitis hazard from routine handling.
]	Chronic exposure Medical Conditions Aggravated by Exposure:	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>



### MATERIAL SAFETY DATA SHEET **NESTLE RED**

Version Number 1.0 Revision Date 05/17/2004

Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	es of
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.	IS
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention	
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
sower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Suitable extinguisining media	. Carbon dioxide branket, water spray, dry powder, roannione.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in posit pressure mode should be worn to prevent inhalation of airborne contaminants.	ive
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroge	n
Hazards	(NOx), other hazardous materials, and smoke are all possible.	
	ACCIDENTAL RELEASE MEASURES	
Demonstrations	Wasserseniste annual antestice during shows such as	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.	eat
Storage	: Keep containers dry and tightly closed to avoid moisture absorpti	on

2/6



### MATERIAL SAFETY DATA SHEET **NESTLE RED**

Version Number 1.0 Revision Date 05/17/2004 Page 3 of 6 Print Date 11/14/2011

		and contamination. Keep		1		
8. E	XPOSURE	CONTROLS / PERSO	NAL PR	OTECTION		
Respiratory protection	: N	No personal respiratory pr	rotective of	equipment normally	y required.	
Eye/Face Protection	: S	Safety glasses with side-sl	hields.			
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	long sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations		Handle in accordance with Wash hands before breaks			safety practice.	
Engineering measures	Heat only in areas with ap			n. Provide		
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Calcium carbonate	5 mg/m3	PEL:	F	Respirable fraction.		
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSI	CAL AND CHEMICAI	L PROPE	CRTIES		
Form	: Solid		Evaporatio		ot applicable	
Appearance	: Pelle		Specific Gravity: : Not determined			
Color	: RED					
			Bulk dens		ot established	
Odor	: Very	y faint V	Vapor pre	ssure : N	ot applicable	
Odor Melting point/range	: Very : Not	y faint V determined V	Vapor pre Vapour de	ssure : No ensity : No	ot applicable ot applicable	
Odor Melting point/range Boiling Point:	: Very : Not : Not	y faint V determined V applicable p	Vapor pre	ssure : No ensity : No	ot applicable	
Odor Melting point/range	: Very : Not	y faint V determined V applicable p	Vapor pre Vapour de	ssure : No ensity : No	ot applicable ot applicable	
Odor Melting point/range Boiling Point:	: Very : Not : Not : Inso	y faint V determined V applicable p	Vapor pre Vapour de pH	ssure : No ensity : No : No	ot applicable ot applicable	
Odor Melting point/range Boiling Point:	: Very : Not : Not : Inso 10. \$	y faint V determined V applicable p luble	Vapor pre Vapour de pH	ssure : No ensity : No : No	ot applicable ot applicable	
Odor Melting point/range Boiling Point: Water solubility	: Very : Not : Not : Inso <b>10.</b> \$ : S	y faint V determined V applicable p luble STABILITY AND REA	Vapor pre Vapour de pH	ssure : No ensity : No : No	ot applicable ot applicable	
Odor Melting point/range Boiling Point: Water solubility Stability	: Very : Not : Not : Inso 10.5 : S n : V : K	y faint V determined V applicable p luble STABILITY AND REA	Vapor pre Vapour de pH <u>CTIVIT</u> g agents a	ssure : No ensity : No : No <u>Y</u>	ot applicable ot applicable ot applicable	
Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Very : Not : Not : Inso 10.5 : S n : V : K d	y faint V determined V applicable p luble STABILITY AND REA Stable. Will not occur. Keep away from oxidizing	Vapor pre Vapour de pH CTIVIT g agents a erheat.	ssure : No ensity : No : No Y Y	ot applicable ot applicable ot applicable	



#### MATERIAL SAFETY DATA SHEET

### **NESTLE RED**

### Version Number 1.0

Revision Date 05/17/2004

Page 4 of 6 Print Date 11/14/2011

products

(NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION



# MATERIAL SAFETY DATA SHEET

## NESTLE RED

rsion Number 1.0		Page 5 o
vision Date 05/17/2004		Print Date 11/14/20
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.
SARA Title III Section 302 Extr	em	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic (	Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Release	se I	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Listed
		Listed
Korea KECI	:	
Korea KECI Philippines PICCS	:	Listed



MATERIAL SAFETY DATA SHEET

### NESTLE RED

Version Number 1.0 Revision Date 05/17/2004 Page 6 of 6 Print Date 11/14/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.