

MATERIAL SAFETY DATA SHEET

PURPLE

Version Number 1.0 Revision Date 05/20/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name :	PURPLE	
Product code :	CC10054067	
Chemical Name :	Mixture	
CAS-No. :	Mixture	
Product Use :	Industrial Applications	

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed.
Eyes Skin	 Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/20/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section a of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/20/2004 Page 3 of 6 Print Date 11/14/2011

	ar	nd contamination. Keep in a d	lry, cool place.	
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice.
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica		*	zinposure type	
IVIICa	20 mppcf	PEL:	Total dust.	OSHA
Міса	20 mppcf 3 mg/m3	PEL: Time Weighted Average (TWA):	Total dust. Respirable fraction.	OSHA ACGIH
Titanium dioxide	**	Time Weighted Average		-
	3 mg/m3	Time Weighted Average (TWA): Time Weighted Average		ACGIH
	3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL:	Respirable fraction. Total dust.	ACGIH ACGIH
	3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable fraction. Total dust.	ACGIH ACGIH
Titanium dioxide	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Respirable fraction. Total dust.	ACGIH ACGIH OSHA Z1
Titanium dioxide	3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Respirable fraction. Total dust. DPERTIES ration rate : Not	ACGIH ACGIH
Titanium dioxide	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity: : Not	ACGIH ACGIH OSHA Z1
Titanium dioxide Form Appearance	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Exapo ts Specif PLE Bulk d	Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not	ACGIH ACGIH OSHA Z1
Titanium dioxide Form Appearance Color	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d faint Vapor	Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	ACGIH ACGIH OSHA Z1 applicable determined established applicable
Titanium dioxide Form Appearance Color Odor	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d faint Vapor	Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ur density : Not	ACGIH ACGIH OSHA Z1 applicable determined established
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Exapo ts Specifi PLE Bulk d faint Vapor letermined Vapou upplicable pH	Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ur density : Not	ACGIH ACGIH OSHA Z1 oSHA Z1 estable determined established applicable applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c : Not c : Insol	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Exapo ts Specifi PLE Bulk d faint Vapor letermined Vapou upplicable pH	Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not	ACGIH ACGIH OSHA Z1 oSHA Z1 estable determined established applicable applicable
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Exapo ts Specif PLE Bulk d faint Vapor letermined Vapou upplicable pH uble	Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not	ACGIH ACGIH OSHA Z1 oSHA Z1 estable determined established applicable applicable
Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3 mg/m3 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c : Not a : Insol 10. S	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO Exapo ts Specif PLE Bulk d faint Vapor determined Vapou upplicable pH uble	Respirable fraction. Total dust. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not	ACGIH ACGIH OSHA Z1 oSHA Z1 estable determined established applicable applicable



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/20/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
	: Not regulated for transportation.
U.S. DOT Classification	



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Page 5 of 6 Revision Date 05/20/2004 Print Date 11/14/2011 IMO / IMDG (maritime) : Refer to specific regulation. **15. REGULATORY INFORMATION US Regulations: OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: National Pollutant Release Inventory (NPRI) Not applicable WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS Listed : China IECS Listed : Europe EINECS Listed : Japan ENCS Not determined : Korea KECI : Listed



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/20/2004

Page 6 of 6 Print Date 11/14/2011

Philippines PICCS :

16. OTHER INFORMATION

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.