

MATERIAL SAFETY DATA SHEET SOFT SHEEN HOT RED

Version Number 1.0 Revision Date 05/27/2004

Page 1 of 5 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SOFT SHEEN HOT RED
Product code	:	CC10054363
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications
Product code Chemical Name CAS-No.	:	CC10054363 Mixture Mixture

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Route	es of Exposure:	: Inhalation, Ingestion, Skin contact
Acute	exposure	
	Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Medic	nic exposure cal Conditions avated by Exposure:	Refer to Section 11 for Toxicological Information.None known.
4. FIRST AID MEASURES		



MATERIAL SAFETY DATA SHEET **SOFT SHEEN HOT RED**

ion Number 1.0 sion Date 05/27/2004	Page Print Date 11/1	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	s o
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	3
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	r at
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	see
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit sower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne	ve
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	no
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material is plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	ıt
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	m



MATERIAL SAFETY DATA SHEET **SOFT SHEEN HOT RED**

Version Number 1.0 Revision Date 05/27/2004 Page 3 of 5 Print Date 11/14/2011

Respiratory protection	: No personal respir	atory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with	h side-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved cloth	ning.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		nce with good industrial hygiene and safety practice e breaks and at the end of workday.	
Engineering measures		with appropriate exhaust ventilation. Provide st ventilation at machinery.	
Exposure limit(s)			
	PHYSICAL AND CHE		
Form	: Solid	Evaporation rate : Not applicable	
Appearance	: Pellets	Specific Gravity: : Not determined	
Color	: RED	Bulk density : Not established	
Odor Malting point/renge	: Very faint : Not determined	Vapor pressure: Not applicableVapour density: Not applicable	
Melting point/range Boiling Point:	: Not applicable	Vapour density: Not applicablepH: Not applicable	
Water solubility	: Insoluble		
	10. STABILITY AN	DREACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.		
	: Incompatible with	strong acids and oxidizing agents.	
Incompatible Materials			
Incompatible Materials Hazardous decomposition products		O2), carbon monoxide (CO), oxides of nitrogen rdous materials, and smoke are all possible.	



MATERIAL SAFETY DATA SHEET **SOFT SHEEN HOT RED**

Version Number 1.0 Revision Date 05/27/2004 Page 4 of 5 Print Date 11/14/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET SOFT SHEEN HOT RED

Version Number 1.0	Page 5 of 5
Revision Date 05/27/2004	Print Date 11/14/2011
California Proposition : This product does not contain a subs 65	stance listed by California Prop 65.
SARA Title III Section 302 Extremely Hazardous Substance	
Not overlight	

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Not applicable Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed

China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.