

MATERIAL SAFETY DATA SHEET

BLUE PEARL 072

Version Number 1.0 Revision Date 06/04/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	BLUE PEARL 072
Product code :	CC10054762
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	5 - 10
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET BLUE PEARL 072

Version Number 1.0 Revision Date 06/04/2004 Page 2 of 6 Print Date 11/14/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
sower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET BLUE PEARL 072

Version Number 1.0 Revision Date 06/04/2004 Page 3 of 6 Print Date 11/14/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protecti	ve equipment normally r	required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice.	
Engineering measures		eat only in areas with appropr propriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	· · · · · · · · · · · · ·		DPERTIES		
	9. PHYSIC	CAL AND CHEMICAL PRO			
Form			ration rate · Not	applicable	
	: Solid	Evapo		applicable determined	
Appearance		Evapo ts Specif	ic Gravity: : Not	applicable determined established	
Appearance Color	: Solid : Pellet	Evapo ts Specif E Bulk d	ic Gravity: : Not lensity : Not	determined	
Appearance Color Odor	: Solid : Pellet : BLUI : Very	Evapo ts Specif E Bulk d faint Vapor	ic Gravity: : Not lensity : Not pressure : Not	determined established	
Appearance Color Odor Melting point/range	: Solid : Pellet : BLUI : Very : Not d	Evapo ts Specif E Bulk d faint Vapor	ic Gravity: : Not lensity : Not pressure : Not r density : Not	determined established applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pellet : BLUI : Very : Not d	Evapo ESSpecif EBUlk d faintVapor leterminedVapou pplicablepH	ic Gravity: : Not lensity : Not pressure : Not r density : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellet : BLUI : Very : Not d : Not a : Insolu	Evapo ESSpecif EBUlk d faintVapor leterminedVapou pplicablepH	ic Gravity: : Not lensity : Not pressure : Not ur density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellet : BLUI : Very : Not d : Not a : Insolu 10. S	Evapo ts Specif E Bulk d faint Vapor letermined Vapou pplicable pH uble	ic Gravity: : Not lensity : Not pressure : Not ur density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pellet : BLUI : Very : Not d : Not a : Insolu 10. S : St	Evapo ts Specif E Bulk d faint Vapor letermined Vapou pplicable pH uble TABILITY AND REACTIV	ic Gravity: : Not lensity : Not pressure : Not ur density : Not : Not	determined established applicable applicable	



MATERIAL SAFETY DATA SHEET BLUE PEARL 072

Version Number 1.0 Revision Date 06/04/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET BLUE PEARL 072

Version Number 1.0 Revision Date 06/04/2004 Page 5 of 6 Print Date 11/14/2011

IMO / IMDG (mariti	me)	:	Refer to specific regulation.		
		15	REGULATORY INFORMATIO	N	
US Regulations:					
OSHA Status	5	:	Classified as hazardous based on co	mponents.	
TSCA Status		:	All components of this product are l Inventory.	isted on or exemp	pt from the TSCA
US. EPA CERCLA I	Hazardous S	Subs	tances (40 CFR 302)		
Not appl	licable				
California Pr 65	oposition	:	This product does not contain a subs	stance listed by C	alifornia Prop 65
SARA Title III Secti	on 302 Extr	em	ly Hazardous Substance		
			-		
Not applicable					
Not applicable	212 T		Le sufficielle		
Not applicable SARA Title III Secti	on 313 Tox	ic C	hemicals:		
SARA Title III Secti	on 313 Tox	ic C	hemicals:		
		ic C	hemicals:		
SARA Title III Secti Not applicable		ic C	hemicals:		
SARA Title III Secti Not applicable Canadian Regulation	15:				
SARA Title III Secti Not applicable Canadian Regulation National Pollu Chemical Name	us: utant Releas		ventory (NPRI) CAS-No.	Weight %	NPRI ID#
SARA Title III Secti Not applicable Canadian Regulation National Pollu	us: utant Releas		ventory (NPRI)	Weight % 0.65	NPRI ID# 70
SARA Title III Secti Not applicable Canadian Regulation <u>National Pollo</u> <u>Chemical Name</u>	us: utant Releas		ventory (NPRI) CAS-No.		
SARA Title III Secti Not applicable Canadian Regulation National Pollu Chemical Name Phthalocyanine	utant Releas	se Ir	ventory (NPRI) CAS-No.		
SARA Title III Secti Not applicable Canadian Regulation National Pollu Chemical Name Phthalocyanine	utant Releas	se Ir	ventory (NPRI) CAS-No. 147-14-8	0.65 on the Canadian	70
SARA Title III Secti Not applicable Canadian Regulation National Pollu Chemical Name Phthalocyanine WHMIS Clas DSL	utant Releas	se Ir	ventory (NPRI) CAS-No. 147-14-8 Not controlled. All components of this product are	0.65 on the Canadian	70
SARA Title III Secti Not applicable Canadian Regulation National Pollu Chemical Name Phthalocyanine WHMIS Class	utant Releas	se Ir	ventory (NPRI) CAS-No. 147-14-8 Not controlled. All components of this product are	0.65 on the Canadian	70
SARA Title III Secti Not applicable Canadian Regulation <u>National Pollu</u> <u>Chemical Name</u> Phthalocyanine WHMIS Clas DSL National Inventories:	utant Releas	se Ir : :	ventory (NPRI) CAS-No. 147-14-8 Not controlled. All components of this product are Substances List (DSL) or are exemp	0.65 on the Canadian	70
SARA Title III Secti Not applicable Canadian Regulation <u>National Pollu</u> <u>Chemical Name</u> Phthalocyanine WHMIS Clas DSL National Inventories: Australia AIC	utant Releas	se Ir : :	ventory (NPRI) CAS-No. 147-14-8 Not controlled. All components of this product are Substances List (DSL) or are exemp Listed	0.65 on the Canadian	70

		PolyOne.
POLYONE CORPORATI	ON	
IATERIAL SAFETY DATA SHEE	Г	
BLUE PEARL 072		
/ersion Number 1.0 Revision Date 06/04/2004		Page 6 of 6 Print Date 11/14/2011
Korea KECI :	Listed	
Philippines PICCS :	Listed	
	16. OTHER INFORMATION	
at the date of its publication. The is processing, storage, transportation specification. The information rela	nformation given is designed only as , disposal and release and is not to be	e considered a warranty or quality gnated and may not be valid for such