## MATERIAL SAFETY DATA SHEET GREEN

Version Number 1.1 Revision Date 12/19/2006 Page 1 of 6 Print Date 11/25/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 Telephone : Product Stewardship (770) 271-5902 Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Quartz	14808-60-7	0.1 - 1

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
Ingestion Eyes Skin Chronic exposure Medical Conditions	<ul> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> <li>Refer to Section 11 for Toxicological Information.</li> </ul>



# MATERIAL SAFETY DATA SHEET **GREEN**

Version Number 1.1 Revision Date 12/19/2006 Page 2 of 6 Print Date 11/25/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
		5. FIRE-FIGHTING MEASURES		
Flash point	:	Not applicable		
Elemental I. I. in it.				
Flammable Limits		Not applicable		
Upper explosion limit	÷	Not applicable Not applicable		
Lower explosion limit	·	Not applicable		
Autoignition temperature	·	11		
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.		
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		

2/6



# MATERIAL SAFETY DATA SHEET **GREEN**

#### Version Number 1.1 Revision Date 12/19/2006

\_

Page 3 of 6 Print Date 11/25/2011

8. I	EXPOSURE	<b>CONTROLS / PERS</b>	ONAL	PROTECTION	
Respiratory protection	: N	No personal respiratory	protectiv	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side	-shields.		
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		Iandle in accordance w Vash hands before brea		industrial hygiene and a the end of workday.	safety practice.
Engineering measures		Ieat only in areas with ppropriate exhaust ven		ate exhaust ventilation. at machinery.	Provide
Exposure limit(s)					
Components	Value	Exposure time	:	Exposure type	List:
Quartz	5 mg/m3	PEL:		Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	0.1 mg/m3	Time Weighted Av (TWA):	erage	Respirable.	Z3
	0.3 mg/m3	Time Weighted Av (TWA):	erage	Total dust.	Z3
	0.1 mg/m3	Time Weighted Av (TWA):	erage		MX OEL
	0.025 mg/m3	Time Weighted Av (TWA):	erage	Respirable fraction.	ACGIH
	9. PHYSI	CAL AND CHEMICA	AL PRO	PERTIES	
Form	: Solid				t applicable
Appearance	: Pelle		Specific Gravity: : Not determined		
Color	: GRE		Bulk density: Not establishedVapor pressure: Not applicable		
Odor Malting point/range		/ faint			t applicable
Melting point/range Boiling Point:					t applicable t applicable
Water solubility	: Not applicable pH : Insoluble			. 10	applicable
	10. 9	STABILITY AND RE	EACTIV	ITY	
Stability	: S	table.			



## MATERIAL SAFETY DATA SHEET GREEN

Version Number 1.1 Revision Date 12/19/2006

Page 4 of 6 Print Date 11/25/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
14808-60-7	Quartz	no	1	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation. Long-term exposure may cause coughing, chest pain, diminished chest expansion and possibly silicosis, which is a scarring of the lungs.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the



# MATERIAL SAFETY DATA SHEET GREEN

Version Number 1.1 Page 5 of 6 Print Date 11/25/2011 Revision Date 12/19/2006 polymer matrix. Additional advice : No data available **13. DISPOSAL CONSIDERATIONS** Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** : Not regulated for transportation. U.S. DOT Classification ICAO/IATA (air) Refer to specific regulation. : IMO / IMDG (maritime) : Refer to specific regulation. **15. REGULATORY INFORMATION US Regulations: OSHA Status** Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : WARNING! This product contains a chemical known to the State of 65 California to cause cancer. SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

## MATERIAL SAFETY DATA SHEET GREEN

Version Number 1.1				
<b>Revision Date</b>	12/19/2006			

Page 6 of 6 Print Date 11/25/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulationChemical NameCAS-No.Weight %VANADIUM COMPOUNDS14059-33-71.00 - 5.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Bismuth vanadium oxide (BiVO4)	14059-33-7	1.00 - 5.00	226
Phthalocyanine green	1328-53-6	0.10 - 1.00	71

Substances List (DSL) or are exempt.

All components of this product are on the Canadian Domestic

DSL

:

National Inventories:

Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Not determined

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.