

MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 06/04/2004

Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	MUSTARD YELLOW
Product code	:	CC10054829
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 06/04/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	i.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.	: at
Skin	: Wash off with soap and plenty of water. If skin irritation persists medical attention.	eel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
sower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.	ve
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Sectio of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Here only in areas with appropriate exhaust ventilation.	ıt
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	n

2/6



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 06/04/2004 Page 3 of 6 Print Date 11/14/2011

0 1	and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
8.1	EXPOSURE	CONTROLS / PERSON	AL PRC	DIECTION		
Respiratory protection	: N	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene:Handle in accordance with good industrial hygiene and safety practice.ConsiderationsWash hands before breaks and at the end of workday.						
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Calcium carbonate	5 mg/m3	PEL:	Re	espirable fraction.	OSHA Z1	
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
Titanium dioxide	10 mg/m3	Time Weighted Average			ACGIH	
			50			
	15 mg/m3	(TWA): PEL:	50	Total dust.	OSHA Z1	
	-	(TWA):			OSHA Z1	
	9. PHYSIC	(TWA): PEL: CAL AND CHEMICAL	PROPEI	RTIES		
Form	9. PHYSI : Solid	(TWA): PEL: CAL AND CHEMICAL	PROPE	RTIES n rate : No	t applicable	
Form Appearance	9. PHYSIC : Solic : Pelle	(TWA): PEL: CAL AND CHEMICAL d Events Sp	PROPEI vaporation pecific Gr	RTIES n rate : No avity: : No	t applicable t determined	
Form Appearance Color	9. PHYSIC : Solic : Pelle : YEL	(TWA): PEL: CAL AND CHEMICAL d Events Sp LOW But	PROPEI vaporation pecific Gr ulk densit	RTIES n rate : No avity: : No y : No	t applicable t determined t established	
Form Appearance Color Odor	9. PHYSIC : Solic : Pelle : YEL : Very	(TWA): PEL: CAL AND CHEMICAL d Events Sp LOW Bu v faint Values	PROPEI vaporation pecific Gr ulk densit apor press	RTIES n rate : No avity: : No y : No sure : No	t applicable t determined t established t applicable	
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solid : Pelle : YEL : Very : Not	(TWA): PEL: CAL AND CHEMICAL d Events ets Spents LOW Budy faint v faint Value determined Value	PROPEI vaporation pecific Gr ulk densit apor press apour der	RTIES n rate : No avity: : No y : No sure : No usity : No	t applicable t determined t established t applicable t applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pelle : YEL : Very : Not	(TWA): PEL: CAL AND CHEMICAL d Events ets Spents LOW But / faint Value determined Value applicable pH	PROPEI vaporation pecific Gr ulk densit apor press apour der	RTIES n rate : No avity: : No y : No sure : No usity : No	t applicable t determined t established t applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : YEL : Very : Not a : Insol	(TWA): PEL: CAL AND CHEMICAL d Events ets Sp LOW But / faint Value determined Value applicable pH	PROPEI vaporation pecific Gr ulk densit apor press apour der H	RTIES n rate : No avity: : No y : No sure : No isity : No : No	t applicable t determined t established t applicable t applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : YEL : Very : Not a : Insol	(TWA): PEL: CAL AND CHEMICAL d Events ets Spents LOW But / faint Value determined Value applicable pH	PROPEI vaporation pecific Gr ulk densit apor press apour der H	RTIES n rate : No avity: : No y : No sure : No isity : No : No	t applicable t determined t established t applicable t applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : YEL : Very : Not e : Insol 10. S	(TWA): PEL: CAL AND CHEMICAL d Events ets Sp LOW But / faint Value determined Value applicable pH	PROPEI vaporation pecific Gr ulk densit apor press apour der H	RTIES n rate : No avity: : No y : No sure : No isity : No : No	t applicable t determined t established t applicable t applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pelle : YEL : Very : Not e : Not a : Insol 10. S : S	(TWA): PEL: CAL AND CHEMICAL d Event d Event ets Spectral / faint Value / faint Value / pplicable pH luble STABILITY AND REAC	PROPEI vaporation pecific Gr ulk densit apor press apour der H	RTIES n rate : No avity: : No y : No sure : No isity : No : No	t applicable t determined t established t applicable t applicable	



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 06/04/2004

Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation
	and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 06/04/2004 Page 5 of 6 Print Date 11/14/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.			
15. REGULATORY INFORMATION					
US Regulations:					
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable					
California Proposition 65	:	WARNING! This product contains a chemical known to the State of California to cause cancer.			
SARA Title III Section 302 Extra	rem	ely Hazardous Substance			
Not applicable					
SARA Title III Section 313 Tox	ic C	Themicals:			
Not applicable Canadian Regulations:					
National Pollutant Release	National Pollutant Release Inventory (NPRI)				
Not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.			
National Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Not determined			
Europe EINECS	:	Not determined			
Japan ENCS	:	Not determined			
Korea KECI	:	Not determined			



MATERIAL SAFETY DATA SHEET MUSTARD YELLOW

Version Number 1.0 Revision Date 06/04/2004

Page 6 of 6 Print Date 11/14/2011

Philippines PICCS

: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.