MATERIAL SAFETY DATA SHEET SATIN STRAIGHT PURPLE

Version Number 1.0 Revision Date 06/07/2004 Page 1 of 6 Print Date 11/14/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SATIN STRAIGHT PURPLE
Product code	:	CC10054838
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET SATIN STRAIGHT PURPLE

Version Number 1.0 Revision Date 06/07/2004 Page 2 of 6 Print Date 11/14/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
sower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET SATIN STRAIGHT PURPLE

Version Number 1.0 Revision Date 06/07/2004 Page 3 of 6 Print Date 11/14/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection		o personal respiratory protecti		required.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: Sa	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		eat only in areas with appropr propriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH	
		(TWA):			
i italiuni dioxide	15 mg/m3	(TWA): PEL:	Total dust.	OSHA Z1	
		PEL:		OSHA Z1	
				OSHA Z1	
	9. PHYSIC	PEL: CAL AND CHEMICAL PRO)PERTIES		
Form	9. PHYSIC : Solid	PEL: CAL AND CHEMICAL PRO Evapo	DPERTIES	t applicable	
Form Appearance	9. PHYSIC : Solid : Pellet	PEL: CAL AND CHEMICAL PRO Evapo ts Specif	DPERTIES ration rate : Not ic Gravity: : Not	t applicable t determined	
Form Appearance Color	9. PHYSIC : Solid : Pellet : PURI	PEL: EAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not	t applicable t determined t established	
Form Appearance Color Odor	9. PHYSIC : Solid : Pellet : PURI : Very	PEL: EAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d faint Vapor	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	t applicable t determined t established t applicable	
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solid : Pellet : PURI : Very : Not d	PEL: CAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d faint Vapor letermined Vapou	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not	t applicable t determined t established t applicable t applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pellet : PURI : Very : Not d : Not a	PEL: CAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d faint Vapor letermined Vapou pplicable pH	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not	t applicable t determined t established t applicable	
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solid : Pellet : PURI : Very : Not d	PEL: CAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d faint Vapor letermined Vapou pplicable pH	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not r density : Not	t applicable t determined t established t applicable t applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pellet : PURI : Very : Not d : Not a : Insolu	PEL: CAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d faint Vapor letermined Vapou pplicable pH	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	t applicable t determined t established t applicable t applicable	
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pellet : PURI : Very : Not d : Not a : Insolution	PEL: CAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d faint Vapor letermined Vapou pplicable pH uble	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	t applicable t determined t established t applicable t applicable	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pellet : PURI : Very : Not d : Not a : Insolution 10. S : St	PEL: CAL AND CHEMICAL PRO Evapo ts Specif PLE Bulk d faint Vapor letermined Vapou pplicable pH uble TABILITY AND REACTIV	DPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not ir density : Not : Not	t applicable t determined t established t applicable t applicable	

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET SATIN STRAIGHT PURPLE

Version Number 1.0 Revision Date 06/07/2004 Page 4 of 6 Print Date 11/14/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matri of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matri of the polymer.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
	: Not regulated for transportation.
U.S. DOT Classification	. Not regulated for transportation.



MATERIAL SAFETY DATA SHEET SATIN STRAIGHT PURPLE

Version Number 1.0 Revision Date 06/07/2004 Page 5 of 6 Print Date 11/14/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.			
15. REGULATORY INFORMATION					
US Regulations:					
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous S	US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable					
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.			
SARA Title III Section 302 Extr	em	ely Hazardous Substance			
Not applicable					
SARA Title III Section 313 Tox	ic C	Chemicals:			
Not applicable Canadian Regulations:					
National Pollutant Releas	National Pollutant Release Inventory (NPRI)				
Not applicable					
WHMIS Classification	:	Not controlled.			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			



MATERIAL SAFETY DATA SHEET SATIN STRAIGHT PURPLE

Version Number 1.0 Revision Date 06/07/2004 Page 6 of 6 Print Date 11/14/2011

Philippines PICCS

: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.